



MEMORANDUM

TO:

Jim Eddinger, U.S. Environmental Protection Agency, OAQPS (C439-01)

FROM:

Christy Burlew and Roy Oommen, Eastern Research Group (ERG), Morrisville

DATE:

October, 2002

SUBJECT:

Development of Average Emission Factors and Baseline Emission Estimates for the Industrial, Commercial, and Institutional Boilers and Process Heaters National

Emission Standard for Hazardous Air Pollutants

1.0 INTRODUCTION

This memorandum describes the development of average emission factors and baseline emissions estimates for the industrial, commercial, and institutional boilers and process heaters included in the population database for use in the development of a NESHAP for these sources. This memorandum discusses the sources of data used in the development of the average emission factors and baseline emissions, the methodology and assumptions used in the development of the emission factors and baseline emissions, and the methodology for reviewing and verifying the accuracy of the emission factors and baseline emissions. The following are sections within this memorandum:

Section 2.0	Data Sources
Section 3.0	General Methodology for Developing Emission Factors
Section 4.0	Averaging Available Test Data to Develop Emission Factors
Section 5.0	Standardization Methodology and Filling Data Gaps
Section 6.0	Comparison of Emission Factor Methodologies
Section 7.0	Review and Verification of Emission Factors
Section 8.0	Inclusion of Non-Detect Emissions Data Points
Section 9.0	Representation of Process Heaters
Section 10.0	Summary of Emission Factor Results

Section 11.0 Development of Baseline Emissions Estimates

Section 12.0 References

Section 13.0 Appendices

2.0 DATA SOURCES

The main source of data used for the development of average emission factors and baseline emissions estimates for industrial, commercial and institutional boilers and process heaters was the EPA emission test database for boilers. This database includes data from test reports that represented various types of boilers, fuels, control devices, and pollutants. Information on the original data sources and the development of this database is discussed in the memorandum, "Development of the Emission Test Database for Industrial/Commercial/Institutional Boilers and Process Heaters National Emission Standard for Hazardous Air Pollutants!".

The population database in combination with the model units developed to represent the population database were used to determine which types of boilers, fuel types, and control devices were in the existing population so that corresponding emission factors could be developed for all these combinations. The development of the population database and the model units are discussed in the memoranda. "Development of the Population Database for Industrial Commercial Institutional Boilers and Process Heaters National Emission Standard for Hazardous Air Pollutants²" and "Development of Model Units for the Industrial/Commercial/Institutional Boilers and Process Heaters National Emission Standard for Hazardous Air Pollutants³".

Chapter 1 from the Compilation of Air Pollutant Emission Factors (AP-42)⁴ which covers external combustion sources was also used in the review and verification of the average emission factors developed using the emission test database. This review and comparison is discussed in more detail in Section 7.0 of this memorandum.

3.0 GENERAL METHODOLOGY FOR DEVELOPING EMISSION FACTORS

3.1 Selection of Pollutants for Developing Emission Factors

The first step in developing average emission factors was to select only the emissions data from the emissions test database for 30 different HAP of interest for the boiler and process heater NESHAP as well as the criteria pollutants, including particulate matter, carbon monoxide, and sulfur dioxide. The 30 HAP are subset of the 188 listed HAP. They were selected as pollutants to focus on for boilers and process heaters because of their inclusion on EPA lists as pollutants of concern, their representativeness for the other 158 HAP, and because they constitute the largest quantities of HAP emitted. Table 3-1 lists the compounds for which emission factors were developed.

3.2 Selection of Emission Test Data that Corresponds to Model Units

To estimate emissions, average emission factors were applied to different types of boilers and process heaters that are included in the existing population. To accomplish this, the model units that were developed to represent the EPA population database of boilers and process heaters were matched against the emissions test database to identify those test reports that represented the existing population. The emission tests were first matched based on the type of fuel burned during the emission test since this is one of the main distinctions between the various model units. Once grouped by fuel types, the emission tests were grouped according to control devices.

The emission tests that represented all different variations of the same model unit fuel types were grouped into one model unit fuel category. Because the model unit fuel categories that were developed based on the population database were chosen to represent broad categories of fuels, the associated emission data points from the emission database that were matched to these model unit categories represent the range of different fuel types and combinations that are assigned to the model units. For example, emission tests for boilers burning various types of wood, such as bark and sawdust, were grouped into the "wood" model unit fuel category and the emission tests matched to the "gas" model unit fuel category include tests for natural gas, process gas, coke oven gas, and landfill gas. Grouping the emissions data according to the model unit

Table 3-1. Compounds Selected to Develop Emission Factors

1.4-Dichlorobenzene	Hydrogen Fluoride
16-PAH	Lead
Acetaldehyde	m-Xylene
Acrolein	Manganese
Arsenic	Mercury
Benzene	Methyl Chloroform
Beryllium	Methyl Ethyl Ketone
Cadmium	Methylene Chloride
Chlorine	Nickel
Chromium	o-Xylene
Dibenzofuran	Phosphorus
Dibutylphthalate	Toluene
Dioxin	Xylenes
Ethylbenzene	PM
Formaldehyde	СО
Hexachlorobenzene	Sulfur Dioxide
Hydrogen Chloride	

fuel categories result in the development of average emission factors that represent the range and variability of emissions that could result from the types of boilers and process heaters assigned to the various model units.

The emission test data were then grouped by the control device types represented within each fuel group. The test reports often indicated several different add-on control devices that were specific to a single boiler. These control devices were grouped into more general control device categories that were consistent with the control levels developed for the model units (used to represent the existing population of boilers and process heaters). Many of the controls in the emission test database, such as low NOx burners and over-fire air were not considered in grouping the emission test data because they are assumed to have no effect on HAP emissions.

However, some multiple control devices listed in test reports needed to be grouped in order to match model units. Most of these multiple controls were grouped according to the predominant control device that achieves the highest pollutant removal efficiencies. For example, a test report that represents a boiler with a mechanical cyclone and a fabric filter would be matched with the fabric filter control level because the fabric filter is the predominant control for particulate matter and metallic HAP and the resulting outlet emissions are assumed to be representative of the outlet emissions that would be achieved by a fabric filter alone. However, some multiple control devices were not grouped because the controls matched a typical control combination found in the existing population. For example, there are model units that represent units with particulate control and acid gas controls, such as a combination of wet scrubber and fabric filter. These control combinations found in the emission test database were matched with the similar model unit control levels.

3.3 Grouping of Pollutants to Develop Total Emissions per Test

Before average emission factors could be calculated for some pollutant categories, some of the emissions test data were grouped and summed further. For example, some emission tests had emissions data for condensible and filterable particulate matter from the same test. These two values were summed together to develop a total particulate matter value for the emissions test. Similar summations and groupings were done to develop total polychlorinated dibenzodioxin emissions, total polychlorinated dibenzofuran emissions, total 16-PAH (polycyclic aromatic hydrocarbons) emissions, and total mercury emissions.

Review of emissions test data for polychlorinated dibenzodioxin and polychlorinated dibenzofuran indicated that many of the test reports that contain dioxin/furan information provide data for specific individual isomers of dioxin/furan as well as data for groups of isomers, such as total tetrachlorodibenzodioxins (TCDD). Summing all these data points together would be incorrect because it would double-count emissions. In the development of average emission factors, all supporting dioxin/furan data was reviewed closely to include only non-duplicate isomers of dioxin/furan in the total sum for each individual test.

The emission test database contains emissions data specific to many different organic compounds, including the organic compounds that are included in the group polycyclic aromatic hydrocarbons (PAH). For development of emission factors for this pollutant group, the group of

sixteen of the polycyclic aromatic hydrocarbons, which is commonly referred to as 16-PAH, was calculated. The pollutants included in this grouping are as follows: acenaphthene. acenaphthylene, anthracene, benz(a)anthracene, benzo(b)fluoranthene, benzo(e)pyrene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenz(ah)anthracene, fluoranthene, fluorene, ideno(1,2,3-cd)pyrene, naphthalene, phenanthrene, and pyrene. The emissions for each of these specific 16-PAH compounds were summed to develop a single 16-PAH emissions value for each emission test in the database.

The data available for use in the development of average mercury emission factors was also reviewed for potential duplication of emissions that were reported for the test, such as fractions of totals as well as total emissions. Also, any mercury compound emissions that are not measured by EPA Method 29 were removed from the sum total for an individual test.

4.0 AVERAGING AVAILABLE DATA TO DEVELOP EMISSION FACTORS

4.1 Averaging Emissions Test Data

Once all necessary summations were done, the pound per MMBtu heat input emission factors that were available in the emissions test database were averaged for each different combination of model unit fuel type, model unit control device, and pollutant of interest. For example, all the pound per MMBtu heat input emission factors available for each pollutant of interest for coal-fired boilers equipped with an electrostatic precipitator were averaged to develop average pound per MMBtu heat input emission factors for this type of unit.

The arithmetic mean of the data sets was used to develop the emission factors, as opposed to the median values of the data sets. The median values of each group of data were calculated and compared to the corresponding arithmetic means. In most cases, the resulting emission factors were very similar. Also, the standard deviations and distributions of each data set were reviewed and all the data sets appeared to follow a normal distribution pattern so that the arithmetic means are assumed to be an accurate representation of the typical emission rates of the various model units.

4.2 Results of Averaging Available Emissions Data to Develop Emission Factors

The analysis described in this section resulted in the development of unique emission factors that represented 69 different general model unit combinations based on fuel type and control level out of a total of 80 different model unit fuel type and control level combinations. Therefore, these emission factors represented approximately 85 percent of the total existing population of general model units. However, although at least one emission factor was available for 69 of the model fuel and control device combinations, for each of these combinations there are over 30 pollutants of interest for which emission factors were needed. The set of emission factors that resulted from simply averaging the available emissions test data resulted in coverage of only 30 percent of all the different combinations of model unit fuels, control levels, and pollutants of interest.

5.0 STANDARDIZATION METHODOLOGY AND FILLING DATA GAPS

5.1 Data Gaps and Inconsistencies in Emission Factors Based on Available Test Data

As indicated in Section 4.2, the resulting emission factors developed by averaging available test data that was specific to certain model unit fuel types, control devices and pollutants of interest only represented approximately 30 percent of the overall existing population of boilers and process heaters. For certain combinations of fuel type, control device, and pollutant there were extensive data gaps. Model units for non-fossil fuels had many gaps in emission factors because of the relatively small amount of non-fossil data available in the emissions test database. The extent of the data gaps would have made it very difficult to use this set of emission factors to develop accurate baseline emissions estimates and other emissions estimates because the data set was not representative of the entire existing population of sources.

Also, because there were a limited number of emission data points in the database for certain combinations of fuel types, control devices, and pollutants, many of the average emission factors developed using the methodology described in Section 4.0 were based on a small number of data points and were often very inconsistent. Many of the controlled emission factors for a particular fuel type were higher than uncontrolled emissions for the same fuel type. For example, because there might be a large number of emission tests for uncontrolled boilers burning coal but perhaps only one available emission test for a coal-fired boiler with a wet scrubber, the resulting

emission factors for the uncontrolled sources were often lower than the controlled boiler burning the same type of fuel. This inconsistency would have made it impossible to use these emission factors in any subsequent analysis for the NESHAP. Section 5.2 discusses the methodology used to standardize the emission factors.

5.2 Methodology for Standardizing Available Data and Filling Data Gaps

The emission test database includes much more controlled outlet emission test data than uncontrolled inlet test data and often the controlled outlet emissions data available for a particular fuel type did not span the wide range of control devices included in the existing population. For instance, the emission test database includes large amounts of data on some typical types of units such as coal-fired boilers with electrostatic precipitators while it often has little or no data on coal-fired boilers with other types of control devices. Since the model units used to represent the existing population are based not only on fuel type but also on control device level, the availability of actual test data for only a limited number of control devices resulted in extensive data gaps in the emission factors. However, most of the control devices represented in the emission test database are common control technologies for which control device rankings and typical efficiencies were developed for use in the MACT floor analysis. For more information on the control device rankings and typical efficiencies, refer to the memorandum, "Methodology for Estimating Cost Impacts for the Industrial, Commercial, and Institutional Boiler and Process Heaters National Emission Standards for Hazardous Air Pollutants". After the initial steps discussed in Section 3.0 were completed, these typical control efficiencies were used to standardize the available emissions data, controlled and uncontrolled, for a particular fuel type to uncontrolled levels using the following equation:

Uncontrolled Emission Factor = (Controlled Emission Factor) ÷ [1- (% control efficiency/100)]

Using this equation to convert all available emission test data to uncontrolled levels results in significant increases in emissions data available for each pollutant and fuel type. Once all emissions data was converted to uncontrolled levels, all the uncontrolled data points were averaged to develop average uncontrolled emission levels for each pollutant and fuel type combination.

The average uncontrolled levels developed for each pollutant and fuel type combination were then used as the starting point for developing the necessary emission factors for the various model units with different control devices. Again, using the typical control efficiencies developed along with the control device rankings⁵, the average uncontrolled emission levels for each pollutant and fuel type were converted to controlled emission levels specific to the particular control devices that exist on the various model units using the following equation:

Controlled Emission Factor = (Uncontrolled emission factor) x [1-(% control efficiency/100)]

Using this equation, in combination with the standardized, uncontrolled emissions for each pollutant and fuel type, allowed the development of average emission factors for many more specific model units than could be developed by just averaging the available data points only. Also, this process helped to group more emission data points together based on fuel types so that more data points were available for each model unit fuel category. This resulted in more consistent emission factors in which controlled emissions were lower than uncontrolled emissions.

5.3 Results of Emission Factors Developed Using Standardization Methodology

The standardization methodology resulted in the development of average emission factors that represent approximately 100% of the general model unit fuel type and control level combinations developed to represent the existing population. There are no data gaps for specific control levels within each general model unit because of how the emission factors were developed using the standardization methodology. Most of the data gaps in the emission factors developed using the standardization methodology are specific to certain pollutants of interest for which there is very limited data. For instance, there is no controlled or uncontrolled data available for 1.4-dichlorobenzene, dibutylphthalate, hexachlorobenzene, or m-xylenes for entire model unit fuel type categories.

Once the standardized emission factors were developed, the availability of adequate emission factors was used as a basis for collapsing some of the more specific model units into common categories. The memorandum discussing the model unit development describes this in more detail.³

6.0 COMPARISON OF EMISSION FACTOR METHODOLOGIES

The emission factor methodology in which all emission data points were standardized to uncontrolled levels resulted in the ability to develop many more average emission factors to represent the control level model units. This standardization methodology also greatly reduced the inconsistencies between controlled and uncontrolled emission factors. Furthermore, the standardization methodology resulted in emission factors that were based on larger numbers of emission data points. Whereas, when just averaging the available test data for each different group might have resulted in emission factors that were based on a single data point, using the standardization methodology resulted in emission factors that are based on several different data points.

Because most of the control devices represented in the emissions database are common control devices that have consistent control efficiencies for various pollutants, it is assumed that using the typical control device efficiencies in the standardization methodology does not introduce a large margin of error. The emission factors developed by just averaging the available data (where there were many available test data points) were compared to the emission factors for the same model unit parameters developed using the standardization methodology. The differences in the results of the two methodologies in these cases was very slight, if any.

The main difference between the two methodologies is the larger number of emission factors that can be developed and the consistency that can be gained by using the standardization methodology. For these reasons, the emission factors used in subsequent analysis for this NESHAP were those developed using the standardization method as discussed in Section 5.2.

7.0 REVIEW AND VERIFICATION OF EMISSION FACTORS

Once the average emission factors were developed using the standardization methodology, additional review was conducted to ensure that the emission factors were consistent and representative of the specific model units. This review was done by comparing the emission factors that were grouped according to the type of fuel burned, by comparing emission factors that burn different fuel types but have similar controls, and by comparing the emission factors to published AP-42 emission factors⁴, when they were available.

First, emission factors specific to a certain fuel type but with different control technologies were compared to determine if there was consistency within these groups. For example, all the coal-fired boiler emission factors were compared to each other to ensure that the uncontrolled emissions were higher than the controlled emissions and that the controlled emission factors represented the range of control efficiencies expected from the various technologies. As previously indicated, the standardization method did not result in inconsistencies on this basis.

Second, emission factors for model units with different fuel types but with similar control devices were compared to each other. For example, a combination coal and gas-fired boiler uncontrolled emission factor was compared to a coal-fired boiler uncontrolled emission factor. If any unexpected differences were found, such as a the combination gas/coal emission factor for particulate matter being higher than a coal emission factor for particulate matter, all data points that contributed to the average emission factor were reviewed closely to identify possible outliers. In many of these cases, a single outlier data point was often the cause of this type of inconsistency. The test reports for any outliers identified were reviewed to determine if the operation of the boiler and control device were representative of the model unit or if there was some error in the raw data. In some cases, the concentration units associated with the raw test data had been transferred incorrectly when calculating the pound per MMBtu heat input emission factors. These data points were either adjusted accordingly, if possible, or removed from the emission factor analysis. Those data points that were removed from the analysis based on this review are documented in a "Lookup" table within the Boiler and Process Heater Emissions test database. Sometimes, an outlier data point was found to be unrepresentative of a model unit fuel type and the average emission factors were adjusted. An example of this is the adjustments made to the emission factors for gas-fired model units. The majority of boilers and process heaters assigned to the gas-fired model units are those boilers that burn natural gas. However, boilers that burn gases such as landfill gas and biogas are also assigned to these model units and the available emissions data is included in the average emission factors. The emissions data from landfill gas often showed higher metallic HAP emissions than the emissions data from natural gas. So the emissions data from each type of gaseous fuel were weighted according to the percent of the total gas-fired units that burn each type of gaseous fuel in the existing population.

In this way, the emission factor is representative of the typical gas-fired boiler population which mostly burn natural gas.

Lastly, the average emission factors developed were compared to AP-42 emission factors for the same fuel types when comparable AP-42 emission factors were available. In cases where the average emission factors developed were significantly different than the corresponding AP-42 emission factors, the data points used to develop the average emission factor were reviewed to identify any outliers or other reasons for the difference. This review resulted in identifying some errors in the raw data that could be adjusted accordingly to result in more representative emission factors. However, this comparison to AP-42 also indicated that there were some differences that could be attributed to the initial exclusion of all non-detect test data from the average emission factors. Section 8.0 discusses the subsequent inclusion of non-detect data points in the average emission factor determinations.

8.0 INCLUSION OF NON-DETECT EMISSIONS DATA POINTS

Initially, in the development of average emission factors, data from tests with two or three non-detect runs were not included in the averages. However, average pound per MMBtu heat input emission factors were available in the emissions database for these tests. The calculation methodology was subsequently revised. The average emission factors for these tests in the emissions database were calculated by averaging in one half of the detection limit values for the test runs that were below the detection limit. The decision was made to develop the average emission factors for the model units including these non-detect emissions tests because not including these tests resulted in emission factors that were skewed toward the high end of the emissions range for some boilers. For example, for some combinations of fuel type, control device type, and pollutant type, there might be one test with results above detection limits but 10 tests with results below detection limits. If the non-detect tests were not included, the average emission factor would not be representative of typical emissions from that particular model unit.

The use of non-detect emissions test data could create some problems with developing average emission factors if the detection limits for the emissions test are relatively high. If detection limits were too high, then using one half the detection limit could result in emission levels from non-detect emissions tests appearing to be higher than emission levels from detect

tests. Once emission factors were developed that included the non-detect data points, these emission factors were compared to the previous set of emission factors to ensure that the inclusion of non-detect data did not increase any emission factors. This review determined that including the non-detect data did not increase the average emission factors.

Also, due to potential error that could be created by using non-detect test points with high detection limits, the emission factor analysis was reviewed to verify that no average emission factors were based solely on non-detect data. All average emission factors developed are based on detect data as well as non-detect emissions data. Furthermore, the grouping of emission tests that results from the standardization methodology further reduces the concern that non-detect data could result in unrepresentative emission factors.

9.0 REPRESENTATION OF PROCESS HEATERS

There is very limited test data available for process heaters in the EPA emission test database. As a result, average emission factors that are specific to process heaters only could not be developed. However, because the process heaters covered by this NESHAP only include indirect-fired process heaters whose emissions result only from the combustion of fuels, the boiler emission factors are assumed to be representative of comparable process heaters.

The process heaters in the existing population were assigned to the appropriate control level model units using the information available in the population database. For more information regarding these model unit assignments, refer to the memorandum "Development of Model Units for the Industrial/Commercial/Institutional Boilers and Process Heaters National Emission Standards for Hazardous Air Pollutants."³. The majority of the process heaters in the existing population are fired with gaseous fuels and since there is quite a bit of emissions data available for gaseous fuel-fired boilers and the emissions from combustion of gas is not expected to vary greatly between boilers and process heaters⁶, the average emission factors developed for boilers are used to represent gaseous-fired process heaters, as well. The average emission factors developed for boilers were also used to represent those existing process heaters that burn fuel oils or wood/biomass fuels because the resulting emissions from the combustion of these fuels was assumed to be similar regardless of whether the fuel was burned in a boiler or process heater.

10.0 SUMMARY OF EMISSION FACTOR RESULTS

Using the standardization methodology resulted in the development of average emission factors for the control level model units that represents approximately 82 percent of the fuel type, control device, and pollutant combinations that are included in the existing population of boilers and process heaters. Most of the data gaps present in the set of emission factors exist because of lack of controlled and uncontrolled data for a few specific pollutants out of the 33 that were identified for developing emission factors.

The emission factors presented in Appendix A were used to represent the existing population of 283 specific control level model units for estimating baseline emissions, emission reductions, and cost impacts associated with meeting various emission levels for the entire existing population of boilers and process heaters.

11.0 DEVELOPMENT OF BASELINE EMISSIONS ESTIMATES

The average emission factors were used in combination with the model units used to represent the boiler and process heater population to develop baseline emission estimates for the industrial, commercial, and institutional boiler and process heater source category. The average emission factors, in lb pollutant emitted/MMBtu heat input, were multiplied by the average capacity of each model unit, in MMBtu/per hour heat input to develop the lb of each pollutant emitted per hour from a single boiler in each model unit category. This amount was then multiplied by hours of operation per year, model capacity factor, and the total number of units in the population that are mapped to each model unit. These totals were then summed to develop the national baseline emissions estimates for this source category. Appendix B presents the national baseline emissions estimates for this source category.

12.0 REFERENCES

1. Jeanette Alvis and Christy Burlew, ERG. Memorandum to Jim Eddinger, U.S. Environmental Protection Agency, OAQPS. Development of the Emissions Test Database for the Industrial/ Commercial/Institutional Boilers and Process Heaters National Emission Standards for Hazardous Air Pollutants. October, 2002.

- 2. Jeanette Alvis and Christy Burlew, ERG. Memorandum to Jim Eddinger, U.S. Environmental Protection Agency, OAQPS. Development of the Population Database for the Industrial/ Commercial/Institutional Boilers and Process Heaters National Emission Standards for Hazardous Air Pollutants. October, 2002.
- 3. Jeanette Alvis and Christy Burlew, ERG. Memorandum to Jim Eddinger, U.S. Environmental Protection Agency, OAQPS. Development of Model Units for the Industrial/Commercial/Institutional Boilers and Process Heaters National Emission Standards for Hazardous Air Pollutants. October, 2002.
- 4. U.S. Environmental Protection Agency, 1995. Compilation of Air Pollutant Emission Factors (AP-42), Fifth Edition, Volume 1: Stationary and Point Sources, Chapter 1: External Combustion Sources.
- 5. Roy Oommen, ERG. Memorandum to Jim Eddinger, U.S. Environmental Protection Agency, OAQPS. Methodology for Estimating Cost and Emissions Impacts for the Industrial, Commercial, and Institutional Boiler and Process Heaters National Emission Standard for Hazardous Air Pollutants. October, 2002.
- 6. Petroleum Environmental Research Forum. Project 92-19. The Origin and Fate of Toxic Combustion Byproducts in Refinery Heaters and Boilers.

			1	
			£	£
			•	
		_		

Appendix A

Average Emission Factors Developed for Control Level Model Units Using the Standardization Methodology

(See Excel spreadsheet "BaselineEFappxAB.xls")

j		,	٤	R
	_	 		

2.30E-05 2.07E-04 2 30E-05 2.30E-05 2 30E-05 2.30E-05 2.30E-05 2.30E-05 2.30E-05 2 07E-04 1.61E-04 2.07E-04 2.07E-04 1.61E-04 2.30E-05 2.30E-05 1.61E-04 2.07E-04 2.30E-05 2.30E-05 2.30E-05 1.61E-04 2.07E-04 2.07E-04 Chromium 1.03E-02 2.06E-03 5.15E-03 2.06E-02 5 15E-03 1.44E-02 5 15E-03 5.15E-03 1.44E-02 1.03E-02 1 03E-02 5 15E-03 2 06E-02 1.85E-02 1.03E-02 1.03E-02 2.06E-03 2 06E-02 1.44E-02 auuojun 3 02E-06 3 02E-06 3 02E-06 2 72E-05 2 72E-05 3 02E-06 3 02E-05 2 72E-05 3 02E-06 3.02E-07 2 12E-05 3 02E-06 3 02E-06 3 02E-06 3 02E-06 2 12E-05 3 02E-05 2 72E-05 3 02E-06 3 02E-06 3 02E-06 3 02E-06 3 02E-06 3 02E-06 3 02E-07 2 12E-05 2 72E-05 2 72E-05 3 02E-06 3 02E-06 3 02E-06 151E-05 2 12E-05 **Cadmium** 1 76E-06 1 58E-05 1 76E-06 1 76E-06 76E-05 23E-05 1 58E-05 1 58E-05 1.76E-06 1.76E-06 1 76E-07 23E-05 1 76E-06 1 76E-06 1.76E-06 1.76E-06 1 23E-05 76E-05 1 58E-05 1.76E-06 1 76E-06 1 76E-06 1 76E-06 1.76E-06 1 76E-07 23E-05 1 58E-05 1 76E-05 1.58E-05 1 76E-06 1 76E-06 1.76E-06 1.23E-05 1 58E-05 8 80E-06 1 76E-06 1.76E-07 1 76E-06 1 29E-05 1 16E-05 1 16E-05 1 29E-05 1 16E-05 1 16E-05 1.16E-05 1 29E-05 1 16E-05 1 16E-05 1 16E-05 1.16E-05 1 29E-05 1.16E-05 1 29E-05 1 29E-05 1.16E-05 90-300 6 1 29E-05 16E-05 auazuag 1 88E-04 188E-04 2 09E-05 2 09E-05 2 09E-06 147E-04 1 88E-04 2 09E-05 2 09E-05 2 09E-05 2 09E-05 2 09E-05 1 47E-04 2 09E-04 1 88E-04 2 09E-05 2 09E-05 2 09E-05 2 09E-05 2 09E-05 2 09E-05 2 09E-06 147E-04 2 09E-04 1 88E-04 2 09E-04 188E-04 2 09E-05 2 09E-05 2 09E-05 147E-04 2 09E-04 2 09E-05 1 47E-04 4 80E-06 4 80E-06 5 33E-06 4 80E-06 5 33E-06 5 33E-06 4 80E-06 4 80E-06 5 33E-06 5 33E-06 4 80E-06 4 80E.06 4 80E-06 5 33E-06 5 33E-06 4 80E-06 3 73E-06 4 80E-06 5 33E-06 4 80E-06 4 80E-06 5 33E-06 5 33E-06 4 80E-06 4 80E-06 3 73E-06 4 80E-06 5 33E-06 5 33E-06 4 80E-06 2 93E-05 3 26E-05 3.26E-05 2.93E-05 2.93E-05 3.26E-05 2 93E-05 2.93E-05 2.93E-05 3 26E-05 3.26E-05 3 26E-05 3 26E-05 2.28E-05 3 26E-05 2.93E-05 2 93E-05 2 93E-05 3.26E-05 2.28E-05 3.26E-05 2.93E-05 2.93E-05 2 93E-05 3 26E-05 3 26E-05 2.93E-05 2.93E-05 2 93E-05 3.26E-05 3.26E-05 3 26E-05 2 93E-05 2.93E-05 3.26E-05 Acetaldehyde 1 39E-05 1 25E-05 9 76E-06 1 25E-05 9.76E-06 139E-05 1 25E-05 1 25E-05 1 39E-05 1 39E-05 1 25E-05 1.25E-05 1 25E-05 1 25E-05 1 25E-05 1 39E-05 1.39E-05 1 39E-05 1 25E-05 1 25E-05 1 25E-05 1 39E-05 1 39E-05 1.25E-05 1 25E-05 25E-05 1 39E-05 HA4-81 1 22E-06 1 22E-06 22E-06 22E-06 1 22E-06 1 22E-06 36E-06 1 22E-06 1 22E-06 22E-06 1 36E-06 1 22E-06 1 22E-06 1 36E-06 1 22E-06 1.22E-06 36E-06 1 36E-06 1 36E-06 22E-06 1 36E-06 1 36E-06 9 49E-07 1 36E-06 36E-06 1 22E-06 22E-06 1 36E-06 1 36E-06 9 49E-07 22E-06 1 36E-06 1 36E-06 1 36E-06 1 22E-06 1 36E-06 1 22E-06 1 36E-06 1 22E-06 36E-06 1 22E-06 1 36E-06 9 49E-07 Control Level Cyclone/Venturi/Packed ESP/Wet Scrubber ESP/Wet Scrubber FF/Wet Scrubber Wet Scrubber FF/Wet Scrubber Vet Scrubber Wel Scrubber Wet Scrubber Wet Scrubber No Control No Control No Control Vo Control No Control Vo Control Cyclone Cyclone ESP/DSI Cyclone FF/DSI FF/DS! FF/FSI FF/SD MMBtu/hr) Capacity 100-250 100-250 100-250 100-250 100-250 100-250 100-250 Range 100-250 100-250 100-250 100-250 100-250 10-100 10-100 10-100 10-100 10-100 10-100 10-100 10-100 10-100 10-100 10-100 0-10 >250 >250 >250 >250 0.10 >250 >250 ×250 0-10 Wall-fired/PC Combustor Wall-fired/PC Wall-fired/PC Other Coal Coal ŝ

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

Sources
for Existing Sou
/MMBtu)
Pollutant Emission Factors (Ib
nt Emissio
ria Pollutar
HAP and Criteria Po
j
Appendix /

							-		***************************************					
				٠										
	,				•	-						-		
					oua			•,						
		,			ZL					,				
					iəi		ə							
					JO:		λq					¥ 		
	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		C. C. C.		oji	. 1	401	u		ə	,	ui ui	ə	un
Model		Combustor	Pagge	Section 1	lolo		olst	əle	ine	ıəz	rill\	ılm	uin.	ı uc
Ž	Material	Type	MMRtulbri	Control]-p	1-9	921	no.	sı,	uə	,	pe:	714:	pre
8a	Coal	Wall-fired/PC	>250	No Control	٦	1 30F-05 3	20.7	90,	5	20.5	5	٠.,	60	2 30E 04
ď	100	CO/Post Park		931			-							1000
5 5		Wall-fileU/PC		ביייי		30-130 10					_			2 30E-05
8	Coa	Wall-tired/PC	>250	ESP/SD							3 52E-07 (2.06E-03 4	4 60E-06
æ	Coal	Wall-fired/PC	>250	ESP/Ventun/Packed	1 22E-06	1 25E-05 2	2 93E-05 4	4 80E-06 2	2 09E-05 1	1 16E-05 1	1 76E-06	3 02E-06	2 06E-04	2 30E-05
œ	Coal	Wall-fired/PC	>250	ESP/Wet Scrubber	1 22E-06	1 25E-05 2	2 93E-05 4	4 80E-06 2	2 09E-05 1	1 16E-05 1	1 76E-06	3 02E-06	5 15E-03	2 30E-05
80	Coal	Wall-fired/PC	>250	4										2 30E-05
٠ ج	Coal	Wall-fired/DC	>250				_	_						2007
- a	Coal	Mall-fired/PC		EF/SD										2 30E-03
· ~	100 J	Od/perg-lic/M		GOMAL Seathbox										00-100
ਰ ਕੇ	200	Od/Post listory	050	Was Countries			_							Z.30E-05
5		VVall-lieu/LC	007	wei Schubbei	1 22E-U0	-	-	-	-	-	_		_	1 01E-04
מ מ	Coal/Wood/NFF Liquid/NFF Solid	₹ 3	0-10	No Control			_							1 21E-04
S .	7	W	0-10	Cyclone		-	_	-	-	-	1 73E-06 (_	_	1 09E-04
10a		₹	10-100	No Control										1.21E-04
<u>0</u>		₹		Cyclone			1 65E-03 8	8 44E-04 4	481E-05 3		1 73E-06	6.45E-06	3.92E-03	1 09E-04
ဒို		All	10-100	ESP		3.61E-05 1	1 65E-03 8	8 44E-04 5	5 34E-06 3	3 34E-03	1 93E-07	7 17E-07	3.53E-03	1.21E-05
113	Coal/Wood/NFF Liquid/NFF Solid	₩	100-250	Cyclone		3.61E-05 1	1 65E-03 8	8 44E-04 4	4 81E-05 3	3 34E-03	1 73E-06	6 45E-06	3.92E-03	1 09E-04
11b	Coal/Wood/NFF Liquid/NFF Solid	₹	100.250	ESP										1 21E-05
110	Coal/Wood/NFF Liquid/NFF Solid	₹	100-250	Wet Scrubber			48E-03 7	7 60E-04 3	-		1 35E-06			8 49E-05
11d		₽	100-250	FF .		3 25E-05 1	1 48E-03 7	60E-04 5	5 34E-06 3		1.93E-07		2.74E-03	1.21E-05
12a	Coal/Wood/NFF Liquid/NFF Solid	All	>250	Cyclone		3.61E-05 1	1 65E-03 8	8 44F-04 4	_	3.34F-03	1 73F-06	_	3 92F-03	1 09F-04
12b		₹	>250	Cyclone/Venturi/Packed										6.06F-05
12c		¥		FSP			_							1 21E 05
129		₹		153/ES1	•									1 210 05
12 2		₹₹	>250	ESD/SD			_			-				20 107
12.5		₹₹		בר בר בר היים בר היים היים בר היים ב		-								2 4 ZE-UD
- 2		₹ ₹		39,31		2 25 1 20 2	400.00		_				Z. 74E-US	CD-317
3 5		₹ ₹	7250	TITION OF THE PERSON OF THE PE				_		_		-		21E-03
12.		₹ ₹	7250	Mot Souther		3.25E-05	1 40E-U3 /	7 60E-04 3	3.34E-00 3	3 00E-03	1 835-07	70-1/1		1.21E-05
1 5			250	Wet Octobel		1	_	+	-	٠.	-		8.00E-04	CO-184 0
2 5	Cds	5 5	2 5	NO CORRECT						1 305-06		1.21E-06		1 40E-06
3 5		ğ 8		Cycloric		1 26 0 04	1 965 04 0	90/2/00	1 495-00	2012-00		1.09E-00		1 20E-06
7		540		ָּהָ בָּיִר <u>י</u>					10,000	20-100		10-112-1		10-110-1
2 2		5 6							1.00=0.1	00-11C5		1.21E-07		1 405-07
200		5 6		FF/USI					1.655-07	355-06		1.21E-07		1.40E-07
<u> </u>		i di	0-10	FF/Wet Scrubber		_			1.65E-07 1	35E-06		1.21E-07		1.40E-07
<u>6</u>		ğ g	0-10	Venturi/Packed		1.13E-04 1			8 26E-07 1	35E-06		6.07E-07	_	6 98E-07
3	1	Other	0-10	Wet Scrubber			-	-		35E-06		8 50E-07	-	9.78E-07
14a		Other	10-100	No Control				9 67E-06 1	1 65E-06 1	1 50E-06		1.21E-06		1.40E-06
14p		Other	10-100	Cyclone		_				1 50E-06		1.09E-06		1.26E-06
14c		Other		ESP				•	1 65E-07 1	90E-06		1.21E-07		1.40E-07
14d		Other		FF			1.67E-04 8	8 70E-06 1	1 65E-07 1	35E-06		1 21E-07		1.40E-07
14e		Other		FF/Wet Scrubber					.65E-07	35E-06		1.21E-07		1.40E-07
141	Gas	Other	10-100	Wet Scrubber		1 13E-04 1	1 67E-04 8	8 70E-06 1	1.16E-06 1	35E-06		8 50E-07		9.78E-07

11/1/02

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

										Ť				
					əuəzu									
Model		Combustor	Capacity Range	(金)	+Dichlorobe	HA9-8	cetaldehyde	nieloro	oinear	əuəzua	աոլլլՀա	muimbe	eninolr	mulmord
15a		Other	100-250	No Control	1	26F 04	10.5	,	90,	90	\dagger	0. 1.21E.0E	†	1 40E 06
15b	Gas	Other	100-250	ē		1 26E-04				50E-06		09E-06		26E-06
150	Gas	Other	100-250	ESP		1 26E-04			-	50E-06		1 21E-07	_	40E-07
15e	Gas	o o o	100.250	ESP/Wet Scrubber		1 13E-04				35E-06		21E-07	,	1.40E-07
151	Gas	Other	100-250	Wet Scrubber			1 67E-04 8	8.70E-06	16E-06	35F-06	- 00	1.21E-07	- 0	40E-07
16a	Gas	Other	>250	No Control		╄	+-	ᆫ	1-	50E-06	-	1 21E-06	-	40E-06
16b	Gas	Otther	>250	Cyclone				-	-	50E-06		1 09E-06		26E-06
5 to 100	Gas	Ogher Ogher	>250	ESP Wel Scribber		1 26E-04	1 86E-04 9	9 67E-06 1	1 65E-07 1	1 50E-06		1 21E-07	- 0	1 40E-07
17a	Gas/Wood/Other Biomass/Liquid FF	All	0.10	No Control	1 32E-05 1	-	-			-	1 08F-07 5	5 17E-06 1	74E-04 2	2.70E-U7
17b	Gas/Wood/Other Biomass/Liquid FF	¥	0-10	Cyclone										2.35E-05
17c	Gas/Wood/Other Biomass/Liquid FF	₩.	0-10	il.	1 19E-05 1		_		2 24E-07 8		1.08E-08 5			2 61E-06
0/1	Gas/Wood/Other Biomass/Liquid FF	Ā	0-10	Wet Scrubber	_		-+	_	57E-06 8	8 52E-03 7	-	3 62E-06 4	36E-05 1	1.83E-05
185	Gas/Wood/Other Biomass/Liquid FF	₹ ₹	10-100	No Control								_		61E-05
	Gas/Wood/Other Biomass/Liquid FF	₹₹	10-100	Cyclone	1 32E-05 1	1 13E-04 (2 0				-		35E-05
180	Gas/Wood/Other Biomass/Liquid FF	₹₹	10-100	ESP/Wet Scrubber			3 18F-04 4	4 83E-05 2	24E-07 9	8 52E-03 1	1 08E-08 5	51/E-0/ 1	5/E-04 2	261E-06
18e	Gas/Wood/Other Biomass/Liquid FF	Ψ	10-100	L				1 (1				- 1		2.61E-06
<u>18</u>	Gas/Wood/Other Biomass/Liquid FF	₩.	10-100	FF/Wet Scrubber								4		2 61E-06
<u> </u>	Gas/Wood/Other Biomass/Liquid FF	₩.	10-100	Wet Scrubber		-	-	듸		-		4	-	1 83E-05
19c	Gas/Wood/Other Biomass/Liquid FF	¥ ₹	100-250	Cyclone	1 32E-05 1	1 13E-04	3 54E-04 4	2 -	000			-		2.35E-05
190	Gas/Wood/Other Biomass/Liquid FF	₹	100-250	Cycloter venturing acreed	32E-05			4 3/E-05 1 4 85F-05 2 2	1 12E-0b 8 3 2 2 2 4 5 9 4	8 52E-03 5.	5.40E-08 2	2 58E-06 1	74E-06 1	131E-05
19e	Gas/Wood/Other Biomass/Liquid FF	Α	100-250	ESP/Wet Scrubber		-		2					<u> </u>	2.61E-06
5 5	Gas/Wood/Other Biomass/Liquid FF	Ā	100-250	Wet Scrubber		-+			1 57E-06 8	8 52E-03 7.	7.56E-08 3			1.83E-05
20a 20p	Gas/Wood/Other Biomass/Liquid FF	₹ ₹	>250	Cyclone					-			ļ	-	2.35E-05
20c	Gas/Wood/Other Biomass/Liquid FF	₹	>250	ESP/Wet Scrubber	1 19E-05	101E-04	3.54E-04 4	4 85E-05 2 2 4 37E-05 2 2	2.24E-07 9 4	9 46E-03 1.	1.08E-08 5	5 17E-07 1.	1.57E-04 2.	2.61E-06
20d	Gas/Wood/Other Biomass/Liquid FF	₹	>250	FF.										2.61E-06
20e	Gas/Wood/Other Biomass/Liquid FF	₽.	. >250	Wet Scrubber	1.19E-05			4.37E-05 1	1 57E-06 8					1.83E-05
21p	Distribute Liquid FF	E S	0-10	No Control	ייטי	5 19E-05 2								7.31E-07
21d	Distillate Liquid FF	₹	0-10	FF	0 4		2 03E-05 8	8.93E-06 6 (5 42E-U/ 13 6 03E-08 1 2	1 35E-05 1.	1.89E-07 1	1 99E-07 2	2 16E-03 6	6.58E-07
21e	Distillate Liquid FF	All	0-10	Wet Scrubber	4	67E-05								5.12E-07
22a	Distillate Liquid FF	IF.	10-100	No Control	5		-		-	٠	+	↓ _	. -	7 31E-07
22c	Distillate Liquid FF	₹ ₹	10-100	Cyclone	С ч	5.19E-05			,- ,					6.58E-07
22d	Distillate Liquid FF		10-100	J 11.	0 4		2 USE-US 9	9.92E-00 01	6 03E-08 1	25E-05 2.	2.22E-08 2	2 22E-08 1.		7.31E-08
229	Distillate Liquid FF	All	10-100	Wet Scrubber	4								5.41E-04 5.	7.31E-08
23a	Distillate Liquid FF	₩.	100-250	No Control	9	1	٠	-	二	1	+	+-	-	7.31E-07
230	Distillate Liquid FF	# 7	100-250	Cyclone	. O.									6.58E-07
23f	Distillate Liquid FF	₹ ₹	100-250	Wet Scrubber	4 4	4 67E-05 1	1.83E-05 8	8 93E-06 6 C 8 93E-06 4 3	6 03E-08 1 4 4 22E-07 1 4	1 40E-05 2.1	2.22E-08 2.	2.22E-08 1.9	1.51E-03 7.	7.31E-08
24a	Distillate Liquid FF	Ŧ	>250	No Control	5				+		+-		-	7.31E-07
740	Distillate Liquid FF	Ψ	>250	ESP	5	5.19E-05	2.03E-05 9	9 92E-06 6	6 03E-08 1 E	1 55E-05 2	2 22E-08 2	2 22E-08 1.9	1.95E-03 7.	7.31E-08

11/1/02

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

тилтози	1 28F-04	1 15E-04	1 28E-04	1 15E-04	1 28E-05	1 28E-05	1 28E-06	8 94E-05	1 28E-04	1 28E-05	1 28E-05	1 15E-04	8 94F-05	1 28E-04	1.28E-05	8 94E-05	3 61E-05	3 25E-05	3 61E-06	3 250 06	3 61E-06	3 61E-06	2 52E-05	3 61E-05	3.25E-05	1 80E-05	3 52E-06	3 61E-05	3.25E-05	3 61E-06	2.52E-05	3.61E-05	3 25E-05	3.61E-05	3 25E-05	3 52E.05	3.61E-06	3.61E-06	8.80E-04	7 92E-04	8 80E-05	6.16E-04
Shlorine																	4 19E-04	4 19E-04	2 94E-04	4 19E-04	3.78E-04	2 94E-04	1.05E-04	4 19E-04	4 19E-04	4 19E-06	3 / 8E-04	4.19E-04	4.19E-04	3.78E-04	1 05E-04	4.19E-04	4 19E-04	4.19E-04	4.19E-04	2 94E-04	3 78E-04	1 05E-04	1.83E-04	183E-04	1.65E-04	4 58E-05
muimbsC	3 95E-06	3 55E-06	3 95E-06	3 55E-06	3 95E-07	3 95E-07	3 95E-08	2 76E-06	3 95E-06	3 95E-07	70-308 S	3.55F-06	2 76E-06	3 95E-06	3 95E-07	2 76E-06	9 13E-06	8 22E-06	9 13E-07	9 - 1 - C - K	9 13E-07	9.13E-07	6 39E-06	9.13E-06	8 22E-06	4 56E-06	8 13E-07	9 13E-06	8.22E-06	9 13E-07	6.39E-06	9 13E-06	8 22E-06	9 135-06	8 22E-06	8.13E-07	9.13E-07	9 13E-07	3 54E-05	3 19E-05		2 48E-05
3eryllium					-														4 59E-07				3 21E-06	-		2 29E-06			4.13E-06		3 21E-06		_	_	4.13E-06				1 57E-05	1.41E-05	,	1 10E-05
д ейхе и е	1 42E-05	1 42E-05	1 42E-05	1 42E-05	1 42E-05	1.27E-05	9 91E-06	1 27E-05	1 42E-05	1 42E-05	1 275 05	1.42E-05	1 27E-05	1.42E-05	1 42E-05	1.27E-05	5.01E-03	5 01E-03	4.51E-U3	5 01 F-03	5 01E-03	4 51E-03	4.51E-03	5 01E-03	5 01E-03	4 51E-03	4 51F-03	5 01E-03	5.01E-03	5 01E-03	4.51E-03			_	5.01E-03	4.01E-03	+		1.37E-04	1.37E-04		1.23E-04
olneznA	1 40E-06	1 26E-06	1 40E-06	1 26E-06	1 40E-07	1 40E-07	1 40E-08	9.83E-07	1 40E-06	1.40E-07	100000	1.26E-06	9 83E-07	1 40E-06	1 40E-07	9.83E-07	3 55E-05	3 19E-05	3 335-00	3 19F-05	3 55E-06	3 55E-06	2 48E-05	3 55E-05	3 19E-05	1 77E-05	2 48E-05	3 55E-05	3 19E-05	3 55E-06	2.48E-05		3 19E-05	3 201-00	CO-381 0	2 48F-05	-		5 01E-05	4.51E-05		3 51E-05
Acrolein	1 25E-04	1 25E-04	1 25E-04	1 25E-04	1 25E-04	1 13E-04	8 75E-05	1 13E-04	1 25E-04	1 23E-04	1 130 04	1 25E-04	1 13E-04	1 25E-04	1 25E-04	1 13E-04	1 71E-03	1 71E-03	1 71E 03	1 71F-03	1 71E-03	1 54E-03	1 54E-03		1 71E-03	1 54E-03		-	1 71E-03				_		1 640 000		_	1 54E-03	9 47E-06			8 52E-06
Acetaldehyde	2 74E-05	2 74E-05	2 74E-05	2 74E-05	2 74E-05	2 47E-05		2 47E-05	2 74E-05	2 /4E-US	2475.05	2.47.E-05	2 47E-05	2 74E-05	2 74E-05	2 47E-05	1 90E-02	1 90E-02	1 00E 02	1 90E-02	1 90E-02	1 71E-02	1 71E-02	1 90E-02	1 90E-02	1 /1E-02	1 71E-02	1 90E-02	1 90E-02	1 90E-02	1 71E-02	1.90E-02	1.90E-02	1 SUE-02	1 30E-02	1 71E-02	1 90E-02	1 71E-02	1 60E-05			1 44E-05
начаг	2 44E-05	2 44E-05	2 44E-05	2 44E-05	2 44E-05	2 20E-05		2 20E-05	2 44E-05	2 20E-05	2 20F-05	2 44E-05	2 20E-05	2 44E-05	2 44E-05	2.20E-05	7 26E-05	7.26E-05	7 265-05	7 26E-05	7 26E-05	6 53E-05	6.53E-05	7 26E-05	7 26E-05	0 53E-05 7 26E-05	6.53E-05	7 26E-05	7 26E-05	7.26E-05	6 53E-05	7 26E-05	7.26E-05	20 302 /	6 53E.05	6 53E-05	7.26E-05	6 53E-05	2 40E-05	2 40E-05	2 40E-05	2.16E-05
14-Dichlorobenzene																	8 16E-08	8 10E-08	8 16F-08	8 16E-08	8 16E-08	7 34E-08	7 34E-08	8 16E-08	8 16E-08	7 34E-08	7 34E-08	8 16E-08	8 16E-08	8 16E-08	7 34E-08	8 16E-08	8 16E-08	9 16 1 0			8 16E-08	7.34E-08				1
······································	Ю	Cyclone	No Control	Cyclone	ESP		FF/SD	Wet Scrubber	NO CONTROL	ESP/Wet Scrubber	FF	Cyclone	Wet Scrubber	No Control	ESP	Wet Scrubber	No Control	Cyclorie	No Control	Cyclone	ESP	LL .	Wet Scrubber	No Control	Cyclone	Cycloner venium racked	Wet Scrubber	No Control	Cyclone	ESP	Wet Scrubber	No Control	Cyclone	Cyclone	C) COLOR	Wet Scrubber	ESP	ESP/Wet Scrubber	No Cantrol	Cyclone	ESP	Wet Scrubber
Capacity Range (MMBtufhr)	0-10	0-10	10-100	10-100	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	100-250	>250	>250	257	9 6	0.10	10-100	10-100	10-100	10-100	10-100	100-250	100 250	100-250	100-250	>250	>250	222	0674	01-0	20-10-10-10-10-10-10-10-10-10-10-10-10-10	10.100	10-100	10-100	>250	>250	0-10	0-10	0-10	0-10
Combustor	Ā	₹	₹∶	Ŧ	₹ :	₹ ;	₹ ₹		₹₹	₹	A	Α	All	₹	₹ ₹	¥ 5		Other	Other	Other	Other	Other	Oliner	Cine		Other C	Other	Other	Other	Caper	Office	Wall-lired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	₹ ;	7	₹ ₹	All
	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	NEE LIQUID/NEE SOIG/Gas	INTELIGUIDINE SOLIDIGES	NEE LIGHTONET SOID/Gas	MEET LIQUIDINET SOUGHGAS	NEEL JOHNSON SOLONOS	NFF Liquid/NFF Solid/Gas	NEEL JOHN NEE SOUNDES	Wood	Wood	poom	Wood	Wood	Wood	Mood	WOOd	Wood	bow	Wood	Wood	Wood	DOOAA	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Blomass/NFF Liquid/NFF Solid	Wood/Ourer promotestrate Liquid/NFT Solid	WOOD CHIEF BIOLITISSING LIQUIDINE SOIIG						
Nodel		QC S		007		000	9 50 7 00 7 00 7 00	27a	27b	27c	27d	27e	- 1	28a	2800	ğ	9 de		30a	30b	300		33.5	3 5		31d	31e	32a	320		25 65	33.5	34a	34b	34c	34d	35a	35b	36a	360		200

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

Model	T. J.	Combustor	Capacity Range MMRtu(ht)	TO JOURNAL OF THE PROPERTY OF	4-Dichlorobenzene	. HA 4-3	ebydebistec	riolein	cinearic	əuəzuəş	seryllium 1	muimbs	antrold	hromium
37a	Wood/Other Biomass/NFF Liquid/NFF Solid	N W	10-100	No Control	4	2 40E-05	-05	90-	-05	9	9	E.05	-04	8 80E-04
37b	Wood/Other Biomass/NFF Liquid/NFF Solid	₽	10-100	Cyclone		2 40E-05	1 60E-05	9 47E-06 4		37E-04 1		3 19E-05	83E-04	7 92E-04
37c	Wood/Other Biomass/NFF Liquid/NFF Solid	Ā		Cyclone/Venturi/Packed		2 16E-05			_			1 77E-05		4 40E-04
37d	Wood/Other Biomass/NFF Liquid/NFF Solid	₹		ESP		2 40E-05			-			3 54E-06		8 80E-05
37e 371	Wood/Other Biomass/NFF Liquid/NFF Solid Wood/Other Biomass/NFF Liquid/NFF Solid	₹ ₹	10-100	FF Wet Scrubber		2 16E-05 2 16F-05	1 44E-05	8 52E-06 5	5 01E-06 1	23E-04 1	1 57E-06 3 1 10F-05	3.54E-06	1 28E-04 8	8 80E-05
38a		F F	100-250	Cyclone			-		4 51E-05 1	+-	_	1	_	7 92E-04
38b	Wood/Other Biomass/NFF Liquid/NFF Solid	₹	100-250	Cyclone/Venturi/Packed		2 16E-05			-					4 40E-04
380	Wood/Other Biomass/NFF Liquid/NFF Solid	₹	100-250	ESP					_					8 80E-05
38d	Wood/Other Biomass/NFF Liquid/NFF Solid	₹ ₹	100-250	FF 0.01001		2 16E-05	1 44E-05	8 52E-06 5	5 01E-06 1	23E-04 1	1 57E-06	3 54E-06	1 28E-04 8	8 80E-05
386	Wood/Other Biomass/NFF Loud/NFF Solid	₹₹	100-250	Fritzi FFWet Scarbber		2 16F-05								8 80E-05
389	Wood/Other Biomass/NFF Liquid/NFF Solid	All	100-250	Wet Scrubber		2 16E-05								6.16E-04
39a	Wood/Other Biomass/NFF Liquid/NFF Solid	All	>250	No Control		2 40E-05	1 60E-05	9 47E-06 5	5 01E-05 1	37E-04 1	1.57E-05	3 54E-05	1 83E-04	8 80E-04
39p	Wood/Other Biomass/NFF Liquid/NFF Solid	₹		Cyclone		2.40E-05								7 92E-04
38c	Wood/Other Biomass/NFF Liquid/NFF Solid	₹ ;		ESP		2 40E-05								8 80E-05
39e	Wood/Other Biomass/NFF Liquid/NFF Solid	₹ ₹		ESP/Wet Scrubber		2 16E-05				- '				8 80E-05
390	Wood/Other Biomass/NEF Liquid/NEF Sold	₹ ā	250	Vel Scother		2 16F-05	1 44E-05	8 52E-00 3	3 51 11 05 1	1 235-04	3/E-U0	3.54E-00	1 28E-04 8	8 805-05
40a	Residual Liquid FF	F	Т	No Control				_	+-				16E-03	3 14E-05
40b	Residual Liquid FF	¥		Cyclone		2 14E-05	2 03E-05		4.84E-06 9	21E-06 1	1 01E-06	5.53E-06		2.83E-05
40d	Residual Liquid FF	₹		FF		1 93E-05	_	_	_	_	_	6 14E-07		3 14E-06
41a	Residual Liquid FF	₹ ₹		No Control		2 14E-05								3 14E-05
4 4 0 10	Residual Liquid FF	₹ ₹	10-100	Cyclone		2 14E-US	2 03E-05	9 92E-06 4.	5.38E-07 9	9.21E-06 1	1 01E-06 :	5 53E-06 2	2 16E-03	2 83E-05
4 14	Residual Liquid FF	₹				1 93E-05								3 14E-06
419	Residual Liquid FF	Ψ	10-100	Wet Scrubber		1 93E-05	1 83E-05	8 93E-06 3		8 29E-06 7				2 20E-05
42a	Residual Liquid FF	IF :	100-250	No Control		2 14E-05			_	_		—		3 14E-05
42b	Residual Liquid FF	₹ ₹	100.250	Cyclone		2.14E-05	2 03E-05 9	9 92E-06 4		9 21E-06 1	1 01E-06	5 53E-06	2 16E-03	2 83E-05
42d	Residual Liquid FF	₹₹		T.		1 93E-05			5.38E-07 8					3 14F-06
42e	Residual Liquid FF	₹		Venturi/Packed		1 93E-05								57E-05
42f	Residual Liquid FF	All		Wet Scrubber		1 93E-05	1 83E-05	_			7.84E-07	4.30E-06	5 41E-04	2 20E-05
43a	Residual Liquid FF	₹		No Control		2 14E-05				-				3.14E-05
4 4 3d b	Residual Liquid FF	₹ ₹	×250 ×250	Cyclone		2 14E-05	2 03E-05 9	9 92E-06 4.	4.84E-06 9	9 21E-06 1	1 01E-06 5	5.53E-06 2	2 16E-03 2 1 95E-03	2 83E-05
44a	Bagasse/Other	₹		Cyclone	1 32E-05	4-	-		٠	_	+	_	_	92F-04
44b	Bagasse/Other	₹		Wet Scrubber	1.19E-05									6 16E-04
45a	Bagasse/Other	¥		No Control	1 32E-05	1 13E-04	3 54E-04		5.01E-05 9	9 46E-03 1	1.57E-05	<u> </u>		8.80E-04
45b	Bagasse/Other	₹		Cyclone	1.32E-05									7.92E-04
450	Bagasse/Other	₹	J	Wet Scrubber	1.19E-05	101E-04	18E-04		_		_	_		6 16E-04
46 46 46	Bagasse/Other Bagasse/Other	₹ ₹	>250	ESP ESP/Artivated Carbon Adecretion	1.32E-05	1 13E-04	3 54E-04	4 85E-05 5	5 01E-06 9	9 46E-03 1	1 57E-06	3.54E-06	1 65E-04 8	8.80E-05
46c	Bagasse/Other	₹₹		Wet Scrubber	1.19E-05	1 01E-04							58E-05	6.00E-03
		*	1				-			4			22.20	

rces
Sou
_
Gisti
or Existing
ē
MMBtu) fo
ξ
€
tor
Fa
jou
nise
Ţ
ıtan
₹
ria F
Ę
S S
ā
HAP and Criteria Pollutant Emission Factors (
ġ
ğ
Appendi
∢

Per Parameter Figure Fi
Comparison Com
Colored Colo
1866
φ- φ
39E-05 32E-05 53E-05 53E-06 20E-04 126E-05 176E-05 30E-05 20E-02 30E-05 33E-05 32E-05 33E-05
139E-05 32E-05 53E-06 139E-06 178E-05 176E-05 30E-05 20E-05 139E-05 20E-05 139E-05 30E-05 20E-05 139E-05 20E-05 126E-05 126E-0
139E-05 3.28E-05 5.33E-06 1.88E-04 1.28E-05 1.28E-05 2.72E-05 2.02E-05 1.68E-05 2.72E-05 2.02E-05 1.89E-05 1.99E-05
138E-05 3.28E-05 5.3E-05 2.09E-05 1.29E-05 1.29E-05 3.2E-05 3.2E-05 1.29E-05 1.29E-05 <th< td=""></th<>
1.25E-06 2.99E-05 1.10E-05 1.76E-06 3.02E-06 1.40E-02 1.39E-05 3.26E-05 3.32E-06 1.39E-05 1.76E-06 3.02E-06 1.76E-05 1.39E-05 3.26E-05 5.33E-06 2.09E-05 1.29E-05 1.76E-06 3.02E-06 1.86E-02 1.39E-05 3.26E-05 5.33E-06 2.09E-05 1.16E-05 1.76E-06 3.02E-06 1.46E-02 1.39E-05 3.26E-05 5.33E-06 2.09E-05 1.16E-05 1.76E-06 3.02E-06 1.46E-02 1.39E-05 3.26E-05 5.33E-06 1.80E-04 1.29E-05 1.76E-05 2.12E-05 2.06E-02 1.39E-05 3.26E-05 5.33E-06 1.80E-04 1.29E-05 1.76E-05 2.72E-05 2.06E-02 1.39E-05 3.26E-05 5.33E-06 1.80E-04 1.29E-05 1.76E-05
136E-05 326E-05 533E-06 120E-05 120E-05 <t< td=""></t<>
139E-05 326E-05 533E-06 209E-05 129E-05 176E-06 302E-06 186E-02 139E-05 326E-05 33E-06 209E-05 176E-06 302E-06 186E-02 139E-05 326E-05 33E-06 209E-04 129E-05 176E-06 302E-06 186E-02 139E-05 326E-05 533E-06 209E-04 129E-05 156E-05 272E-05 200E-02 139E-05 326E-05 533E-06 186E-04 129E-05 156E-05 200E-02 139E-05 326E-05 533E-06 186E-04 129E-05 156E-05 272E-05 206E-02 139E-05 326E-05 533E-06 186E-04 129E-05 156E-05 372E-06 206E-02 139E-05 326E-05 33E-06 186E-04 129E-05 176E-06 30E-05 16E-05 139E-05 326E-05 33E-06 186E-04 129E-05 176E-06 30E-05 30E-05 30E-05 139E-05 32E-06 33E-06 186E-06
139E-05 326E-05 533E-06 209E-05 176E-06 302E-06 16E-05 176E-06 302E-06 16E-05 176E-06 302E-06 16E-05 176E-06 302E-06 176E-06 302E-06 176E-06 176E-06 302E-06 176E-06 176E-06 302E-06 176E-06 1
1.25E-05 2.93E-05 4.80E-06 2.09E-05 1.16E-05 1.76E-05 3.02E 05 1.44E-02 1.39E-05 3.26E-05 5.33E-06 2.09E-04 1.29E-05 1.76E-05 3.02E-05 5.32E-06 2.33E-06 1.89E-04 1.29E-05 1.56E-05 2.72E-05 2.06E-02 1.39E-05 2.32E-05 6.33E-06 1.89E-04 1.29E-05 1.58E-05 2.72E-05 2.06E-02 1.39E-05 3.26E-05 6.33E-06 1.89E-04 1.29E-05 1.73E-06 6.30E-05 1.39E-05 3.26E-05 6.33E-06 1.89E-04 1.29E-05 1.73E-06 6.30E-05 1.39E-05 3.26E-05 6.33E-06 1.89E-04 1.29E-05 1.73E-06 6.30E-05 1.39E-03 1.39E-05 3.26E-05 6.33E-06 1.89E-04 1.29E-05 1.73E-06 6.45E-06 3.20E-03 1.39E-03 1.39E-05 1.29E-05 1.20E-05 1.2
139E-05 326E-05 533E-06 509E-04 129E-05 176E-05 302E-05 20E-05
139E-05 326E-05 533E-06 147E-04 116E-05 123E-05 27E-05 2 0EE-05 125E-05 293E-05 480E-06 147E-04 116E-05 123E-05 2 12E-05 5 15E-03 139E-05 326E-05 533E-06 186E-04 129E-05 176E-06 3 02E-06 186E-02 139E-05 326E-05 533E-06 209E-05 129E-05 176E-06 3 02E-06 186E-02 361E-05 136E-05 533E-06 209E-05 176E-06 3 02E-06 3 02E-05 361E-05 165E-03 844E-04 481E-05 3 34E-03 173E-06 645E-06 3 02E-05 361E-05 165E-03 173E-06 645E-06 186E-04 186E-04 3 00E-05 186E-03 3 00E-05 3 00E-05 361E-05 165E-03 173E-06 175E-06 175E-06 175E-07 176E-07 176E-07 113E-04 186E-04 870E-06 165E-05 173E-06 176E-07 176E-07 113E-04 186E-04
12E-05 293E-05 480E-06 17E-04 11EE-05 12E-05 21E-05 51E-05 139E-05 326E-05 533E-06 188E-04 129E-05 178E-05 27E-05 51E-05 139E-05 326E-05 533E-06 129E-05 176E-06 302E-06 18E-02 319E-05 326E-05 533E-06 129E-05 17E-06 302E-06 18E-02 316E-05 326E-05 533E-06 129E-05 17E-06 302E-06 18E-02 361E-05 36E-05 33E-03 17E-06 302E-06 18E-06 302E-03 361E-05 36E-05 34E-04 481E-05 34E-03 17E-06 302E-03 361E-05 36E-05 34E-04 481E-05 300E-03 193E-06 302E-03 361E-05 16E-06 16E-06 166E-06 166E-06 166E-06 166E-07 17E-06 136E-04 16E-06 16E-06 136E-06 17E-06 17E-06 17E-07 136E-04 16E-06
138E-05 3.26E-05 5.33E-06 2.09E-05 1.29E-05 1.58E-05 2.72E-05 2.06E-02 139E-05 3.26E-05 5.33E-06 2.09E-05 1.29E-05 1.76E-06 3.02E-06 1.86E-02 139E-05 3.26E-05 5.33E-06 2.09E-05 1.29E-05 1.76E-06 3.02E-06 3.02E-05 3.06E-05 3.26E-05 5.32E-06 2.09E-05 1.76E-04 1.76E-04 3.0E-03 3.0E-05 3.0E-05 3.0E-05 3.06E-05 1.06E-04 3.0E-05 3.34E-03 1.73E-06 4.0E-06 3.0E-05
138E-05 3 20E-05 5 33E-05 108E-05 1 76E-05 1 70E-05 2 70E-05 2 30E-05 3 30E-05 3 30E-05 1 30E-05 1 30E-05 3 30E-05 3 30E-05 3 30E-05 1 30E-05 1 70E-05 3 70E-05 1 30E-05 3 30E-05 3 30E-05 1 70E-05 1 70E-05 1 70E-05 3 70E-05 1 70E
13E-05 3.25E-06 3.32E-06 3.32E-07 3.32E-06 3.32E-07 <
136E-05 165E-05 148E-05 153E-05 178E-05 178E-05 178E-05 185E-05 185E-05 165E-05 165E-05 165E-05 165E-05 186E-05 186E-0
3 61E-05 165E-03 8 44E-04 4 81E-05 334E-03 173E-06 6 45E-06 392E-03 361E-05 165E-03 8 44E-04 4 81E-05 3.34E-03 1.73E-06 6 45E-06 392E-03 32E-03 1.73E-04 186E-04 9 67E-06 165E-06 150E-06 120E-03 1.21E-07 17E-07 17
3 61E-05 1 65E-03 8 44E-04 4 81E-05 3.34E-03 1.73E-06 6 45E-06 3 92E-03 3.26E-05 148E-03 7 60E-04 5 34E-06 3 00E-03 193E-07 7 17E-07 2 74E-03 1.26E-04 1.67E-04 8 70E-06 1.65E-06 1.50E-06 1.20E-06 1.20E-07 1.35E-06 1.20E-07 1.20E-07 1.20E-04 1.67E-04 8 70E-06 1.65E-06 1.50E-06 1.20E-06 1.20E-07 1.20E-07 1.20E-04 1.67E-04 8 70E-06 1.65E-06 1.50E-06 1.20E-06 1.20E-07 1.20E-04 1.67E-04 8 70E-06 1.65E-07 1.35E-06 1.20E-07 1.20E-07 1.20E-04 1.67E-04 8 70E-06 1.65E-07 1.35E-06 1.20E-07 1.20E-04 1.67E-04 8 70E-06 1.65E-06 1.50E-06 1.20E-06 1.20E-07 1.20E-04 1.60E-04 9.67E-06 1.65E-06 1.50E-06 1.20E-06 1.20E-07 1.20E-04 1.60E-04 9.67E-06 1.65E-06 1.50E-06 1.20E-06 1.20E-06 1.20E-06 1.20E-07 1.20E-04 1.60E-04 1.60E-04 1.60E-04 1.60E-04 1.60E-04 1.60E-04 1.60E-04 1.60E-04 1.60E-04 1.60E-05 1.20E-06 1.50E-06 1.20E-06 1.20E-06 1.20E-03 1.20E-04 1.20E-04 1.60E-04 1.60E-06 1.60E-03 1.20E-06 1.20E-03 1.20E-04 1.20E-04 1.80E-05 2.20E-06 9.46E-0.3 9.72E-08 1.50E-04 1.70E-04 1.30E-05 2.20E-05 9.20E-06 9.40E-0.3 9.72E-08 1.50E-04 1.70E-04 1.30E-05 2.20E-07 1.50E-03 1.5
3.25E-05 148E-03 760E-04 5.34E-06 300E-03 1.93E-07 7.17E-07 2.74E-03 1.26E-04 186E-04 967E-06 1.65E-06 1.50E-06 1.21E-07 1.21E-07 1.13E-04 1.67E-04 8.70E-06 1.65E-06 1.35E-06 1.21E-07 1.21E-07 1.26E-04 1.67E-04 8.70E-06 1.65E-07 1.35E-06 1.21E-07 1.21E-07 1.36E-04 1.67E-06 1.65E-07 1.35E-06 1.21E-07 1.21E-07 1.36E-04 1.67E-06 1.66E-07 1.35E-06 1.21E-07 1.21E-07 1.36E-04 1.66E-06
1.26E-04 1.86E-04 9.67E-06 1.65E-06 1.50E-06 1.21E-07 1.13E-04 1.67E-04 8.70E-06 1.65E-06 1.35E-06 1.21E-07 1.13E-04 1.67E-04 8.70E-06 1.65E-06 1.21E-07 1.26E-04 1.86E-04 9.67E-06 1.65E-06 1.21E-07 1.3E-04 1.67E-04 8.70E-06 1.65E-07 1.35E-06 1.21E-07 1.3E-04 1.67E-04 8.70E-06 1.65E-06 1.50E-06 1.70E-07 1.3E-04 1.67E-06 1.65E-07 1.35E-06 1.71E-07 1.3E-04 1.67E-06 1.65E-06 1.60E-06 1.70E-03 1.3E-04 1.67E-06 </td
13E-04 167E-04 1.65E-07 1.35E-06 121E-07 13E-04 167E-04 1.65E-06 1.35E-06 8 50E-07 126E-04 1.67E-04 1.65E-06 1.50E-06 1.21E-07 126E-04 1.86E-04 9 67E-06 1.65E-06 1.09E-06 1.3E-04 1.67E-04 8 70E-06 1.65E-07 1.35E-06 1.21E-07 1.3E-04 1.67E-04 8 70E-06 1.65E-07 1.35E-06 1.21E-07 1.3E-04 1.67E-04 8 70E-06 1.65E-06 1.50E-06 1.65E-07 1.2E-04 1.67E-04 8 70E-06 1.65E-06 1.50E-06 1.65E-07 1.2E-04 1.67E-04 1.65E-06 1.50E-06 1.65E-07 1.21E-07 1.2E-04 1.67E-04 1.65E-06 1.66E-06 1.66E-07 1.76E-04 1.3E-04 1.67E-06 1.65E-06 1.60E-06 1.67E-06 1.66E-07 1.3E-04 1.67E-06 1.65E-06 1.60E-06 1.67E-06 1.67E-06 1.3E-04 1.67E-06
13E-04 16FE-04 116E-06 1.3E-06 8 50E-07 126E-04 186E-04 9 67E-06 1.56E-06 1.50E-06 1.21E-07 126E-04 186E-04 9 67E-06 1.65E-06 1.50E-06 1.21E-07 13E-04 167E-04 8 70E-06 1.65E-07 1.35E-06 1.21E-07 13E-04 167E-04 8 70E-06 1.65E-07 1.35E-06 1.21E-07 126E-04 167E-04 8 70E-06 1.65E-06 1.65E-06 1.65E-06 126E-04 167E-06 1.65E-07 1.35E-06 1.21E-07 126E-04 167E-06 1.65E-06 1.60E-06 1.60E-06 126E-04 1.65E-06 1.65E-06 1.60E-06 1.60E-04 138E-04 1.67E-06 1.65E-06 1.60E-06 1.60E-04 138E-04 1.67E-06 1.65E-06 1.60E-03 1.70E-04 138E-04 1.65E-06 1.65E-06 1.60E-03 1.70E-04 138E-04 1.65E-06 1.65E-06 1.60E-03 1.70E-04
126E-04 186E-04 967E-06 165E-06 150E-06 121E-06 135E-06 135E-06 150E-06 150E-07 150E-04 150E-04 150E-04 150E-05 150E-06 150E-05 150E-06 150E-05 150E-06 150E-0
126E-04 186E-04 807E-06 148E-06 135E-06 121E-07 131E-07 131E-04 187E-04 187E-06 148E-04 187E-06 148E-06 135E-06 121E-07 131E-07 131E-04 187E-04 187E-06 148E-07 135E-06 121E-07 131E-07 131E-04 187E-04 187E-06 148E-07 135E-06 150E-07 131E-07 131E-04 187E-04 187E-06 148E-04 187E-06 148E-04 187E-06 148E-04 187E-06 148E-07 136E-06 150E-06 150E-07 131E-07 131E-0
1.26E-04 186E-04 8.0FE-06 150E-06 120E-06 120E-07 135E-06 120E-07 135E-06 120E-07 130E-04 167E-04 8.70E-06 165E-07 135E-06 120E-07 120E-07 130E-04 167E-04 8.70E-06 165E-06 130E-06 120E-07 120E-07 120E-04 180E-04 967E-06 160E-06 150E-06 120E-06 120E-07 120E-07 120E-04 180E-04 967E-06 160E-06 150E-06 120E-06 120E-07 120E-07 120E-04 180E-04 967E-06 160E-06 150E-06 120E-07 120E-07 120E-04 180E-04 967E-06 160E-07 130E-07 120E-07 120E-04 180E-04 967E-06 160E-07 130E-07 120E-07 120E-04 180E-07 120E-07 120E-04 180E-07 120E-07 120E-04 180E-07 120E-07 120E-07 120E-04 180E-07 120E-07 120E-07 120E-04 180E-07 120E-07 12
1 13E-04 167E-04 8 70E-06 165E-07 135E-06 121E-07 13E-07 13E-04 167E-04 8 70E-06 165E-07 135E-06 15E-07 13E-07 13E-07 13E-04 167E-04 8 70E-06 165E-07 13E-06 8 50E-07 12E-07 12E-07 12E-07 12E-04 186E-04 9 67E-06 165E-07 13E-06 108E-07 12E-07 12E-07 13E-04 186E-04 9 67E-06 165E-07 13E-06 12E-07 12E-07 12E-07 13E-04 186E-04 9 67E-06 165E-07 13E-06 12E-07 12E-07 12E-07 13E-04 186E-04 9 67E-06 165E-06 160E-03 9 72E-06 17E-06 17E-04 13E-04 186E-05 2 24E-06 9 46E-03 108E-07 5 17E-06 17E-04 13E-04 186E-05 2 24E-07 9 46E-03 108E-07 5 17E-07 17E-04 13E-04 186E-04 485E-05 2 24E-07 9 46E-03 108E-08 5 17E-07 15E-04 13EE-04 485E-05 2 24E-07 9 46E-03 108E-08 5 17E-07 15E-04 13EE-04 485E-05 2 24E-07 9 46E-03 108E-08 5 17E-07 15E-04 13EE-04 13EE-04 485E-05 2 24E-07 15E-03 108E-08 5 17E-07 15E-03 10EE-03 108E-08 5 17E-07 15E-03 10EE-03
1.3E-04 1.67E-04 8.70E-06 1.65E-06 1.35E-06 1.21E-07 1.3E-04 1.67E-04 8.70E-06 1.66E-06 1.55E-06 1.21E-07 1.26E-04 1.67E-04 9.67E-06 1.65E-06 1.50E-06 1.21E-06 1.3E-04 1.66E-04 9.67E-06 1.65E-06 1.50E-06 1.21E-06 1.3E-04 1.66E-06 1.65E-06 1.50E-06 1.21E-06 1.3E-04 1.66E-06 1.65E-06 1.65E-06 1.76E-04 1.3E-04 1.66E-06 1.65E-06 9.6E-03 1.76E-04 1.3E-04 1.86E-06 2.24E-06 9.46E-03 9.72E-08 4.65E-06 1.3E-04 1.86E-05 2.24E-06 9.46E-03 9.72E-08 4.65E-06 1.74E-04 1.3E-04 3.54E-04 4.85E-05 2.24E-06 9.46E-03 9.72E-06 1.74E-04 1.3E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 9.72E-06 1.74E-04 1.3E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-
13E-04 16F-09 116E-06 135E-06 8 50E-07 126E-04 186E-04 9.67E-06 165E-06 120E-06 121E-06 126E-04 186E-04 9.67E-06 165E-06 109E-06 109E-06 13E-04 18FE-04 9.67E-06 165E-07 135E-06 121E-07 126E-04 18FE-04 9.67E-06 165E-07 135E-06 17E-06 13E-04 18FE-04 9.67E-06 165E-07 17E-06 17E-04 13E-04 3.54E-04 485E-05 2.24E-06 9.46E-03 9.72E-08 4.65E-06 174E-04 13E-04 3.54E-04 485E-05 2.24E-07 9.46E-03 9.72E-08 4.65E-06 174E-04 13E-04 3.54E-04 485E-05 2.24E-07 9.46E-03 1.08E-04 4.65E-06 174E-04 13E-04 3.54E-04 485E-05 2.24E-07 9.46E-03 1.08E-08 1.75E-04 13E-04 3.54E-05 2.24E-07 9.46E-03 1.06E-03 1.75E-04 1.56E-04
1.26E-04 1.86E-04 9.67E-06 1.65E-06 1.50E-06 1.21E-06 1.26E-04 1.86E-04 9.67E-06 1.50E-06 1.21E-07 1.21E-07 1.26E-04 1.86E-04 9.67E-06 1.65E-06 1.50E-06 1.21E-07 1.26E-04 1.86E-04 9.67E-06 1.65E-06 1.20E-06 1.21E-07 1.13E-04 3.54E-04 4.85E-05 2.24E-06 9.46E-03 1.08E-07 5.17E-06 1.74E-04 1.13E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 9.02E-08 4.65E-06 1.74E-04 1.13E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 9.65E-06 1.74E-04 1.13E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 9.65E-06 1.74E-04 1.13E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 1.05E-06 1.74E-04 1.13E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 1.05E-06 1.74E-04 1.13E-04 3.76E-05 2.22E-07
1.26E-04 186E-04 967E-06 1.50E-06 1.50E-06 1.20E-07 1.31E-07 1.20E-04 167E-04 8.70E-06 1.65E-07 1.35E-06 1.21E-07 1.21E-07 1.22E-04 1.86E-04 967E-06 1.65E-06 1.50E-06 1.21E-07 1.21E-07 1.32E-04 3.54E-04 8.50E-05 2.24E-06 9.46E-03 1.03E-07 5.17E-06 1.74E-04 1.32E-04 3.54E-04 4.85E-05 2.24E-06 9.46E-03 9.72E-08 4.65E-06 1.74E-04 1.32E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 1.03E-08 5.17E-07 1.74E-04 1.32E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 1.03E-08 5.17E-07 1.57E-04 1.32E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 1.03E-08 5.17E-07 1.57E-04 1.32E-05 1.92E-06 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.22E-07 2.10E-03 5.19E-05 1.83E-05 6.03E-05 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 5.19E-05 1.83E-05 6.03E-05 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 5.19E-05 2.03E-05 6.03E-05 6.03E-05 1.25E-05 2.22E-07 2.22E-07 2.16E-03 5.19E-05 2.03E-05 6.03E-05 6.03E-05 1.25E-05 2.22E-07 2.22E-07 2.16E-03 2.19E-05 2.03E-05 6.03E-05 6.03E-05 1.25E-05 2.22E-07 2.22E-07 2.16E-03 2.19E-05 2.03E-05 6.03E-05 6.03E-05 2.22E-05 2.22E-07 2.22E-07 2.16E-03 2.19E-05 2.03E-05 6.03E-05 6.03E-05 2.22E-05 2.22E-07 2.22E-07 2.16E-03 2.19E-05 2.03E-05 2.03E-05 2.22E-05 2.22E-0
13E-04 167E-04 8.70E-06 1.65E-07 1.35E-06 1.21E-07 126E-04 186E-04 9.67E-06 1.65E-06 1.50E-06 1.21E-06 113E-04 3.54E-04 4.85E-05 2.24E-06 9.46E-03 1.08E-07 5.17E-06 1.74E-04 113E-04 3.54E-04 4.85E-05 2.02E-06 9.46E-03 9.72E-08 4.65E-06 1.74E-04 113E-04 3.54E-04 4.85E-05 2.24E-06 9.46E-03 9.72E-08 4.65E-06 1.74E-04 113E-04 3.54E-04 4.85E-05 2.24E-07 9.46E-03 9.72E-06 1.74E-04 113E-04 3.54E-04 4.85E-05 2.24E-07 9.65E-03 1.08E-08 5.17E-07 1.57E-04 101E-04 3.18E-04 4.85E-05 2.24E-07 8.52E-03 1.08E-08 5.17E-07 4.36E-05 101E-04 3.18E-04 4.37E-05 1.57E-06 8.52E-03 1.08E-08 5.12E-07 2.22E-07 2.16E-03 101E-04 3.18E-04 4.35E-05 1.55E-05
1 26E-04 1 86E-04 9 67E-06 1.65E-06 1.50E-06 1 121E-06 1 74E-04 13.54E-04 4 85E-05 2 24E-06 9 46E-03 1 08E-07 5 17E-06 1 74E-04 13.54E-04 4 85E-05 2 22E-06 9 46E-03 1 08E-07 5 17E-06 1 74E-04 1 13E-04 3 54E-04 4 85E-05 2 22E-06 9 46E-03 1 08E-07 5 17E-06 1 74E-04 1 13E-04 3 54E-04 4 85E-05 2 24E-06 9 46E-03 1 08E-07 5 17E-06 1 74E-04 1 13E-04 3 54E-04 4 85E-05 2 24E-07 9 46E-03 1 08E-08 5 17E-06 1 74E-04 1 13E-04 3 14E-04 4 85E-05 2 24E-07 9 46E-03 1 08E-08 5 17E-07 1 57E-04 1 01E-04 3 14E-04 4 37E-05 2 24E-07 9 85E-03 1 08E-08 5 17E-07 1 57E-04 1 01E-04 3 14E-04 4 37E-05 2 24E-07 9 85E-03 1 08E-08 5 17E-07 1 57E-05 1 01E-03 1 08E-05 5 10E-03 1 08E-03 1 08E-03 1 08E-03 1 08E-03 1 08E-03
113E-04 3.54E-04 4 85E-05 2 24E-06 9 46E-03 1 08E-07 5 17E-06 1 74E-04 113E-04 3.54E-04 4 85E-05 2 02E-06 9 46E-03 9 72E-08 4 65E-06 1 74E-04 113E-04 3.54E-04 4 85E-05 2 24E-06 9 46E-03 1 08E-07 5 17E-06 1 74E-04 113E-04 3.54E-04 4 85E-05 2 24E-07 9 46E-03 1 08E-07 5 17E-07 1 74E-04 113E-04 3.54E-04 4 85E-05 2 24E-07 9 46E-03 9 72E-08 4 65E-06 1 74E-04 101E-04 3.18E-04 4 37E-05 2 24E-07 8 52E-03 5 6E-08 5 17E-07 1 57E-06 101E-04 3.18E-04 4 37E-05 2 24E-07 8 52E-03 7 56E-08 3 6E-05 1 56E-05 5 19E-05 2 03E-06 6 03E-07 1 55E-05 2 22E-07 2 16E-03 5 16E-03 5 19E-05 2 03E-06 6 03E-07 1 55E-05 2 22E-07 2 16E-03 5 16E-03 5 22E-07 2 16E-03
113E-04 354E-04 485E-05 2.02E-06 946E-03 9.72E-08 451E-04 1.13E-04 354E-04 485E-05 2.24E-06 946E-03 1.08E-07 5.17E-06 1.74E-04 1.13E-04 3.54E-04 485E-05 2.24E-06 946E-03 1.08E-07 5.17E-06 1.74E-04 1.13E-04 3.54E-04 485E-05 2.24E-07 946E-03 1.08E-08 5.17E-07 1.75E-04 1.13E-04 3.18E-04 4.37E-05 2.24E-07 946E-03 1.08E-08 5.17E-07 1.57E-04 1.01E-04 3.18E-04 4.37E-05 2.24E-07 8.52E-03 1.08E-08 5.17E-07 4.36E-05 5.19E-05 2.03E-05 992E-06 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 5.19E-05 992E-06 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 5.19E-05 2.03E-05 992E-06 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 5.19E-05 2.03E-05 992E-06 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 5.19E-05 2.03E-05 992E-06 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 2.19E-05 2.03E-05 1.25E-07 1.25E-07 2.22E-07 2.22E-07 2.16E-03 2.12E-05 2.03E-05 1.25E-07 1.25E-07 2.22E-07 2.22E-07 2.22E-07 2.16E-03 2.12E-05 2.03E-05 2.22E-07
113E-04 354E-04 485E-05 224E-07 946E-03 972E-08 465E-06 174E-04 113E-04 354E-04 485E-05 224E-07 946E-03 972E-08 465E-06 174E-04 113E-04 354E-04 485E-05 224E-07 946E-03 108E-08 517E-07 157E-04 101E-04 318E-04 437E-05 224E-07 946E-03 108E-08 517E-07 157E-04 101E-04 318E-04 437E-05 224E-07 852E-03 108E-08 517E-07 157E-04 101E-04 318E-04 437E-05 157E-06 852E-03 756E-08 517E-07 25E-07 156E-03 519E-05 203E-05 992E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 992E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 992E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 603E-07 155E-05 222E-07 222E-07 216E-03 244E-05 23E-05 125E-04 126E-05 222E-05 335E-05 222E-05 222E-06 135E-05 23E-05 222E-05 2
113E-04 354E-04 485E-05 224E-07 946E-03 108E-08 517E-07 174E-04 113E-04 354E-04 485E-05 224E-07 946E-03 108E-08 517E-07 174E-04 101E-04 318E-04 437E-05 224E-07 946E-03 108E-08 517E-07 157E-04 101E-04 318E-04 437E-05 224E-07 852E-03 108E-08 517E-07 436E-05 101E-04 318E-04 437E-05 157E-06 852E-03 156E-08 362E-06 436E-05 519E-05 203E-05 992E-06 603E-07 155E-05 222E-07 222E-07 216E-03 467E-05 183E-05 893E-06 603E-07 155E-05 222E-07 222E-07 216E-03 467E-05 183E-05 893E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 992E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 992E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 992E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 192E-06 603E-07 155E-05 222E-07 222E-07 216E-03 519E-05 203E-05 192E-06 603E-07 155E-05 222E-07 222E-07 216E-03 244E-05 203E-05 125E-04 126E-05 222E-05 35E-06 222E-06 222E-06 135E-05 222E-06 222E-06 135E-05 222E-05 222E-06
1 13E-04 3 54E-04 4 35E-05 2 24E-07 9 45E-03 1 08E-08 5 17E-07 1 57E-04 1 13E-04 3 54E-04 4 35E-05 2 24E-07 8 52E-03 1 08E-08 5 17E-07 4 35E-05 1 01E-04 3 18E-04 4 37E-05 2 24E-07 8 52E-03 1 08E-08 5 17E-07 4 36E-05 1 01E-04 3 18E-04 4 37E-05 1 57E-06 8 52E-03 7 56E-08 3 62E-06 4 36E-05 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 4 67E-05 1 83E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 4 67E-05 1 83E-05 8 93E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 19E-05 2 03E-05 6 03E-07 1 12E-05 2 22E-05 3 35E-06 2 22E-08 1 95E-03 2 24E-05 2 74E-05 1 25E-04 1 26E-05 2 22E-05 2 22E-05 1 25E-06 1 22E-05 2 2
101E-04 3 34E-04 4 30E-09 2 24E-07 8 40E-03 10E-08 5 17E-07 1 37E-04 101E-04 3 18E-04 4 37E-05 2 24E-07 8 52E-03 108E-08 5 17E-07 4 36E-05 10E-04 3 18E-04 4 37E-05 1 57E-06 8 52E-03 7 56E-08 3 52E-07 7 2 56E-05 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-07 1 55E-05 2 22E-08 1 95E-03 2 44E-05 2 74E-05 1 25E-04 1 26E-05 1 25E-04 1 26E-05 2 22E-05 2 22E-06 1 95E-03 2 24E-05 2 74E-05
1 01E-04 3 18E-04 4 37E-05 2 24E-07 8 52E-03 1 08E-08 5 17E-07 4 36E-05 1 01E-04 3 18E-04 4 37E-05 1 57E-07 1 852E-03 7 56E-08 3 62E-06 4 36E-05 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 93E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 93E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 93E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 44E-05 2 03E-05 6 03E-07 1 26E-05 2 22E-07 2 22E-07 2 16E-03 2 44E-05 2 03E-05 1 26E-07 1 26E-05 2 22E-07 2 25E-07 2 16E-03 2 44E-05 2 24E-05 1 26E-07 1 26E-05 2 22E-07 2 22E-07 2 26E-07 2
1 01E-04 3 18E-04 4 37E-05 1 57E-06 8 52E-03 7 56E-08 3 62E-06 4 36E-05 5 19E-05 2 03E-05 6 03E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 4 67E-05 1 83E-05 8 93E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 4 67E-05 1 83E-05 8 93E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 8 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 5 19E-05 2 03E-05 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 19E-03 2 03E-05 1 25E-07 1 2 22E-05 1 25E-05 1 25E-07 2 22E-07 2
2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 1 83E-05 8 93E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 1 25E-04 1 26E-05 1 25E-05 1 25E-06 1 25E-05 1 25E-06 1 20E-07 2 22E-05 1 25E-05 1 25E-05 1 20E-07 2 22E-05 1 20E-07 2 22E-07 2 2
2 03E-05 9 92E-06 6 03E-07 155E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 8 93E-06 6 03E-08 1 40E-05 2.22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-08 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 74E-05 1 25E-04 1 20E-06 1 472E-05 3 55E-06
2 USE-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 15E-03 1 83E-05 8 93E-06 6 03E-05 1 40E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 22E-07 2 22E-07 2 16E-03 2 22E-07 2 2
1 83E-05 8 93E-06 6 03E-08 1 40E-05 2 22E-08 2 22E-08 1 51E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-07 1 55E-05 2 22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-08 1 55E-05 2 22E-08 2 22E-08 1 95E-03 2 74E-05 1 25E-04 1 20E-06 1 42E-05 3 55E-06 1 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
2 03E-05 9 92E-06 6 03E-07 1 55E-05 2.22E-07 2 16E-03 2.03E-05 9 92E-06 6 03E-07 1 55E-05 2.22E-07 2 22E-07 2 16E-03 2 03E-05 9 92E-06 6 03E-08 1 55E-05 2.22E-07 2 22E-07 2 16E-03 2 74E-05 1 25E-04 1 20E-06 1 4.2E-05 1 4.2E-06 1 4.2E-06 1 4.2E-06 1 4.2E-05 1 4.2E-06
2.03E-05 9.92E-06 6.03E-07 1.55E-05 2.22E-07 2.22E-07 2.16E-03 2.03E-05 9.92E-06 6.03E-08 1.55E-05 2.22E-08 2.22E-08 1.95E-03 2.74E-05 1.25E-04 1.26E-05 1.42E-05 3.55E-06 3.55E-05 3.5
2 74E-05 1 25E-06 1 20E-05 1 42E-05 2 22E-08 1 95E-03 2 74E-05 1 25E-06 1 40E-05 1 4 20E-05 1 4 20E
z use-us 9;9;2e-va 0.05e-va 1.05e-va 2.zze-va 1.95e-v3 2.zze-va 1.95e-v3 2.zze-va 1.95e-v3 2.zze-va 2.zze-v6 2.zze-v6 1.95e-v3 2.zze-v6 2.
2 74E-U3 1 23E-U4 1 20E-U8 1.42E-U3 3 35E-U6
2 24E OF 1 25E 04 1 4 40E 02 1 4 42E 05
CO-34/ 7

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

. ',					opeuzeue	September 1	ep/	,	w J. vener				
Model		Combustor	Capacity Range			HAG	detaldeh	rolein	uzeue aeujc	muillyn	muimb	euhol	muimor
Ş	Material	Туре	(MMBtu/hr)	Control Level	γi	91	οĄ					40	40
73a	Wood	Other	0.10	No Control	8 16E-08 7 26E-05 1 90E-02	7 26E-05	1 90E-02	171E-03 3.5	5E-05 5 01	1 71E-03 3.55E-05 5 01E-03 4 59E-06 9 13E-06 4 19E-04	06 9 13E-06	4 19E-04	36
13p	Wood	Other	0-10	Cyclone	8 16E-08	7.26E-05	1 90E 02	1 71E-03 3 1	9E-05 5 011	8 16E-08 7.26E-05 1 90E-02 1 71E-03 3 19E-05 5 01E-03 4 13E-06 8 22E-06	8 22E-06	4 19F-04	3.25E-05
74a	Wood	Other	10-100	Na Control	8 16E-08	7 26E-05	.90E-02	71E-03 3.5	5E-05 5 01	8 16E-08 7 26E-05 1.90E-02 1.71E-03 3.55E-05 5.01E-03 4.59E-06 9.13E-06 4.19E-04	6 9 13E-06		3 61E-05
74b	Wood	Other	10-100	Cyclone	8 16E-08	7 26E-05	90E-02	71E-03 3.1	9E-05 5 01	8 16E-08 7 26E-05 1 90E-02 1 71E-03 3 19E-05 5 01E-03 4 13E-06 8 22E-06 4 19E-04 3 25E-05	8 22F-06	4 19F-04	3 25E-05
74e	Wood	Other	10-100	Wet Scrubber	7 34E-08	5 53E-05	71E-02	54E-03 24	8E-05 4 51	34E-08 6 53E-05 1 71E-02 1 54E-03 2 48E-05 4 51E-03 3 21E-06 6 39E-06 1 05E-04	6 6 39E-06	1 05F-04	2 52F-05
75e	Wood	Other	100-250	Wet Scrubber	7 34E-08	3 53E-05	71E-02	54E-03 2.4	8E-05 4 51	34E-08 6 53E-05 1 71E-02 1 54E-03 2 48E-05 4 51F-03 3 21F-06 6 39E-06 1 05E-04	6 39F-06	1 05E-04	2 52E 05
76b	Wood	Wall-fired/PC	0-10	Cyclone	8 16E-08	16E-08 7 26E-05 '	1 90E-02	1 71E-03 3 1	9E-05 5 01	3 19E-05 5 01E-03 4 13E-06 8 22E-06	6 8 22F-06	_i_	3 25E 05
77b	Wood	Wall-fired/PC	10-100	Cyclone	8 16E-08	7 26E-05	1 90E-02	71E-03 3 1	9E-05 5 01	1 71E-03 3 19E-05 5 01E-03 4 13F-06 8 22E-06	6 8 22F-06	4 19F-04	3 25E-05
78a	Wood/Other Biomass/NFF Liquid/NFF Solid	All	П	No Control		2.40E-05	60E-05	47E-06 50	1E-05 1 37	2.40E-05 1 60E-05 9 47E-06 5 01E-05 1 37E-04 1 57E-05 3 54E-05 1 83E-04	5 3 54E-05	,	8 80F-04
79b	Wood/Other Biomass/NFF Liquid/NFF Solid	₹	10-100	Cyclone		2 40E-05	.60E-05	47E-06 4 5	1E-05 1 37	2 40E-05 1,60E-05 9 47E-06 4 51E-05 1 37E-04 1 41E-05 3 19E-05 1 83E-04 7 92E-04	5 3 19E-05	1 83E-04	7 92F-04
790	Wood/Other Biomass/NFF Liquid/NFF Solid	All	10-100	ESP	. •	2.40E-05	60E-05	47E-06 5 0	1E-06 1 37	2.40E-05 1 60E-05 9 47E-06 5 01E-06 1 37E-04 1 57E-06 3 54E-06 1 65E-04	6 3 54F-06	1 65F-04	A AOE-05
80a	Residual Liquid FF	Ali	0-10	No Control		2.14E-05	2 03E-05	92E-06 53	8E-06 9 21	2.14E-05 2.03E-05 9.92E-06 5.38E-06 9.21E-06 1.12E-06 6.14F-06 2.16E-03	6 6 14F-06		3 14F.05
81a	Residual Liquid FF	Η	10-100	No Control		2.14E-05	2 03E-05	92E-06 5 3	8E-06 9 21	2.14E-05 2 03E-05 9 92E-06 5 38E-06 9 21E-06 1 12E-06 6 14E-06 2 16E-03	6 6 14E-06		3 14F-05
819	Residual Liquid FF	ΑII	10-100	Wet Scrubber		1 93E-05	83E-05	93E-06 3 7	6E-06 8 29	93E-05 1 83E-05 8 93E-06 3 76E-06 8 29E-06 7 84E-07 4 30E-06 5 41E-04 2 20E-05	7 4 30E-06	5 41F-04	2 20F-05
82a	Residual Líquid FF	ΑII	100-250	No Control	. 7	2 14E-05 ;	2 03E-05	92E-06 5.3	8E-06 9 21	2 14E-05 2 03E-05 9 92E-06 5.38E-06 9 21E-06 1 12E-06 6 14E-06 2 16E-03	6 6 14E-06	2 16F-03	3 14F-05
83a	Residual Liquid FF	All	>250	No Control		2 14E-05 ;	9 03E-05	92E-06 53	8E-06 9 211	2 14E-05 2 03E-05 9 92E-06 5 38E-06 9 21E-06 1 12E-06 6 14E-06 2 16E-03 3 14E-05	6 6 14E-06	2.16E-03	3 14E-05

s
×
æ
pxAB
ā
ņ
ш
ã
±
ase
Θ

	ш-хујепе																																					
	реә	2 94E-04	2 65E-04	2 94E-05	2 94E-04	2 94E-05	2 94E-05	2 94E-05	2 94E-06	2 USE-U4	2 94E-04 2 65F-04	2 94E-05	2 94E-05	2 94E-05	2 94E-05	2 06F-04	2 94E-04	2 65E-04	2 94E-05	2 94E-05	2 94E-05	2 94E-05	2 94E-05	2 94E-06	2 06E-04	2 94E-04 2 65E-04	2 94E-04	2.65E-04	2.94E-05	2.94E-05	2 94E-05	2 94E-04	2 65E-04	1.47E-04	2.94E-05	2 94E-05	2.94E-00 2.94E-05	2 06E-04
:	Hydroffuoric Acid	3 89E-03	3 89E-03	2 73E-03	3 89E-03	3 50F-03	2 73E-03	1 95E-03	3 89E-04	-+-	3 89E-03	3 50E-03	9 74E-04	2 73E-03	1 95E-03	9 74F-04	3 89E-03	3 89E-03	3 50E-03	1 95E-03	9 74E-04	2 73E-03	1 95F-03			3 89E-03	3 89E-03	3 89E-03	3.50E-03	2 73E-03	1.95E-03	3 89E-03	3 89E-03	3 89E-05	3 50E-03	2 73E-03	9 74E-04	9.74E-04
	Hydrochloric Actd	5 35E-02	5 35E-02	5 35E-02	5 35E-02	5.35F-02	5.35E-02	2 68E-02	5.35E-03	1 345-02	5 35F-02	5 35E-02	1.34E-02	5 35E-02	2 68E-02	1.34E-02	5 35E-02	5 35E-02	5.35E-02	2 68E-02	1 34E-02	5.35E-02	2.08E-02	5.35E-03	1 34E-02	5.35E-02	5 35E-02	5.35E-02	5 35E-02	5.35E-02	2.68E-02	5 35E-02	5.35E-02	5 35E-04	5 35E-02	5 35E-02	1.34E-02	1.34E-02
	Hexachiorobenzene																					···········																
urces	Formaldehyde	1 85E-05	1 85E 05	1 66E-U5	1 85E-05	1 85F 05	1 66E-05	1 66E-05	1 29E-05	1 000-05	1 85E-05	1 85E-05	1 66E-05	1 66E-05	1 66E-05	1 66F-05	1 85E-05	1 85E-05	1 85E-05	1 85E-05	1 66E-05	1 665-05	1 66E-05	1 29E-05	1 66E-05	1 85E-05	1.85E-05	1 85E-05	1 85E-05	1 66E-05	1 66E-05	1 85E-05	1 85E-05	1 66E-05	1 85E-05	1 66E-05	1.66E-05	1.66E-05
sting So	Ethylbenzene	1 60E-06	1 60E-06	1.44E-06	1 60E-06	1 60F-06	1.44E-06	1.44E-06	1.12E-06	1 44E-U0	1.60E-06	1 60E-06	1 44E-06	1 44E-06	1.44E-06	1 44F-06	1.60E-06	1 60E-06	1 60E-06	1.60E-06	1.44E-06	1 44E-06	1 44E-06	1.12E-06	1.44E-06	1 60E-06	1.	1.60E-06	1 60E-06	1.44E-06	1 44E-06	1 60E-06	1.60E-06	1.44E-06	1 60E-06	1 44E-06	1.44E-06	1 44E-06
for Exis	Мхою	2 25E-09	2 25E-09	2 02E-09	2 25E-09	2 25F-09	2 02E-09	2 02E-09	1 57E-09	2 02E-08	2 25E-09	2 25E-09	2.02E-09	2 02E-09	2 02E-09	2 02E-03	2 25E-09	2 25E-09	2 25E-09	2 25E-09	2 02E-09	2 02E-09	2 02E-09	1 57E-09	2 02E-09	2 25E-09	2 25E-09	2.25E-09	2 25E-09	2 02E-09	2 UZE-U9	2 25E-09	2.25E-09	2 02E-09	2 25E-09	2.02E-09	2 02E-09	
/MMBtu)	Dibutylphthalate	3 59E-06	3 59E-06	3 23E-06	3 59E-06	3 59E-06	3 23E-06	3 23E-06	2 51E-06	3 235-00	3 59E-06	3 59E-06	3 23E-06	3 23E-06	3 23E-06	3 23F-06	3 59E-06	3 59E-06	3 59E-06	3 59E-06	3 23E-06	3.23E-06	3 23E-06	2 51E-06	3 23E-06	3 59E-06	3 59E-06	3 59€-06	3 59E-06	3 23E-06	3 23E-06	3 59E-06	3 59E-06	3 23E-06		3 23E-06	3 23E-06	3 23E-06
tors (lb/	nejułożnediG	3 59E-09	3 59E-09	3 23E-09	3 59E-09	3 59E-09	3 23E-09	3 23E-09	2 52E-09	3.235-09	3 59E-09	3.59E-09	3 23E-09	3 23E-09	3 23E-09	3.23E-09	3 59E-09	3.59E-09	3 59E-09	3 59E-09	3 23E-09	3 23E-09	3 23E-09	2.52E-09	3 23E-09	3.59E-09	3 59E-09	3.59E-09	3 59E-09	3.23E-09	3.23E-09	3.59E-09	3 59E-09	3.23E-09	3.59E-09	3 23E-09	3.23E-09	3 23E-09
sion Fac	to the to the second																																					
HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources	Control Level												<u>.</u>								_													acked				
ia Pollut		otrol	ə		ıtrol	ט			year by broad	nonei			ESP/Wet Scrubber		FF/DSI FE/Met Scrubber	Wet Scrubber	ntrol	e		S	ESP/Wet Scrubber		_		rubber	ii oi	ıtrol	9			rubber	No Control	· o	Cyclone/Venturi/Packed			FF/Wet Scrubber	Scrubber
d Criter	7 7 N N 🚅	No Control	Cyclone	FF	No Control	ESP	Ľ.	FF/DSI	FF/SD	wet scrubber							Т	Cyclone	ESP	ESP/DSI	ESP/M	7.00	FF/FSI	FF/SD	Wet Scrubber	Cyclone	No Control	Cyclone	ESP	ָ בְּיִ	Wet Sc					FF FF/SD		\neg
HAP an	Capacity Range	0-10	0.10	0.10	10-100	10-100	10-100	10-100	10-100	100 250	100-250	100-250	100-250	100-250	100-250	100-250	>250	>250	>250	>250	>250	7,50	×250 ×250	>250	×250	0-10	10-100	10.100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	100-250	100-250	100-250
Appendix A.	Combustor	Other	Other	Other	Other O	O Oper	Other	Other	other of		ë ë	Other	Other	Other	ë ë	O O	Other	Other	Other	Other	Other	o de	ē ē	Other	Other	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-tired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC
Ap																•		•																			,,,,,,,,,,	
	ria																															-						
	(1) Material																																					
		lal	la.	lal	লু ক	. To	īğ.	ē	ল ক	100	ল ল	is.	leal	igi.	ਜ <i>ਗੁ</i>	i To	ig.	la al	iai	je .	<u>.</u>	কুন	<u> </u>	jē	ig .	ਰ ਦ	fal	īgi.	eg .	<u>ज</u> ्ञ		le	ē	To .	₽ġ.	ল ক	ē∓ ē	āl
	Model		_	1	2a Coa				24 Coal	T					S S		4a Coal	4b Coal			4e Coa	4 4			T	Sp Coal				ed Coa		Γ				7e Coal		7ĥ Coa
Į	2									<u>_</u>						_									\perp							L			_	_		

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

	*					- 2,5				_			 .	
,						,								
,						٠.		·	,	uəzı	cid	٠,	1, 14 1, 14	٠ ه.
,					nsh	eledi		eue	-λγαθ	opeu	A oin			
- - - - - - - -		3.37	Capacity Range	1 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3	ntoznad	udi/\ind	nixo	zuaqı⁄u	lablam	xachlor	drochic	onflorb	pe	Xylene
Coal	Material	Type Wall-fired/PC	(MMBtu/hr) >250	Control Level	3 50E 00	<u> </u>	2	9	1 85 C OF	1	۲ ۱۱		97	·w
Coal		Wall-fired/PC	>250	TO COLUMN TO THE COLUMN THE COLUMN TO THE CO					1 855 05	n u			2 94E-04	
Coal		Wall-fired/PC	>250	ESP/SD	3 23F-09				1 66F-05	<u> </u>	3 35E-02	3 20E-03	2 94E-US	
Coal		Wall-fired/PC	>250	ESP/Venturi/Packed	3 23E-09			-	66F-05) v.			2 94E.05	
Coal		Wall-fired/PC	>250	ESP/Wet Scrubber	3 23E-09				66F-05			_	2 04E-05	
Coal		Wall-fired/PC	>250	FF	3 23E-09				66F-05	- 40			2.94E-05	
Coal		Wall-fired/PC	>250	FF/DSI	3 23E-09	_	-	-	1 66E-05	2			2.94E-05	
Coal		Wall-fired/PC	>250	FF/SD	2 52E-09				1 29E-05	2			2.94E-06	
Coal		Wall-fired/PC	>250	FF/Wet Scrubber	3 23E-09		2.02E-09 1	44E-06 1	1 66E-05				2.94E-05	
Coal		Wall-fired/PC	>250	Wel Scrubber	3 23E-09	3 23E-06 2	2 02E-09 1	44E-06 1	66E-05		34E-02	9 74E-04	2.06E-04	
oal/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	₹	0-10	No Control	9 14E-10		8 85E-10	3	3 65E-03	-	1 14E-02	1 16E-02	1.43E-04	
Oal/wood/NFP	Coal/Wood/NFF Liquid/NFF Solid	₹	0-10	Cyclone	9 14E-10	_	8 85E-10	3	3 65E-03		1 14E-02	1 16E-02	1 29E-04	
Oal/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	₹∶	10-100	No Control	9 14E-10		8 85E-10	ဗ	3 65E-03	_	1 14E-02		1.43E-04	
Oal/Wood/NFF	Coalywood/Arr Liquid/Nrt Solid	₹₹	10-100	Cyclone	9 14E-10		8 85E-10	6	3 65E-03	-			1.29E-04	
Dally DOOD AND DO	Codal Woodning F. Liquid/NFF Solid	W.	10-100	EVE	9 14E-10		8 85E-10	3	3 65E-03		-		1.43E-05	
oai/wood/NFF	Coal Wood/NFF Liquid/NFF Solid	₹ :		Cyclone	9 14E-10		8 85E-10	e	3 65E-03		114E-02	1 16E-02	1.29E-04	
oal/wood/NFF	Coalwood/NFF Liquid/NFF Solid	₹ :		ESP	9 14E-10		8 85E-10	es	3 65E-03				1.43E-05	
Dal/WOOd/NFF	COBINVOOD/NFT LIQUID/NFT SOLID	₹	100-250	Wet Scrubber	8 23E-10		7.96E-10	က	3 29E-03	2	2 85E-03	2 90E-03	1.00E-04	
Dall WOOd/INT	COMMUNICATION THEORY OF THE	₹ ₹	002-001		8 235-10		7 96E-10	e	3.29E-03		-	-	1 43E-05	
Dal/Wood/NFF	Coal/Wood/NEF Liquid/NEF Solid	¥	052	Cyclone	9 14E-10	4 79E-05 8.	8.85E-10	e c	3 65E-03				1.29E-04	
oal/Wood/NFF i	Coal/Wood/NFF Liquid/NFF Solid	₹ ₹		Cyclorie/Vernari/Tached	0 145 10		0 0 0 0 0 0 0 0	n c	3 285-03				7.15E-05	
al/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	₹		ESP/FSI	0 14E-10		8 85E 10	2 0	2 650 03	- 4			1.43E-U3	
pal/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	₹		ESP/SD	8 23E-10		0.03E-10	9 6	200000	0 +		3 80E-03	1.43E-U5	
bal/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	₹		FF 55	8 23F-10		7 96F-10) r	3 295-03		1 14E-03		43E 05	
al/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	Ψ	>250	FF/FSI	8 23E-10		7 96E-10	, w	3 29E-03	- 40			1.43F-05	
al/Wood/NFF (Coal/Wood/NFF Liquid/NFF Solid	Ψ	>250	FF/Wet Scrubber	8 23E-10		7 96E-10	n	29E-03	2			1.43E-05	
pal/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	All	>250	Wet Scrubber	8 23E-10	4 31E-05 7.	7.96E-10	m	29E-03	2			1.00E-04	
Gas		Other	0-10	No Control	5 99E-12	9	6.43E-11 6	6 86E-07 3	3 30E-04	-	-	_	+	9.14E-07
Gas		Other		Cyclone	5 99E-12	9		6 86E-07 3.	3.30E-04		1 24E-05		2.18E-06	9.14E-07
Gas		Other		ESP	5 99E-12	9		6 86E-07 3	3 30E-04	_	24E-05		2.43E-07	9.14E-07
Gas		Other		111	5 39E-12	5	5 79E-11 6	6 17E-07 2	2 97E-04		1 24E-05			8.23E-07
Gas		Other		FF/DSI	5.39E-12	5	5.79E-11 6	6 17E-07 2	2 97E-04	9	6 20E-06		-	8.23E-07
Gas		Other	0-10	FF/Wet Scrubber	5.39E-12	5	5.79E-11 6	6 17E-07 2	2 97E-04	3	3 10E-06		-	8.23E-07
Gas		Other	0-10	Venturi/Packed	5.39E-12	5	5 79E-11 6 1	6 17E-07 2.1	2.97E-04	_	24E-07		1.21E-06	8.23E-07
Gas		Other	7	Wet Scrubber	5 39E-12	5.	5.79E-11 6	6 17E-07 2	2 97E-04	3	3 10E-06		1.70E-06	8.23E-07
Gas		Other		No Control	5 99E-12	9			3 30E-04		1 24E-05		2.43E-06	9 14E-07
Gas		Other		Cyclone	5.99E-12	9	_	_	3 30E-04	-	1 24E-05	•	2 18E-06	9.14E-07
Cas		other O		ESP	5.99E-12	9	=		3.30E-04	-	24E-05	•		9.14E-07
cas		Cine Cine			5 39E-12	ro,			2.97E-04	_	24E-05	•		8.23E-07
Gas		i di		FF/Wet Scrubber	5.39E-12	ις i	-		2.97E-04	က	3 10E-06			8.23E-07
93		i i	100	Wet Scrubber	5.39E-12	0	5 79E-11 6 1	6 17E-07 2	2 97E-04	מ	3 10E-06		1.70E-06	8.23E-07

9

BaselineEFappxAB xIs

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

m-Xylene	9 14E-07	9 14E-07	9 14E-07	8 23E-07	8 23E-07	8 23E-07	9 14E-07	9 14E-07	8 23E-07																														
реә	2 43E-06	2 18E-06	2 43E-07	2 43E-07	2 43E-07	1 /0E-06	2 18E-06	2 43E-07	1 /0E-06	3 53F-05	3 92E-06	2 74E-05	3 92E-05	3 53E-05	3.92E-06	3 92 11-06	3 92E-06	2 74E-05	3 53E-05	1 96E-05	3.92E-06	2.74E-05	3 53E-05	3.92E-06	3.92E-06	2.74E-05	2 22E-06	1 99E-06	2.22E-07	2.22E-06	1.99E-06	2.22E-07	2.22E-07	1.55E-06	2.22E-06	2 22F-07	1 55E-06	2.22E-06	2 22E-07
Hydroffuoric Acid																																							
Hydrochloric Acid	1 24E-05	1.24E-05	1 24E-05	3 10E-06	1 24E-05	3 10E-06	1 24E-05	1 24E-05	3 10E-06	4 38E-03	4 38E-03	1 10E-03	4.38E-03	4 38E-03	4 38E-03	4 38E-03	1 10E-03	1 10E-03	4 38E-03	4 38E-05	4 38E-03	1.10E-03	4 38E-03	4 38E-03	1.10E-03	1 10E-03	7.10E-05	7 10E-05	7.10E-05	7 10E-05	7 10E-05	7.10E-05	7 10E-05	1 /8E-05	7.10E-05	7 10E-05	1 78E-05	7 10E-05	7.10E-05
Hexachlorobenzene														_																									
Formaldehyde	3 30E-04	3 30E-04	3 30E-04	2 97E-04	2 97E-04	2 97E-04	3 30E-04	3 30E-04	2 8/E-04	4 79E-04	4 31E-04	4.31E-04	4.79E-04		4 /9E-04	4 31E-04	4.31E-04	4 31E-04	4 79E-04	4.31E-04	4 /8E-04	4 31E-04	4 79E-04	4 79E-04	4 31E-04	4 31E-04	151E-04	1.51E-04	1 36E-04	1.51E-04	1 51E-04	1 51E-04	1.36E-04	1.30E-04	1515-04	1.36E-04	1.36E-04	1.51E-04	1 51E-04
Ethylbenzene	6 86E-07	6 86E-07				6 86E-07		6 86E-07	3016 06	3 91E-06	3 52E-06	3 52E-06	3 91E-06	3 91E-06	3 91E-06	3 52E-06	3 52E-06	3 52E-06	3 91E-06	3 52E-06	3.52F-06	3.52E-06	3 91E-06	3 91E-06	3 52E-06	3 52E-06	3 23E-07		2.91E-07	3 23E-07					3 235-07		2 91E-07	3 23E-07	3.23E-07
nixoiQ	6 43E-11	6 43E-11	6 43E-11	5 79E-11	5 79E-11	5 / 9E-11 6 43E-11	6 43E-11	6 43E-11	0 / SE-11														-				2 17E-10	2 17E-10	1 955-10	2 17E-10	2.17E-10	2 17E-10	1 95E-10	1 955-10	2 1/E-10 2 17E-10	1 95E-10	1 95E-10	2 17E-10	2 17E-10
Dibutylphthalate									4 55E.05	4.55E-05	4 10E-05	4 10E-05	4 55E-05	4 55E-05	4 55E-U5	4 10E-05	4 10E-05	4.10E-05	4 55E-05	4 10E-05	4.33E-03 4.10F-05	4.10E-05	4.55E-05	4.55E-05	4 10E-05	4 10E-05													
ns:u/oznadiO	5 99E-12	5 99E-12	5 99E-12	5.39E-12	5.39E-12	5.39E-12	5.99E-12	5 99E-12	21-38C C																		6.00E-11	6 00E-11	5.40E-11	6.00E-11	6.00E-11	6 00E-11	5.40E-11	5.40E-11	6.00E-11	5.40E-11	5 40E-11	6.00E-11	6 00E-11
Control Level	No Control	Cyclone	ESP	ESP/Wet Scrubber	FF Mot Country	No Control	Cyclone	ESP Wet Scenbber	No Control	Cyclone	FF.	Wet Scrubber	No Control	Cyclone	FSPAVel Scribber	FF FF	FF/Wet Scrubber	Wet Scrubber	Cyclone	Cyclone/Venturi/Packed	ESP/Wet Scrubber	Wet Scrubber	Cyclone	ESP	ESP/Wet Scrubber	Wet Scrubber	No Control	Cyclone	Mel Scrubber	No Control	Cyclone	ESP	14.00 O 50.01	Wet actuable	Cyclone	FF	Wet Scrubber	No Control	ESP
Capacity Range (MMBtu/hr)	100-250	100-250	100-250	100.250	100-250	>250	>250	>250	0-10	0-10	0.10	0-10	10-100	10-100	10-100	10-100	10-100	10.100	100-250	100-250	100-250	100-250	>250	>250	×250	>250	0-10	0-10	0.0	10-100	10-100	10-100	10-100	100.250	100-250	100-250	100-250	>250	>250
.	Other	Other	Other	Other	Oper	Office	Other	Other	All	₹	₹	¥.	₹∶	₹ ₹	₹₹	₹	₹	₹	₹ ₹	₹₹	₹	Ψ	₹	₹ ₹	₹₹	Ā	Ψ	₹ ₹	₹₹	₽	₹	₹	₹₹	₹₹	₹₹	₹	ΙΕ	ll'Y	₩ B
Matorial	Gas	Ses	Gas	Gas	Gas	Gas	Gas	Gas	Gas/Wood/Other Biomass/Liquid FF	Gas/Wood/Other Blomass/Liquid FF	Gas/Wood/Other Biomass/Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distribute Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Cisillate Liquid FF	Distillate Liquid FF																			
Model No	15a	200	15°C	15d	15.	16a	16b	16	17a	17b	17c	17d	189	180	18d	18e	18f	189	190	19d	19e	191	20a	202 202	20q	20e	. 21a	21b	21e	22a	22b	22c	220	233	23b	23d	23(24a	240

11/1/02

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

m-Xylene											T					T												Γ					T				
реәд	41E-04	1 41E-04	27E-04	41E-05	41E-06	9 87E-05	1 41E-04	41E-05	41E-05	1 27E-04	3 0 / E-U3	141E-04	9 87E-05	1 99E-04	1.79E-04	1 995-05	1 39E-04	1.99E-05	99E-05	39E-04	1 99E-04	9 96E-05	1 99E-05	39E-04	1.99E-04	1./9E-04	1 39E-04	1 99E-04	1.79E-04	1.99E-04	1.79E-04	1 99E-05	1 995-04	1.99E-05	2.10E-04	1 89E-04	2 10E-05
Hydroffuoric Acid		-	,			6			_	- 0	S -		· თ	-	<u></u>	-1			-	-	- ;	- 6		-	_	<u>-</u> -		-	1	1	-		-1-		2.		7 7
Hydrochloric Acid	2 95E-02 2 95E-02	2 95E-02	2 95E-02	2 95E-02	2 95E-03	7.37E-03	2.95E-02	7 37E-03	2 95E-02	2 95E-02	3/11-03	2 95E-02	7 37E-03	1 66E-02	1 66E-02	1.00E-02	1 66F-02	1.66E-02	1 66E-02	4 14E-03	1 66E-02	1 66E-04	1 66E-02	4.14E-03	1 66E-02	1.66E-02	4.14E-03	1 66E-02	1.66E-02	1 66E-02	1 66E-02	1.66E-02	1 66E-02	4 14E-03	1 47E-02	1 47E-02	1.47E-02 3.68F-03
Hexachlorobenzene		2	2 0	71 (7)	- 2	7	2 0		- 5	7 7	15		7	_		٠.	3 54E-07			_		3 18E-07 1	-	3 18E-07 4	_	3.54E-07 1	_	+	~		_	3 18E-07 1	-			<u>-</u>	- 6
Formaldehyde																_	50E-02			_		35E-02		35E-02 3		1 50E-02 3		┿	_			1 35E-02 3	- 1		₩.	3 00E-04	3 00E-04
enaznadiváta	8 08E-07	8 08E-07	8 08E-07	8 08E-07	5 65E-07	7.27E-07	8 08E-07	7 27E-07	7 27E-07	8 08E-07	2/E-U/	8 08E-07	7 27E-07	1 59E-05 1	1 59E-05 1	43E-05	50E-05	1 59E-05	43E-05 1	43E-05 1	1 59E-05 1	1 43E-05 1	1 59E-05	43E-05 1	1 59E-05 1	1.59E-05 1		1 59E-05 1				43E-05 1	-		┺		1 06E-05 3 9 52F-06 2
nixoiQ	E 5	-		3 /9E-11 8 3 41E-11 7		1	3 79E-11 8				3 4 1 5- 1 1			_		-	1316-08					1 18E-08		1 18E-08		1315-08		1			1.31E-08	1 18E-08 1			-		2.65E-09 1
Dibutylphthalate																_	5 21E-06		-	_		2 Z I E-06				5.21E-06		ــــ				4 69E-06	4.	90-369			
nsruìoznadlū	1 43E-12	1 43E-12	1 43E-12	1 43E-12		1 29E-12	1 43E-12	1 29E-12	1.29E-12	1 43E-12	1.28E-12	1 43E-12	1 29E-12		26E-09	34E-09	60-397 6	26E-09			26E-09	8.20E-09		8.34E-09	26E-09	9.26E-09		26E-09				8.34E-09 4	26E.00		┺	1.80E-09	1 80E-09
Control Level	irol	No Control	Cyclane	רעי היי היי	FF/SD	Wet Scrubber	No Control	ESP/Wet Scrubber	L.	Cyclone	Wel Scribber	ING CONTROL ESP	Wet Scrubber	No Control	Cyclone	11	Cyclone	ESP	44	Wet Scrubber	No Control	Cyclone/Ventur/Packed	ESP	Wet Scrubber	No Control	Cyclone	Wet Scrubber	No Control	Cyclone	No Control	Cyclone	FF IMot Seathers	FSP	ESP/Wet Scrubber	No Control	Cyclone	ESP Wei Scrubber
Capacity Range	0.10	10.100	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	02-001	>250	>250	0.10	0.10	01-0	901-01	10-100	10-100	10-100	100-250	100-250	100-250	100-250	>250	×250 ×250	>250	0-10	0-10	10-100	10-100	10-100	>250	>250	0-10	0-10	0-10 0-10
Combustor	H A	All	All .	₹ ₹	₹	ΑΉ	A A	₹	₹	F S	7	₹ ₹	Ψ	Other	Other	Cure		Other	Otther	Other	Other	O Conse	Other	Other	Other		o di	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	¥	¥	₹₹
Material	NFF LiquidNFF Solid/Gas NFF LiquidNFF Solid/Gas	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	NEE Liquid/NEE Solid/Gas	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	NEF Liquid/NEF Solid/Gas	MEG LIQUIDINE SOLUTION	NEF LiquidNFF Solid/Gas	NFF Liquid/NFF Solid/Gas	Wood	Wood	MOOD	Wood	Wood	Wood	Wood	poom	Mood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Mood	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid Wood/Other Biomass/NFF Liquid/NFF Solid
Model	25a 25h	26a	26b	96 96 98	26e	564	27a 27b	27c	27d	27e	7 60	28b	28c	29a	29p	282	S 5	300	30d	30e	31a	31c	31d	31e	32a	32c	32d	33a	336	34a	34b	34c	359	35b	36a	36b	36c 36e

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

ш-Хујепе																															-						
peaq	2 10E-04	1 89E-04	2 10E-05	2 10E-05	1 47E-04	1 89E-04	2 10E-05	2 10E-05	2 10E-05	2 10E-05	2 10F_04	1 89E-04	2 10E-05	2.10E-05	2 10E-05	1 47E-04	CO-350 1	1 47E-05	1 63E-05	1.47E-05	1 63E-06	1.14E-05	1.63E-05	1.47E-05	1 63E-06	8 16F-06	1.14E-05	1 63E-05	1 47E-05	1 63E-06	1 89E-04	2 10E-04	1.89E-04	1 47E-04	2 10E-05	2.10E-05	1 47E-04
Hydrofluoric Acid																																					
Hydrochloric Acid	1 47E-02	1 47E-02	1.47E-02	1 47E-02	3 68E-03	1 47E-02	1 47E-02	1 47E-02	7 37E-03	3 68E-03	1 47F-02	1 47E-02	1 47E-02	3 68E-03	1 47E-02	3 68E-03	7 101 05	7 10E-05	7.10E-05	7 10E-05	7.10E-05	1.78E-05	7 10E-05	7.10E-05	7.10E-05	7.10E-07	1 78E-05	7 10E-05	7 10E-05	7 10E-05	3 68E-03	1 47E-02	1 47E-02	3 68E-03	1.47E-02	1 33E-02	3 68E-03
нехасиютореихене																																					
		3 00E-04			_	3.00E-04				2 70E-04	-			2 70E-04		2.70E-04	2000-000	7 02E-05	7.80E-05	7.80E-05	7 80E-05	7.02E-05	7.80E-05	7 80E-05	7.80E-05			7.80E-05			4 /9E-04 4 31E-04	_	_	4 31E-04			4 31E-04
1		1 06E-05			-	1 06E-05		9 52E-06		9 52E-06	-			9 52E-06		9 52E-06			-		3 23E-07				3 23E-07			3 23E-07			1 USE-US			9 52E-06		_	9 52E-06
nixold	2 65E 09	2 65E-09	2 65E-09	2 38E-09	2 38E-09	2 65E-09	2 65E-09	2 38E-09	2 38E-09	2 38E 09	2 65F-09	2 65E-09	2 65E-09	2 38E-09	2 38E-09	2 38E-09	01-371 7	2 17E-10 1 95E-10	2 17E-10	2 17E-10	2 1/E-10 1 05E.10	1 95E-10	2 17E-10	2 17E-10	2 1/E-10	1 95E-10	1 95E-10	2 17E-10	2 17E-10	_	2 38F-09			2 38E-09			2 38E-09
Dibutylphthalate																														-	4 30E-03						1 4 10E-05
nsrułoznediO	1 80E-09	1 80E-09	1 80E-09	1 62E-09	1 62E-09	1 80E-09	1 80E-09	1 62E-09	1 62E-09	1 62E-09	1 80F-09	1 80E-09	1 80E-09	1 62E-09	1 62E-09	1 62E-09	0 00E-1	5 40E-11	6 00E-11	6 00E-11	6 00E-11	5.40E-11	6.00E-11	6 00E-11	6 00E-11	5 40E-11	5 40E-11	6 00E-11	6.00E-11	6 00E-11	1 62F-09	1.80E-09	1.80E-09	1 62E-09	1.80E-09	1.62E-09	1 62E-09
Control Level	No Control	Cyclone Cyclone/Venturi/Packed	Cycling Committee Committe	FF	Wet Scrubber	Cyclone Cyclone Application (Backed	Cyclic venicity acred	4.1	FF/FSI	FF/Wet Scrubber	No Control	Cyclone	ESP	ESP/Wet Scrubber	(L.)	Wet Scrubber	Columbia	Cyclone	No Control	Cyclone	70 H	Wet Scrubber	No Control	Cyclone	ה ער ה ה	Venturi/Packed	Wet Scrubber	No Control	Cyclone	ESP	Cyclone Wet Scribber	No Control	Cyclone	Wet Scrubber	ESP	ESP/Activated Carbon Adsorption	Wet Scrubber
Capacity Range RANBEUIN)	10-100	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	100-250	>250	>250	>250	>250	>250	>250	0.0	0-10	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	100-250	>250	>250	>250	10-100	100-250	100-250	100-250	>250	>250	007.
Combustor Type	All :	₹ ₹	₹₹	₹	All	T	₹	¥	₹	₹ ₹	Ā	₹	₽	₹	₹₹	T T	₹ ₹	₹₹	₹	₹₹	₹ ₹	Ψ	All	₹ :	₹ ₹	₹₹	₹	₹	₹	₹ :	₹₹	Ali	Ψ	All	₹ ₹	Ŧ ₹	All
Waterfal	Wood/Other Bromass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid Mond/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liouid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Designat Louis FE	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Uner							
oN Section 1	37a	37c	37d	37e	371	38a	380	38d	38e	380	39a	38p	38c	39e	386	380	5 4	40d	41a	41p	410	419	42a	45p	42C	42e	42t	43a	43b	43d	4 4 d	45a	45b	45c	46a	46b	460

11/1/02

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

- Control of the Cont	Γ				T		T		Τ							T	10.7	23F-07	-07	E-07	-07	E-07	E-07	E-07	107	₹-07	E-07		T		T		Τ			T			T	
m-Xylene	L																9	nα		-				8 23E-07		-	9 14E-07						1.2		100			· ·		
реәд	2 94E-04	2 94E-04	2 65E-04	2 94E-05	2 94E-05	2 65E-04	2 94E-05	2 94E-05	2 94F-04	2 65E-04	2 06E-04	2 65E-04	2 94E-05	2 94E-05	1 29E-04	1 29E-04	1 43E-UD	2 43E-00 2 43E-07	1 70E-06	2 43E-06	2 18E-06	2 43E-07	2 43E-07	1 70E-06	2 18F-06	2 43E-07	2 43E-06	3 92E-05	3 53E-05	3 53E 05	3 92E-05	3 92E-06	2 74E-05	2 22E-06	2 22E-06	2 22E-07	2.22E-06	2.22E-06	1 275 04	1.2/11-04
hydrofloopc Acid	-03	3 89E-03	3 89E-03				-	3 50E 03	-	3 89E-03		3 89E-03	1	3 50E-03	-	_	8 12E-U3																							
Hydrochloric Acid	-02	+	5.35E-02 3	35E-02	-	35E-02	-	5 35E-02 3	٠.		34E-02	5 35E-02 3		5 35E-02 3				1.24E-05	3 10E-06	1.24E-05	1.24E-05	1 24E-05	3 10E-06	3 10E-06	1 24F-05	1.24E-05	1 24E-05	4.38E-03	4.38E-03	4.30m-U3	4 38F-03	1.10E-03	1 10E-03	7.10E-05	7 10E-05	7 10E-05	7 10E-05	7.10E-05	2 05 0 02	20-30e 2
Нехасһіогорепzепе	Γ																					<u> </u>								•										
Formsldehyde	1 85E-05	1 85E-05	1 85E-05	1 85E-05	1 66E-05	1 85E-05	1 85E-05	1 85E-05	1 85F-05	1.85E-05	1 66E-05	1 85E-05	1 85E-05	1 85E-05	3 65E-03	3 65E-03	3 295-03	2 30E-04	2 97E-04	3 30E-04	3 30E-04	2.97E-04	2 97E-04	2 97E-04	3 30F-04	2 97E-04	3 30E-04	4 79E-04	4.79E-04	70504	4 79F-04	4 31E-04	4 31E-04	1 51E-04	1.51E-04	1 36E-04	1 51E-04	1.51E-04	10.10.4	+
Ethylbenzene	1 60E-06	1 60E-06	1 60E-06	1 60E-06	1 44E-06	1 60E-06	1 60E-06	1 60E-06	1 60F-06	1.60E-06	1.44E-06	1.60E-06	1 60E-06	1.60E-06			CO 230 3	6 17F-07	6 17E-07	6 86E-07	6 86E-07	6.17E-07	6.17E-07	6 1/E-0/	6 86F-07	6 17E-07	6 86E-07	3 91E-06	3.91E-06	3 01 11 06	3 915-06	3 52E-06	3 52E-06	3 23E-07	3 23E-07	291E-07	3.23E-07	3.23E-07	9 CSE-07	0 000
nixoiQ	60	┺-	2 25E-09					2 25E-09				2 25E-09		2 25E-09	8 85E-10	8 85E-10	-	5 79F-11		6 43E-11				5 /9E-11			6 43E-11							2 17E-10				2 17E-10		-
ojeledihdqlytudiQ	ő		3 59E-06 2					3 59E-06 2	-	_	_	3 59E-06 2	_			_	4 315-05 7	o v.	2	9	9	<u>د</u>	<u>دي</u>	0 4	9 (2	2	9	4 55E-05	4 55E-05	4 55E.05	4 55F-05	4 10E-05	4 10E-05	-	2		7	2 0	7 6	?
Olbenzofuran	8	3 59E-09 3						3 59E-09 3	-					3 59E-09 3	-		-	5 39F-12	5 39E-12	5 99E-12	5.99E-12	5.39E-12	5 39E-12	5 39E-12	5 99F-12	39E-12	5 99E-12	4	4	1 4	1 4	4	4	6.00E-11	6.00E-11	5.40E-11	6 00E-11	6.00E-11	1 43E 12	1.436-12
,	3	3	m	6	9	е	8	en e	0 60	, w	n	3	3	9	6	6 0	0 4	מים	വ	5	ιci	ις	iO i	2 2	່ເຕ	QJ (5		+		-		-	9	9	5	9	gj q		1
Control Level	No Control	No Control	Cyclone	ESP	FF	Cyclone	ESP	ESP	No Control	Cyclone	Wet Scrubber	Cyclone	ESP	ESP	Cyclone	Cyclone	FF No Control		Wet Scrubber	No Control	Cyclone	FF	FF/Wet Scrubber	Wet Scrubber	Cyclope		No Control	No Control	Cyclone	NO COLUM	FSP	ESP/Wet Scrubber	Wet Scrubber	No Control	No Control	44	No Control	No Control	Colore	Cyclorie
Capacity Range (MMBtu/hr)	0-10	10-100	10.100	10-100	10-100	100-250	100-250	>250	10.100	10-100	10.100	100-250	100-250	>250	0.10	10-100	007-001	5 6	0-10	10-100	10-100	10-100	10-100	10-100	100-250	100-250	>250	0.10	0-10	5 5	100-250	100-250	>250	0.10	10-100	10-100	100-250	>250	10,100	201-00
Combustor		Other	Other	Other	Other	Other	Other	Other	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Ψ	H S			Other C	Other	Other	Other	Other	Other	S G	Other	Other	All	W S	- T	₹ ₹	₹	All	All	All	All	All	₹ ₹		Ē
Material	Coal .	Coal	Coal	Coal	Coal	Coal	Coal	Coal				Coal	Coal		Coal/Wood/NFF Liquid/NFF Solid	Coal/Wood/NFF Liquid/NFF Solid	Coallyyood/NFF Liquid/NFF Solid	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Cas	Gas	Gas	Gas/Wood/Other Biomass/Liquid FF	Distillate Liquid FF	JEET Liquid MEE Solid Gas	ואיר ביקטוטיוארר סטיוטיספט									
Model			48b	48c	\neg		T	200	T				\neg			29cp	1			Г				15 6			П		020		1		Τ			7	7	69a [Т	1

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

						_						
Model	Market Ma	Combustor	Capacity Range (MMBu/hr)	Control Level	Olbenzofuran	nixoiC	Eţµλ]peuzeue	Formaldehyde	Hexachlorobenzene	Hydrofluoric Acid	геэд	m-Xylene
733	Wood	Other	0-10	No Control	E-09 5 2	-	-	-	上	-02	1 99E-04	
73b	poom	Other		Cyclone	9 26E-09 5 21E	-06 1 31E+	08 1 59E-05	1.50E-02	5 21E-06 1 31E-08 1 59E-05 1.50E-02 3 54E-07 1 66E-02	E-02	1 79E-04	
74a	Wood	Other	10-100	No Control	9 26E-09 5 21E-06		131E-08 1 59E-05 /1 50E-02 3 54E-07	7 50E-02	1.	1 66E-02	1 99E-04	
74b	Wood	Other	10-100	Cyclone	9 26E-09 5 21E-06 1 31E-08 1 59E-05 1 50E-02 3 54E-07 1 66E-02	-06 1 31E-	08 1 59E-05	1 50E-02 ;	3 54E-07 1 66	E-02	1 79E-04	
74e	Wood	Other	10-100	Wet Scrubber	8 34E-09 4 69E-06 1 18E-08 1 43E-05 1 35E-02 3 18E-07	-06 1 18E-	08 1 43E-05	1 35E-02		4 14E-03	1 39E-04	
75e	Wood	Other	100-250	Wet Scrubber	8 34E-09 4 69E-06 1 18E-08 1 43E-05 1 35E-02 3.18E-07	-06 1 18E	08 1 43E-05	1 35E-02	3.18E-07 4 14E-03	E-03	1 39E-04	
76b	Wood	Wall-fired/PC	0-10	Cyclone	9 26E-09 5 21E-06	-06 1 31E-08	08 1 59E-05	1 50E-02	1 50E-02 3 54E-07 1 66E-02	E-02	1 79E-04	
77b	Wood	Wall-fired/PC	10-100	Cyclane	9 26E-09 5 21E-06	-06 1 31E	1 31E-08 1 59E-05 1 50E-02	1 50E-02	3 54E-07 1 66	1 66E-02	1 79E-04	
78a	Wood/Other Bromass/NFF Liquid/NFF Solid	All	0-10	No Control	1 80E-09	2 65E-	2 65E-09 1 06E-05	3 00E-04	147	47E-02	2 10E-04	
79b	Wood/Other Bromass/NFF Liquid/NFF Solid	All	10-100	Cyclone	1 80E-09	2 65E-	2 65E-09 1 06E-05 3 00E-04	3 00E-04	147	47E-02	1 89E-04	
29	Wood/Other Biomass/NFF Liquid/NFF Solid	₽	10-100	ESP	1 80E-09	2 65E-	2 65E-09 1 06E-05 3 00E-04	3 00E-04	147	47E-02	2 10E-05	
80a	Residual Liquid FF	Ā	0-10	No Control	6 00E-11	2 17E-	2 17E-10 3 23E-07 7 80E-05	7 80E-05	7 10	7 10E-05	1 63E-05	
81a	Residual Liquid FF	All	10-100	No Cantrol	6 00E-11	2 17E-	2 17E-10 3 23E-07 7 80E-05	7 80E-05	7 10	7 10E-05	1 63E-05	
819	Residual Liquid FF	₽	10-100	Wet Scrubber	5 40E-11	1 95E-	95E-10 2 91E-07 7 02E-05	7 02E-05	1 78	78E-05	1 14E-05	
82a	Residual Liquid FF	ΗΑ	100-250	No Control	6 00E-11	2 17E-	2 17E-10 3 23E-07 7 80E-05	7 80E-05	17 10	7 10E-05	1 63E-05	
83a	Residual Liquid FF	All	>250	No Control	6 00E-11	2.17E-	2.17E-10 3.23E-07 7.80E-05	7 80E-05	7 10	7 10E-05	1.63E-05	

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

		***************************************											-		
				Capacity	Tama and a second	esoues	nı ,	yl Chloroform	λι Ετμλι Ketone	ylene Chloride	le	aua	phorus	əua	sət
Noae		Material	Combustor	MMBtu/hr)	Control Level	Nang	STON	Иеth	Neth	्ः Meth	4icke	lyX-c	soy	enjo	(yler
5 5	Coal		Other	0-10	<u>5</u>	1 25E-03	5 43E-06	5 64E-07	1 48E-04	4 09E-05	2 53E-04	+	2 48E-03	-	67E-05
<u> </u>	Coat		O City	0-10 0-10	Cyclone FF	1 12E-03	5 43E-06 5 43E-06	5 64E-07	1 48E-04	4 09E-05	2 27E-04	4 60E-07	2 48E-03	1 87E-05	1 67E-05
2a	Coal		Other	10-100	No Control	1 25E-03	5 43E-06	5 64E-07	1 48E-04	4 09E-05	2 53E-04	┿	2 48E-03	1 87E-05	67E-05
₽ 6	Coal		Other	10-100	Cyclone	1 12E-03	5 43E-06	5 64E-07	1 48E-04	4 09E-05	2 27E-04		2 48E-03	1 87E-05	67E-05
2 2	7 C		Other	10-100	ESP	1 25E-04	5 43E-06	5 64E-07	1.48E-04	4.09E-05	2 53E-05		2 24E-03	1 87E-05	67E-05
5e	Coal		O O	10-100	FF/DSI	1.25E-04	5 43E-06	5 08E-07	1 33E-04	3 69E-05	2 53E-05	4 14E-07	1 /4E-03	1 69E-05	51E-05
7,7	Coal		Other	10-100	FF/SD	1 25E-05	5 43E-06	3 95E-07	1 04E-04	2 87E-05	2 53E-06		2 48E-04	131E-05	17E-05
3 2	Coal		Ciner	10-100	Wet Scrubber	8 72E-04	5 43E-06	5 08E-07	1 33E-04	3 69E-05	1 77E-04		6 21E-04	1 69E-05	51E-05
8 සි	, O			100-250	No Control Cyclone	1 25E-03	5 43E-06	5 645 07	1.48E-04	4.09E-05	2 53E 04	4 60E-07	2.48E-03	1 87E-05	67E-05
30	Coal		Other	100-250	System ESP	1 25E-04	5.43E-06	5 64E-07	1.48E-04	4.09E-05	2 53E-05		2 24E-03	1 87E-05	67E-05
8	Coal		Other	100-250	ESP/Wet Scrubber		5 43E-06	5 08E-07	1.33E-04	3 69E-05	2 53E-05		6 21E-04	1 69E-05	51E-05
s c	co Coa		Other	100-250	ָּנָלְ נָנָלְ נָנִלְ		5 43E-06	5 08E-07	1.33E-04	3 69E-05	2 53E-05		1.74E-03	1 69E-05	51E-05
7 E	- Com		S C	100-250	FF/DSI	1 25E-04	5 43E-06	5 08E-07	1.33E-04	3 69E-05			1.24E-03	1 69E-05	51E-05
ਜ਼ਿਲ੍ਹ ਜ਼ਿਲ੍ਹ	Coal		O O	100-250		8 72E-04	5 43E-00	5.08E-07	1 33E-04	3 695 05	2 53E-05	4 14E-07	6 21E-04	1 695-05	51E-05
49	Coal		Other	>250	No Control	1 25F-03	5 43F-06	5 64F-07	1 48F-04	4 09E-05	2 52E 04	-	2 48E 03	4	57E 06
4 p	Coal		Other	>250	Cyclone	1 12E-03	5 43E-06	5 64E-07	1 48E-04	4 09E-05	2 27E-04		2.48E-03		1 67F-05
4	Coal		Other	>250	ESP	1 25E-04	5 43E-06	5 64E-07	1 48E-04	4 09E-05	2 53E-05		2.24E-03	87E-05	67E-05
4 d	Coal		Other	>250	ESP/DSI	1 25E-04	5 43E-06	5 64E-07	1.48E-04	4 09E-05			1 24E-03	87E-05	67E-05
4	Coal			>250	ESP/Wel Scrubber FF	1.25E-04	5.43E-06	5 08E-07	1.33E-04	3 69E-05	2 53E-05	4 14E-07	6 21E-04	. 69E 05	51E-05
49	Coal		Other	>250	FF/DSI	1.25E-04	5 43E-06	5 08E-07	1 33E-04	3 69E-05	53E-05	14E-07	1 24E-03	69E-05	51F-05
4 :	Coal		Other	>250	FF/FSI	1 25E-04	5 43E-06	5.08E-07	1.33E-04	3 69E-05			1 24E-03	69E-05	51E-05
4 4	Coal		Other	>250	FF/SD	1 25E-05	5 43E-06	3 95E-07	1.04E-04	2.87E-05	53E-06		2 48E-04	31E-05	17E-05
22	Coal		Wall-fired/PC	0-10	Wet octubber	8 / ZE-04	5 43E-06	5 USE-U7	1.33E-04	3.69E-05	1 //E-04	4 14E-07	6 21E-04	1 69E-05	51E-05
5b	Coal		Wall-fired/PC		Cyclone	1 12E-03	5 43E-06	5.64E-07	1 48E-04	4.09E-05	27E-04				1 67E-05
gg 4	Coal		Wall-fired/PC		No Control	1.25E-03	5 43E-06	5 64E-07	1 48E-04	4 09E-05	-	+		1.	1.67E-05
3 6	Coal		Wall-fired/PC	5 5	Cyclone	1.12E-03	5.43E-06	5 64E-07		4.09E-05			2 48E-03		1 67E-05
. pg	Coal		Wall-fired/PC	10-100	i i	1.25F.04	5.43E-00	5 08F.07	1 22 11 04	4.09E-05	2 535 05	4 but -07	2 24E-U3	60=08	6/E-05
e e	Coal		Wall-fired/PC	10-100	FF/DSI	1.25E-04	5 43E-06	5.08E-07	1 33E-04	3.69E-05	53E-05	14E-07	1 24F-03	69F-05	51F-05
9	Coal		Wall-fired/PC	10-100	Wet Scrubber		5 43E-06	5 08E-07	1.33E-04	3 69E-05				1.69E-05	51E-05
7a 7.	Coal		Wall-fired/PC		No Control		5 43E-06	5 64E-07		4.09E-05		-	1	1 87E-05 1	1 67E-05
9,	Coa		Wall-fired/PC		Cyclone		5.43E-06	5 64E-07		4 09E-05			2.48E-03		.67E-05
2 2	Coa		Wall-fired/PC	100-250	Cyclone/Venturi/Packed		5 43E-06	5.08E-07		3.69E-05			6 21E-04	69E-05	51E-05
, e	Coal		Wall-fired/PC		TO THE	1.25E-04	5 43E-00	5 08E-07	1.48E-04	4.09E-05	2 535-05	4 60E-07		***	.67E-05
74	Coal		Wall-fired/PC	100-250	FF/SD	1.25E-05	5.43E-06	3 95E-07		2.87E-05			2.48E-04	1.09E-05	1.51E-05
79	Coal		Wall-fired/PC	100-250	FF/Wet Scrubber		5.43E-06	5 08E-07		3.69E-05					51E-05
=	Coal		Wall-fired/PC	100-250	Wet Scrubber	8.72E-04	5.43E-06	5 08E-07	1 33E-04	3 69E-05	1 77E-04	4 14E-07	6.21E-04	1.69E-05	.51E-05

15

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

						u	əu	əį					
	<u> </u>	Capacity		osauese	Lenu	myoroform	ihyl Ethyl Keton	hylene Chloride	kel	λ _l eue	snıoyds	əuər	sauc
7.7	+		Control Level	5M 5	₩ Z Z Z	Me Me	Š	_					χλι
. 5	Wall-fired/PC		ESP	1 25E-04	5 43E-06			4 09E-05	2.53E-04 4	4 60E-07 2	2 48E-U3 1	875-05 1	1 6/E-U5
<u>></u>	Wall-fired/PC		ESP/SD	2 49E-05	5 43E-06						<u> </u>		1.51E-05
> :	Wall-fired/PC		ESP/Venturi/Packed	1 25E-04		5 08E-07						-	1.51E-05
> <	Wall-fired/PC	>250	ESP/Wet Scrubber FF	1 25E-04	5 43E-06	5.08E-07	1 33E-04	3 69E-05 2	2 53E-05 4	4 14E-07 6	6 21E-04 1	69E-05 1	1.51E-05
	Wall-fired/PC		FF/DSI	1 25E-04	5 43E-06						1 24E-03 1		1.51E-05
>	Wall-fired/PC		FF/SD	1 25E-05	5 43E-06			2 87E-05 2			2 48E-04 1		1.17E-05
> :	Wall-fired/PC		FF/Wet Scrubber	1 25E-04	5 43E-06						_		1.51E-05
4	Wall-lired/PC	T	Wet Scrubber	8.72E-04	5 43E-06	5 08E-07	-	3 69E-05			7	69E-05 1	1.51E-05
	₹ ₹	2 0	NO CONTROL Cyclone	8 50E-04 7 65F-04	1 36F-06		1 52E-03		1 90E-04 3	3 70E-05 4	4 58E-03		
\vdash	All		No Control	8 50E-04			1 52E-03				4 58E-03		
	Ψ		Cyclone	7 65E-04	1 36E-06		1 52E-03				4 58E-03		
\dashv	All	\neg	ESP	8 50E-05	_		1 52E-03	_	1 90E-05 3	3 70E-05 4	4 12E-03		
	₹		Cyclone	7 65E-04	1 36E-06		1.52E-03	_	1 71E-04 3	3 70E-05 4	4 58E-03		
	₹ :		ESP	8.50E-05	_		1.52E-03	_			4 12E-03		
	F :		Wet Scrubber	5 95E-04			1 37E-03				1 14E-03		
+	₹ ₹	,	T	8 50E-05	7	1	1 37E-03			-	3 21E-03		
	₹ ₹	>250 >250	Cyclone CycloneMentur/Packed	7.65E-04	1 36E-06		1 52E-03		1 71E-04 3	3.70E-05 4	4 58E-03		
	₹		ESP	8 50E-05	- ,		1 52E-03				4 12E-03		
	¥		ESP/FSI	8 50E-05	·		1 52E-03				2 29E-03		
	¥		ESP/SD	1 70E-05	-	,,	1 37E-03				4 58E-04		
	₹:		TT 1	8 50E-05	-		1.37E-03				3 21E-03		
	¥ ₹	>250	FF/FSI	8 50E-05			1 37E-03			_	2 29E-03		
	₹ ₹		Mar Scrubber	6.50E-U5	1 30E-00		1 3/E-03				1 14E-03		
+	The second	T	No Costol	1 785 05	1 205-00	20 724 0	3/E-03	2000				10	
	ğ d		Compa	1.600.05		2 46 00			1 40 11-03			2 44E-05	
	Other		C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-	1 78E-06		2.46E-06		2 0 1 F-05 1		21E-06	1 86F-06 2	2 44E-U5	
	Other	0-10	7.5	1.78F-06		2.21E-06		80F.05				2 20 0 0 0	
	Other		FF/DSI	1 78E-06		2 21E-06		80E-05				2.20E-05	
	Other		FF/Wet Scrubber	1 78E-06		2 21E-06	•	1 80E-05 1				2 20E-05	
	Other		Venturi/Packed	8.89E-06		2.21E-06		1 80E-05 7	. 29E-06	09E-06		2 20E-05	
\dashv	Other		Wet Scrubber	1 24E-05		2.21E-06	,	1 80E-05 1	1 02E-05 1	1 09E-06 5	5 16E-07 2	2.20E-05	
	Other		No Control	1 78E-05		2 46E-06	.,		46E-05 1		<u> </u>	2.44E-05	
	Other		Cyclone	1.60E-05		2 46E-06		2 01E-05	31E-05			2 44E-05	
	Che		וויים ביים ביים ביים ביים ביים ביים ביים	1.78E-06		2 46E-06		2 01E-05 1	_	,		2 44E-05	
	o o	91-01	ECOADA Securitor	1 /8E-06		2.21E-06		1.805-05		,- ,		2 20E-05	
	j 6		Met Souther	1 245 05		207122			401.00			2 20E-05	
-	T	1	Wet octuber	00-7E7-1	T	4 4 1 4 - 20 21		1.00E-03		1.095-001	2 100=-01 5	CO-307 7	

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

`	Г				"	\top			Т													_					90	90	9 % 2 %	8	90	90	9 9	38	90	90	9 3	9 9
Xylenes .	L																								_				4 08E-06	+			4.08E-06	-			_	4.53E-06 4 53E-06
1oluene	2 44E-05	2 44E-05	2 44E-05	2 20E-05	2.20E-05	2.20E-05	2 44E-05 2 44E-05	2.44E-05	2.20E-05	5 26E-04	4.74E-04	4 74E-04	5 26E-04	5 26E-04	5.26E-04	4.74E-04 4.74E-04	4.74E-04	4.74E-04	5 26E-04	4 74E-04 5 26E 04	3.20E-04 4.74E-04	4 74E-04	5.26E-04	5.26E-04	4 /4E-04	4 74E-04	6.25E-06	6 25E-06	5.63E-06	6.25E-06	6.25E-06	6.25E-06	5 63E-06 5 63E-06	6 25E-06	6.25E-06	5.63E-06	5.63E-06	6 25E-06
Phosphorus	2 07E-06	2 07E-06	1 86E-06		_	5 16E-07	2.07E-06		-	5.30E-04			_		4 77E-04					1.32E-04		1.32E-04			325-04	32E-04			1.27E-04 4 55E-05	-			1 27E-04	┿				1 64E-04
o-Xylene	_	1 21E-06 2	21E-06 1				1.21E-06 2		_	1 13E-04 5			-		1 13E-04 4			1 02E-04 1.		1 02E-04 1.		1 02E-04 1.	_		1 02E-04 1	-	╄——		4 50E-07 4	+			4 50E-07 1	+-			-	5 00E-07
· .								_														_			-		┡			,				. 5		4		
ИICKEI	=	5 1 31E-05	5 1 46E-06				5 1 31E-05			4 1 35E-US					1 39E-06					4 6 94E-06		4 9 71E-06			4 1 39E-00	6			5 7 27E-07	-			5 1 04E-07	-		- 1		5 1 04E-07
Methylene Chloride	2 01E-05	2 01E-05	2 01E-05	1 80E-05	1 80E-05	1 80E-05	2 0 1E-05	2 01E-05	1 80E-05	2 17E-04	1 95E-04	1 95E-04	2 17E-04	2 17E-04	2 17E-04	1 95E-04	1 95E-04	1 95E-04	2 17E-04	1 95E-04	1 95E-04	1.95E-04	2 17E-04	2 17E-04	1 95E-04	1 95E-04	3 01E-05	3 01E-05	2.71E-05	3 01E-05	3.01E-05	3.01E-05	2.71E-05	3.01E-05	3 01E-05	2 71E-05	2.71E-05	3 01E-05
Methyl Ethyl Ketone									100	49E-04	34E-04	34E-04	1 49E-04	49E-04	49E-04	34E-04	34E-04	34E-04	49E-04	34E-04	34E-04	34E-04	49E-04	49E-04	34E-04	34E-04												
Methyl Chloroform	2 46E-06	2 46E-00	2 46E-06	2.21E-06	2 21E-06	21E-06	2 46E-06	2.46E-06	2 21E-06		•						-	1				-					1.07E-06	1 07E-06	9 62E-07	1.07E-06	1.07E-06	1 07E-06	9.62E-07	1 07E-06	1.07E-06	9.62E-07	9 62E-07	1.07E-06
Wercury	2.	5	2	2	2	2	7 0	2	17E 07	7 17F-07	7 17E-07	17E-07	17E-07	7 17E-07	7 17E-07	7.17E-07	7 17E-07	17E-07	7.17E-07	7 17E-07	7.17E-07	7.17E-07	17E-07	7.17E-07	7.17E-07	7.17E-07			8 87E-09 9 6	<u>. </u>			8.87E-09 9.0		8.87E-09 1.0		8.8/E-09 9 6	
KinseM	-05	-05	90-	90-	90, 10	99	ဂို ဝို	90		,		7	7	^	7			7								_				-				+-			-	
Manganese	1 78E-05	1 60E-05	1 78E-06	1.78E-06	1 78E-06	1 24E-05	1 60E-05	1 78E-06	1 24E-05	1 59E-03		1.24E-03	1.76E-03	1.59E-03	1 76E-04	1.76E-04	1.76E-04	1.24E-03	1 59E-03	8 82E-04	1 76E-04	1 24E-03	1 59E-03	1.76E-04	1.76F-04	1.24E-03	4 20E-06	3.78E-06	2.94E-06	4.20E-06	3 78E-06	4.20E-07	2 94F-06		3.78E-06	4.20E-07	2 94E-U6	4.20E-00
Control Level	No Control	Cyclone	ESP	ESP/Wet Scrubber	() () () () ()	Wet Scrubber	Cyclone	ESP	Wet Scrubber	Cyclone	FF	Wet Scrubber	No Control	Cyclone	ESP FSDAMet Scribber	FF SCHOOL	FF/Wet Scrubber	Wet Scrubber	Cyclone	Cyclone/Venturi/Packed	ESP/Wet Scrubber	Wet Scrubber	Cyclone	ESP	EST/Wet Schüber	Wet Scrubber	No Control	Cyclone	Wet Scrubber	No Control	Cyclone	ESP	Wet Scubber	No Control	Cyclone	11 to 12 to	Wei Scrubber	ESP
Capacity Range (MMBtu/hr)	100-250	100-250	100-250	100-250	100-250	100-250	×250 ×250	>250	>250	2 0	0-10	0-10	10-100	10-100	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	>250	>250	>250	>250	0-10	0-10	- - - - - -	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-730	>250
Combustor Type	Other	Other	Otther	Other	Other	Office	Öğre Ö	Other	Other	₹₹	₹	₩	₹	₹∶	₹ ₹	₹₹	₹	All	₹	₩ Ā	₹₹	All	₹	₹ ₹	₹ ₹	All	All	₹ ₹	₹₹	All	₹ :	₹ .	₹ ₹	All	₩	₹ ₹		₹ ₹
Material	Gas	Gas	Gas	Gas	Gas	Cas	Gas	Gas	Gas Missel Other Browner Linnid EF	Gas/Wood/Other Biomass/Liquid FF Gas/Wood/Other Biomass/Liquid FF	Gas/Wood/Other Bromass/Liquid FF	Gas/Wood/Other Biomass/Liquid FF	Distillate Liquid FF	Distribute Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distrilate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF														
Wodel No	15a	15b	1 2c	15d	15e	2 2	16b	16c	172	17b	17c	17d	18a	180 180	18C	18e	18f	189	961 6	19d	19e	19(20a	9 50 70 50	20g	20e	21a	27.0	21e	22a	8 5	277	229	23a	23b	23d	243	

11/1/02

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

1 97E-06 1 97E-06
5.63E-03 5.06E-03 5.06E-03 5.06E-03 3.94E-03 5.63E-04 5.63E-04

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

**************************************		· .											
						u	əu	əį	-				
				,		moton	l Keto	onold:			•		
				əsəueß	Ain:	ıλı CPIC	ıyl Éthy) Alene			shouds	eue	səu
Material	Type		Control Level	Man	Merc	h19M	Meth	Meth	Nick	γ Χ-ο	Phos	uloT	χλιει
Wood/Other Biomass/NFF Liquid/NFF Solid	₽	10-100	No Control	5 89E-04	4 36E-06	1 44E-05	47		_	1 75E-05	5 25E-04		6 21E-06
Wood/Other Bronness/NFF Liquid/NFF Solid	₹ ₹	001-01	Cyclone	5 30E-04	4 36E-06	1 44E-05	-			1.75E-05	5 25E-04		6 21E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	₹₹		Cyclone/venturi/racked	5 89E-04	4 36F-06	1 44F-05	4 4	90E-03		1 25E.05	1 31E-04	2 10E-05	5 59E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	₹		## ##	5 89E-05	4 36E-06	1 30E-05		90E-05		1 57E-05	3 68E-04	2 10E-05	5 59E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	Α	10.100	Wet Scrubber	4 12E-04	4 36E-06	1.30E-05	7	90E-05		1 57E-05	1 31E-04	2 10E-05	5 59E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	All		Cyclone		4 36E-06	1 44E-05	4,7	44E-05		1 75E-05	5 25E-04	-	6 21E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	Ŧ ₹		Cyclone/Ventur/Packed	2 94E-04	4 36E-06	1 30E-05	7 .	90E-05		1 57E-05	131E-04	2.10E-05	5 59E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	¥ 3		ר היי	5 695-05	4 30E-06	1.44E-U5		44E-05		1 /55-05	4 /3E-04	2 34E-05	6 21E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	₹		18-14-18-18-18-18-18-18-18-18-18-18-18-18-18-	5 80F-05	4 36F.06	1 30E-03	7 /	90E-03		575.05	2 6 2 6 0 7	2 105-03	3 39E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	₹		FF/Wet Scrubber	5 89E-05	4 36E-06	1 30E-05	7	90E-05		1 57E-05	1.31E-04	2.10F-05	5 59E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	All		Wet Scrubber		4 36E-06	1 30E-05		90E-05		1 57E-05	1 31E-04	2 10E-05	5 59E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	Β¥		No Control	5 89E-04	4 36E-06	1 44E-05	4,	3 44E-05	1.53E-04	1 75E-05	5.25E-04	-	6 21E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	₩		Cyclone	5 30E-04	4 36E-06	1 44E-05	4,7			1 75E-05	5 25E-04		6.21E-06
Wood/Other Bromass/NFF Liquid/NFF Solid	₹			5 89E-05	4 36E-06	1 44E-05	47			1.75E-05	4 73E-04		6 21E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	₹			5 89E-05	4 36E-06	1.30E-05	7			1.57E-05	1.31E-04		5.59E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	₹₹			5 89E-05	4 36E-06	1 30E-05	4	90E-05		1 57E-05	3 68E-04		5.59E-06
Wood/Uner Biomass/Nrr Liquid/Nrr Solid	₩ ₹	T	Wet Scrubber	4 12E-04	4 36E-06	1.30E-05	4	30E-05	-	_+	131E-04		5 59E-06
Residual Liquid FF	₹ ₹		No Control	1 39E-03	8 80E-06	1 07E-06					1 82E-04		1.12E-03
Residual Liquid FF	₹ ₹		Cyclone	1 25E-03	8 80E-06	1.07E-06				5 00E-07	1 82E-04		1 12E-03
Residual Liquid FF	All		No Control		8 80E-06	1 07E-06	10)	٠.	-	+-	-	+	1 12F-03
Residual Liquid FF	Ψ		Cyclone	1 25E-03	8 80E-06	1 07E-06							1 12E-03
Residual Liquid FF	₩	10-100	ESP	1 39E-04	8 80E-06	1.07E-06	(7)						1 12E-03
Residual Liquid FF	Ā		L.	1 39E-04	8 80E-06	9.62E-07					1.27E-04		1.01E-03
Residual Liquid FF	₽	\neg	Wet Scrubber	9 73E-04	8 80E-06	9 62E-07	2		_	4 50E-07	4 55E-05	_	1 01E-03
Residual Liquid FF	¥.		No Control	1 39E-03		1 07E-06	(*)			_	-		1 12E-03
Aesigual Liquid EE	W S		Cyclone	1 25E-03		1 07E-06					-		1 12E-03
Residual Liquid FF	₹₹		בי בי	395.04		1 U/E-Ub	7) (64E-04		1.12E-03
Residual Liquid FF	₹		Venturi/Packed	6 95E-04		9 62E-07	1 (1		_				1.01E-03
Residual Liquid FF	ΙĀ	100-250	Wet Scrubber	9 73E-04	8 80E-06	9 62E-07							1.01E-03
Residual Liquid FF	llА		Vo Control	1.39E-03	8 80E-06	1 07E-06	6	<u> </u>	↓	5 00E-07	+-		1,12E-03
Residual Liquid FF	₹		Syctone	1 25E-03		1 07E-06	67				1.82E-04		1.12E-03
Residual Liquid FF	Α		ESP	1.39E-04	-	1.07E-06	6)	-			1.64E-04		1.12E-03
Jagasse/Other	H :		Cyclone	1 59E-03	36E-06					_			6.21E-06
odgasse/Omer	Ŧ.	T	Wet Scrubber	1 24E-03	-	30E-05	-	-	-	_	-+		5.59E-06
sagasse/Uner	H ?		No Control	1 76E-03									6 21E-06
Janasse Other	₹ ₹		Volone	1 59E-03	36E-06	44E-05							6.21E-06
Janasca/Other	Į į	T	Wet Schubber	1 24E-U3		305-05		-	-	-	32E-04	-	5.59E-06
3aoasse/Other	₹₹		TSP/Activated Carbon Adecration	1.78E-04									6.21E-06
agasse/Other	₹ ₹		Met Scrubber	1 245 03	280 280								5.59E-06
		7	Wel Sciunder	1.245-03	30E-00		_	_		_	_	_	5.59E-06
		Material Wood/Other Biomass/NF Liquid/NF Solid Wood/Other Biomass/NF	Material Combustor Combustor Range Combustor Range Combustor Range Combustor Range Combustor Range Combustor C		Combustor Capacity Weakerial Control Level Wood/Other Bennass/NFT LiquidNFF Solid Ali 10-100 No Control Control Level Solid Wood/Other Bennass/NFT LiquidNFF Solid Ali 10-100 Cyclone Sociod Solid Sociod Sociod	Capacidy Control Level Capacidy Control Level Control Level Control Level Capacidy Control Level Capacidy Control Level Capacidy Control Level Capacidy Capacid	Combasting Fig. F	WoodCotter BrunssarkF LeucharkF Solid All 10-100 Control Level Sec. of 13 66 0 14 65 0		Combustor Combustor Computed Compute	Combustor Computer Computer	Comparing Comp	Comparison Com

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

	110	11.0	1 10		70	Ιń	101.		11.0		10	10 .	olio	1	Т	Т	T									_		_		_		1	(0)	100	ωL	ω1.	ο "	7/2	100
(Àjenes	1 67F-05	1 67F-05	1 67E-05	1 67E-05	1.51E-05	1 67E-05	1 67E-05	167E-05 151E-05	1 67E-05	1 67E-05	1 51E-05	1 67E-05	1 67F.05																				4 53E-06	4 53E-06	4 08E-06	4 53E-06	4.53E-06	2 31E-06	2 31E-06
əuənio	1 87E-05	1 87E-05	1 87E-05	1 87E-05	1 69E-05	1 87E-05	1 87E-05	1 87E-05	1 87E-05	1 87E-05	1 69E-05	1 87E-05	1 87F-05				2 44E-05	2.20E-05	2 20E-05	2 44E-05	2 44E-05	2 20E-05	2 20E-05	2 44E-05	2.44E-05	2 44E-05	5 26E-04	5.26E-04	5 26F-04	5 26E-04	4.74E-04	4 74E-04	6 25E-06	6 25E-06	5 63E-06	6 25E-06	6.25E-06	2 70E-05	2.70E-05
suroridsoric	-				1 74E-03	_		2 24E-03		2.48E-03	_	2.48E-03			4 58E-03	3.21E-03			-		2.07E-06				2.07E-06			5.30E-04				1.32E-04	1 82E-04				1.82E-04	-	
euajkx-c	0	+			4 14E-07 1			4 60E-07 2 4 14E-07	+-		-	4 60E-07	+	+-	-	3 33E-05	-		_		1215-06 2				1.21E-06 2 1.09E-06 1	-	-	1 13E-04 5		┵		1 02E-04 1	5 00E-07		-+	-	5 00E-07	+	1 73E-05
Vickel	9	-			2 53E-05 4			2 53E-05 4	_		_	2 27E-04 4			-	1 90E-05 3					1 31E-05 1				1.31E-05 1	-		1 25E-05 1				971E-06	1 04E-06 5	_			1.04E-00 5	+-	-
Methylene Chloride	5	-	_			<u> </u>		3.69E-05	-			4 09E-05 2		╄		-					2 U1E-U5 1				2 01E-05 1	_		2.1/E-04 1		—		1 95E-04 9	L				3015-05 1		
Methyl Ethyl Ketone	-04	-			1 33E-04 3			1 48E-04 4				1 48E-04 4		_	1 52E-03	37E-03	╄			N C			_	2	7 -	2		1 49E-04 2		-	1 34E-04 1	1 34E-04 1	3	3	2	2	9 67	20E-05 5	5 20E-05 5 46E-05
Methyl Chloroform	5 64E 07 1	+-				-	-	5 08F-07	+		-	5 64E-07 1	+-	╁			2 46E-06	2.21E-06	2 21E-06	2 46E-06	2 40E-00	2 21E-06	2 21E-06	2 46E-06	2 21E-06	2 46E-06	_			-	-	_	1 07E-06	1 07E-06	9 62E-07	10/E-06	1 07F-06		
Mercury	90-	+						5 43E-06	+			5.43E-06 5		-	1 36E-06	36E-06	.,				. •						7 17E-07	7.17E-07	17F-07	7 17E-07	7.17E-07	7 17E-07	8 87E-09		_		8 87E-09	-	
Wanganese	2	_		1 25E-04 5	1 25E-04 6			1 25E-04 E	-		_	1 12E-03 5		7 65E-04 1	7 65E-04 1	8 50E-05 1	1 78E-05	1 78E-06	24E-05	1 78E-05	1 28F-06	1.78E-06	1 24E-05	78E-05	1.78E-06	78E-05	76E-03	1 59E-03 7	59F-03 7	-	1.76E-04 7	1.24E-03 7	4 20E-06 8	20E-06			4.20E-00 6	05E-04	1 16E-05 4
Control Level	No Control	No Control	Cyclone	ESP	FF	Cyclone	מסח מסח	ונים ודי די ודי	No Control	Cyclone	Wet Scrubber	Cyclone	ESP	Cyclone	Cyclone	FF	No Control		Wet Scrubber	No Control	Cyclone	FFWet Scrubber	Wet Scrubber	No Control	FF	No Control	No Control	No Control	Cyclone	ESP	ESP/Wet Scrubber	Wet Scrubber	No Control	No Control	FF (1) (2)	No Control	ESP	Cyclone	ESP
Capacity Range (MMBtu/hr)	0.10	10.100	10.100	10-100	10-100	100-250	002-001	>250	10-100	10-100	10-100	100-250	>250	0-10	10-100	100-250	0-10	0-10	01-0	10-100	10-100	10-100	10-100	100-250	100-250	>250	0-10	10.10	10-100	100-250	100-250	>250	0-10	10-100	10-100	027-001	×250	10-100	>250
Combustor	Other	Other	Other	Other	Other	Other	Office	O C	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	Wall-fired/PC	ΗΨ	All	All	Other	Other	Office	of c	O Copper	Other	Other	Other	Other	Other	₹ :	T T	₹	Ali	₹	Ail	₹	₹	a		₹ ₹	All	All
M. S.	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal/Wood/NFF Liquid/NFF Solid	Coal/Wood/NFF Liquid/NFF Solid	Coal/Wood/NFF Liquid/NFF Solid	Gas	Gas	Cas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas/Wood/Other Biomass/Liquid FF	Distillate Liquid FF	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas									
Model No	47a	48a	48b	48c	48d	49b	2 2	20 <u>C</u>	52a	52b	25	53d	54c	55b	56b	57d	589	289	100	28a	29d	59e	591	60a	909 60e	61a	62a	633	636	64d	64e	65e	.66a	67a	0/0	900	p69	70b	72b

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

I	٠		*3.7 20.7											
							molo	Ketone	abitoli		gr L	·		
			Capacity				i Chlor	1 48 11	IO ənəl		au	surou	91	Si
Material		Combustor Type	Range ** (MMBtu/hr)	Control Level	evel	Manga	:	21 day	Methy	Nickel	elyX-c	dsoyd	Toluen	χλ _j eue
		Other	0-10	No Control		5 63E-03 1 97	90	-	191E-04	3 26E-05	5 80E-06	2 19E-04	E-04	1 68E-06
		Other		Cyclone		5 06E-03 1 97E-06 1 35E-05 1.20E-05 1 91E-04 2 93E-05 5 80E-06 2 19E-04	E-06 1 35E-0	5 1.20E-05	1 91E-04	2 93E-05	5 80E-06		4 33E-04	1 68E-06
		Other	10-100	No Control		5 63E-03 1 97E 06 1 35E-05 1 20E-05 1 91E-04 3 26E-05 5 80E-06 2 19E 04 4 33E-04	E 06 1 35E-0	5 1 20E-05	191E-04	3 26E-05	5 80E-06	2 19E 04 4	1	1 68E-06
		Other	10-100	Cyclone		5 06E-03 1 97E-06 1 35E-05 1 20E-05 1 91E-04 2 93E-05 5 80E-06 2 19E-04 4 33E-04	E-06 1 35E-0	5 1 20E-05	1 91E-04	2 93E-05	5 80E-06	2 19E-04 4	_	68E-06
		Other	10-100	Wet Scrubber		3 94E-03 1 97E-06 1.22E-05 1.08E-05 1 72E-04 2 28E-05 5.22E-06 5 47E-05 3 90E-04	E-06 1.22E-0	5 1.08E-05	1 72E-04	2 28E-05	5.22E-06	5 47E-05	90E-04 1	51E-06
		Other	100-250	Wet Scrubber		3 94E-03 1 97E-06 1.22E-05 1 08E-05 1 72E-04 2 28E-05 5.22E-06 5 47E-05 3 90E-04	E-06 1.22E-0	5 1 08E-05	1 72E-04	2 28E-05	5.22E-06	5 47E-05	1.	1 51E-06
		Wall-fired/PC	0-10	Cyclone		5 06E-03 1 97E-06 1 35E-05 1 20E-05 1 91E-04 2 93E-05 5 80E-06 2 19E-04 4 33E-04 1 68E-06	E-06 1 35E-0	5 1 20E-05	191E-04	2 93E-05	5 80E-06	2 19E-04 4	33E-04 1	68E-06
		Wall-fired/PC	10-100	Cyclone		5 06E-03 1 97E-06 1 35E-05 1 20E-05 1 91E-04 2 93E-05 5 80E-06 2 19E-04 4 33E-04	E-06 1 35E-0	5 1 20E-05	191E-04	2 93E-05	5 80E-06	2 19E-04 4	33E-04 1	1 68E-06
Wood/Other Bromass/NFF Liquid/NFF Solid	밀	All	01-0	No Control		5 89E-04 4 36E-06 1 44E-05	E-06 1 44E-0	5	5 44E-05	1 53E-04	1 75E-05	5 44E-05 1 53E-04 1 75E-05 5 25E-04 2 34E-05 6 21E-06	34E-05 6	21E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	<u>.</u>	₹	10-100	Cyclone		5 30E-04 4 36E-06 1 44E-05	E-06 1 44E-0	5	5 44E-05	1 38E-04	1 75E-05	5 44E-05 1 38E-04 1 75E-05 5 25E 04 2 34E-05 6 21E-06	34E-05 6	21E-06
Wood/Other Biomass/NFF Liquid/NFF Solid	<u>.</u>	All	10-100	ESP		5 89E-05 4 36	89E-05 4 36E-06 1 44E-05	5	5 44E-05	1 53E-05	1.75E-05	5 44E-05 1 53E-05 1,75E-05 4 73E-04 2 34E-05 6 21E-06	34E-05 6	21E-06
		Aii	0.10	No Control		1 39E-03 8 80	39E-03 8 80E-06 1 07E-06	9	3 01E-05	2 06E-03	5 00E-07	3 01E-05 2 06E-03 5 00E-07 1 82E-04 3 95E-05	95E-05	1 12E-03
		All	10-100	No Control		1 39E-03 8 80	39E-03 8 80E-06 1 07E-06	9	3 01E-05	2 06E-03	5 00E-07	3 01E-05 2 06E-03 5 00E-07 1 82E-04 3 95E-05	95E-05	1 12E-03
		ΑII		Wet Scrubber		9 73E-04 8 80E-06 9 62E-07	E-06 9 62E-0	7	2 71E-05	1.44E-03	4.50E-07	2 71E-05 1.44E-03 4.50E-07 4 55E-05 3 56E-05 1.	56E-05	.01E-03
***************************************		All		No Control		1 39E-03 8 80	39E-03 8 80E-06 1 07E-06	9	3 01E-05	2 06E-03	5 00E-07	2 06E-03 5 00E-07 1 82E-04 3 95E-05		12E-03
		₩	>250	No Control		1 39E-03 8 80E-06 1 07E-06	E-06 1 07E-0	9	3016-05	2 06E-03	5.00E-07	3 01E-05 2 06E-03 5 00E-07 1 82E-04 3 95E-05 1 12E-03	95E-05 1	12F-03

22	

		. 11				anno Bu		
		\$ - 12 Bar 1						
,		and the second s	•	-				əp
			*,1		* ** 			ixoi
				Capacity		:	٠,	ı. D
₩ 2		Material	Combustor	. Range (MMBtu/hr)	Control Level	Wo	00	utivé
1a	Coal		Other	0.10	Na Control	2 25E+00	-02	2 79E+00
2	Coal		Other	0-10	Cyclone	5 62E-01	3 08E-02	2 79E+00
10	Coal		Other	0.10	FF	2 25E-02	2 78E-02	2 79E+00
<u>2</u> a	Coat		Other	10-100	No Control	2 25E+00		2 79E+00
2	Coal		Other	10-100	Cyclone	5 62E-01	3 08E-02	2 79E+00
<u>ب</u>	Coal		Other	10-100	ESP	4 49E-02	3 08E-02	2 79E+00
8 8	E COST		Other	001-01	7.7 20.00 30.00	2.25E-02	2 78E-02	2 79E+00
7 5	Coar		ome Office	10-100	15077	20-36-02	20-301.2	2 705 100
2 2	Cost		S C	10-100	Wel Scribber	1 12F+00	2 78E-02	2 79F +00
38	Coal		Other	100-250	No Control	2 25F+00	3 08F-02	2 79F + 00
30	Coal		Other	100-250	Cyclone	5 62E-01	3.08E-02	2 79E+00
ဗ္ဗ	Coal		Other	100-250	ESP	4 49E-02	3 08E-02	2 79E+00
Pg S	Coal		Other	100-250	ESP/Wet Scrubber	4 49E-02	2.78E-02	2 79E+00
જુ	Coal		Other	100-250	FF	2 25E-02	2 78E-02	2 79E+00
3	Coal		Other	100-250	FF/DSI	2 25E-02	2 78E-02	2 79E+00
ξę	Coal		Other	100-250	FF/Wet Scrubber	2 25E-02	2.78E-02	2 79E+00
ક્	Coal		Other	100-250	Wet Scrubber	1.12E+00	2 78E-02	2 79E+00
£ .	Coal		Other	>250	No Control	2 25E+00	3.08E-02	2 79E+00
Q .	Coal		Other	>250	Cyclone	5 62E-01	3.08E-02	2 79E+00
÷ 4	Coa		d de	7250	ור ער היים היים היים היים היים היים היים היי	4 49E-02	3.08E-02	2 79E+00
7 4	200		S C	0524	ESP/USI	4 495-02	3.08E-02	2 /9E+00
₽ ₹	Coal		5 6	2250		2 255 02	20-381.7	2 795 +00
: 04	Coal		O O	>250	FF/DSI	2.25E-02	2.10L-02	2 79F±00
÷	Coal		Other	>250	FF/FSI	2.25E-02	2.78E-02	2 79E+00
4	Coal		Other	>250	FF/SD	2 25E-02	2.16E-02	2 79E+00
4	Coal		Other	>250	Wet Scrubber	1 12E+00	2.78E-02	2 79E+00
g i	Coal		Wall-fired/PC	0-10	No Control	2 25E+00	3.08E-02	2 79E+00
ន្ត្រី	Coal		Wall-fired/PC	0-10	Cyclone	5 62E-01	3.08E-02	2 79E+00
8 6	Coal		Wall-lired/PC	10-100	NO CONTO	2.25E+00	3 085 02	2 795+00
9	Coal		Wall-fired/PC	10-100	ESP	4 49F-02	3.08F-02	2.79F+00
3	Coal		Wall-fired/PC	10-100		2 25E-02	2.78E-02	2 79E+00
ge	Coal		Wall-fired/PC	10-100	FF/DSI	2 25E-02	2 78E-02	2 79E+00
9	Coal		Wall-fired/PC	10-100	Wet Scrubber	1.12E+00	2 78E-02	2.79E+00
7a	Coal		Wall-fired/PC	100-250	No Control	2 25E+00	3.08E-02	2 79E+00
2	Coat		Wall-fired/PC	100-250	Cyclone	5 62E-01	3.08E-02	2 79E+00
ر ارد	Coal		Wall-fired/PC	100-250	Cyclone/Venturi/Packed	5 62E-01	2 78E-02	5 58E-01
79	Coal		Wall-fired/PC	100-250	ESP	4 49E-02	3 08E-02	2.79E+00
9 7	Coal		Wall-fired/PC	100-250	7.7 C.S.C.S.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C	2 25E-02	2 78E-02	2 79E+00
- 2	Coa		Well-lifed/PC	100-250	CTAMOS Complete	70-3677	20-301 2	700,000
5 4	Coal		Wall-fired/PC	100-250	FF/Wet Scrubber Wet Scrubber	2.25E-02	2.78E-02	2.79E+00
								5010

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

			Canacity				apixoid
Model	Material	Combustor	Range	Control Level	W	0:	יטונטר ו
8a		Wall-fired/PC	>250	ontrol	2.25E+00	30	2 79E+00
ည္ခ	Coal	Wall-fired/PC	>250	ESP	4 49E-02		2 79E+00
ဥ ၁	Coal	Wall-fired/PC	>250	ESP/SD ESPAnnini/Packad	4 49E-02		2 79E+00
æ 8	Coal	Wall-fired/PC	>250	ESP/Venuin/Packed	4 49E-02	2 Z /8E-0Z	5 58E-01
βĝ	Coal	Wall-fired/PC	>250	FF FF	2.25E-02		2 78F 02 2 79E+00
8	Coal	Wall-fired/PC	>250	FF/DSI	2 25E-02	2 78E-02	2 79E+00
ಫೆ	Coal	Wall-fired/PC	>250	FF/SD	2 25E-02	2 16E 02	2 16E 02 2 79E+00
చ్ చే	Coal	Wall-fired/PC	>250	FF/Wet Scrubber Wet Scrubber	2.25E-02	2 78E-02	2 79E+00
9a	Coal/Wood/NFF Liquid/NFF Solid	All	0-10	No Control	1 47E+00	9 96E-01	2 79E+00
96	Coal/Wood/NFF Liquid/NFF Solid	All	0-10	Cyclone	3 67E-01	9 96E-01	2 79E+00
10a	Coal/Wood/NFF Liquid/NFF Solid	₹	10-100	No Control	1 47E+00	9 96E-01	2 79E+00
<u>0</u> ;	Coal/Wood/NFF Liquid/NFF Solid	₹	10-100	Cyclone	3 67E-01	9 96E-01	2 79E+00
302	Coal/Wood/NFF Liquid/NFF Solid	All	10-100	ESP	2 93E-02	9 96E-01	2 79E+00
	Coal/Wood/NFF Liquid/NFF Solid	Ā	100-250	Cyclone	3.67E-01	9 96E-01	2 79E+00
3 1	COSIMOSANIE LIQUIDINET SOIID	¥ ₹	100-250	ESP	2.93E-02	9 96E-01	2 79E+00
110	Coal/Wood/NFF Liquid/NFF Solid	₹ 3		Wet Scrubber	7.33E-01	8 96E-01	2 79E+00
12a	Coal/Wood/NFF jouid/NFF Solid	IIV	Т	Cooper	14/5-02	0 30E-01	2 /9E+00
120	Coal/Wood/NFF Liquid/NFF Solid	₹₹	>250	Cyclone/Venturi/Packed	3.675-01	8 G6F-01	2 /9E+00
12c	Coal/Wood/NFF Liquid/NFF Solid	¥		ESP	2 93E-02	9 96E-01	2 79E+00
12d	Coal/Wood/NFF Liquid/NFF Solid	Ψ		ESP/FSI	2.93E-02	9 96E-01	2 79E+00
12e	Coal/Wood/NFF Liquid/NFF Solid	Ŧ		ESP/SD	2 93E-02	8 96E-01	2 79E+00
12,1	Coal/Wood/NET Liquid/NET Solid	₹ ₹		יני ניי ניי	1.47E-02	8 96E-01	2 79E+00
. E	Coal/Wood/NFF Liquid/NFF Solid	₹ ₹	>250	FF/FSI FF/Met Scrubber	1.47E-02	8.96E-01	2 79E+00
121	Coal/Wood/NFF Liquid/NFF Solid	₹		Wet Scrubber	7.33E-01	8 96E-01	2 79F+00
13a	Gas	Other	0-10	Vo Control	3.51E-03	5 50E+00	
135	Gas	Other		Cyclone	8.78E-04	5 50E+00	
35.	Cas	Other		ESP	7.02E-05	7.02E-05 5 50E+00	
13e	Sas	S S	0.10		3.51E-05	4 95E+00	
13(Gas	i je		FF/A/et Sceibber	351E-05	4 95E+00	
13g	Gas	Other		Ventur/Packed	3 51E-03	4 956+00	
13h	Gas	Other		Wet Scrubber	1.76E-03		
14a	Gas	Other		No Control	3 51E-03	5 50E+00	
0.40	Cas	Other		Cyclone	8.78E-04	5 50E+00	
14d	Gas	o de la	10-100	ESP	7.02E-05	5 50E+00	
140					3.51E-05	3 51E-05 4 95E+00	
4	Gas	C C	10-100	FF/Wet Scrubber Wet Scrubber	351E-05	3 51E-05 4 95E+00	
			7	ver Schubber	1.705-03	1.70E-U3 4 83E+UU	

2	3	
•	`	•

Material Gas
--

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

Appendix A. HAP and Criteria Pollutant Emission Factors (Ib/MMBtu) for Existing Sources

Sulfur Dioxide																																					
ဝ၁	9 84E-02 9 84E-02	9 84E 02	9 84E-02	9 84E-02	8 80E-02	8 86E-02	9 84E-02	8 86E-02	8 86E-02	9 84E-02	8 86E-02	9 84E-02	8 86F-02	4 97E-01	4.97E-01	4 47E-01	4 97E-01	4 97E-01	4 47E-01	4 47E-01	4 97E-01	4.97E-01	4 47E-01	4 47E-01	4.97E-01	4 97E-01	4 9/E-01 4 47E-01	4 97E-01	4 97E-01	4 97E-01	4 97E-01	4 47E-01	4 97E-01	4 47E-01	4 23E-01	4.23E-01	3 80E-01
Wd	2 56E+00 6 40E-01	2 56E+00	6 40E-01	5 12E-02	2 56E-02	1 28E+00	2 56E+00	5 12E-02	2 56E-02	6 40E-01	1 28E+00	2 56E+00	3 12E-02	1 46E+00	3 65E-01	1 46E-02	1 46E+00	3.65E-01	1.46E-02	7 30E-01	1 46E+00	3 65E-01	3 65E-01	7.30E-01	1 46E+00	3.65E-01	2 92E-02 7 30E-01	1 46E+00	3 65E-01	1 46E+00	3 65E-01	7.30E-01	2 92E-02	2 92E-02	1.13E+00	2 83E-01	5 66E-01
Control Level	No Control Cyclone	No Control	Cyclone	ESP	FF/SD	Wet Scrubber	No Control	ESP/Wet Scrubber		Cyclone	Wel Scrubber	No Control	Wet Scrubber	No Control	Cyclone	FF	No Control	Cyclone	14.1	Wet Scrubber	No Control	Cyclone	Cyclone/Venturi/Packed	Wet Scrubber	No Control	Cyclone	Wet Scrubber	No Control	Cyclone	No Control	Cyclone	Wet Scrubber	ESP	ESP/Wet Scrubber	No Control	Cyclone	Wet Scrubber
Capacity Range (MMBtu/hr)	0-10 0-10	10-100	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	100-250	>250	>250	0-10	0-10	0-10	10-100	10-100	10-100	10-100	100-250	100-250	100-250	100-250	>250	>250	>250	0-10	0-10	10-100	10-100	10-100	>250	>250	0-10	0 0	0-10
Combustor	II F	₽	Ē	₹ ₹	₹₹	Ē	₹₹	₹₹	₹	₽,	₹	₹ ₹	₹₹	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	O O O	Wall-fired/PC	₹ ₹	7 7	₹ 						
	NFF Liquid/NFF Solid/Gas NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	INTE LIQUIDINET SOUGIGES	NFF Liquid/NFF Solid/Gas	NFF Liquid/NFF Solid/Gas	Wood	Wood	Mood	Mood	Wood	Wood	Wood	Wood	Wood	DOOW.	Wood	Wood	Wood	Mood	wood	Wood	Wood	Wood	Mood	Wood	Wood	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid								
lebow on a	25a 25b	26a	56b	7,0C	26e	26 f	27a	27c	27d	276	3	28a	28c	29a	00 S	25.5 25.5 25.5 25.5 25.5 25.5 25.5 25.5	303	300	30d	30e	31a	31b	31d	316	32a	32p	32q	33a	33p	34a	2 kg	34d	35a	32p	36,9	8 8	36e

25

	•
3	

CO Sulfur Dioxide	0 0 0 0 0	4 23E-01 4 23E-01 4 23E-01 3 80E-01 3 80E-01 3 80E-01	4 23E-01 4 23E-01 3 80E-01 3 80E-01 7 70E-03	6 93E-03 7 70E-03 7 70E-03 6 93E-03 6 93E-03 7 70E-03 7 70E-03 7 70E-03 6 93E-03 6 93E-03	7 70E-03 7 70E-03 7 70E-03 1 06E+00 9 56E-01 1 06E+00 9 56E-01
Wd	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00			2 73E-03 6 6 83E-01 7 5 47E-03 7 2 73E-01 6 1 37E-01 6 2 73E-01 7 6 83E-02 7 5 47E-03 7 2 73E-03 6 1 37E-01 6 1 37E-01 6	2 73E-01 7 6 83E-02 7 5 47E-03 7 2 83E-01 1 (5 66E-01 9 1 13E+00 1 (1 78E-01 9 5 66E-01 9 5 66E-01 9
Control Level	No Control Cyclone Cyclone/Venturi/Packed ESP FF	Cyclone Cyclone/Venturi/Packed ESP FF FF/FSI FF/FSI Wet Scrubber	No Control Cyclone ESP ESPWet Scrubber FF Wet Scrubber No Control	Vo Control Cyclone ESP FF Wet Scrubber No Control Cyclone ESP FF Yethari/Packed Wet Scrubber	No Control Cyclone ESP Cyclone Wet Scrubber No Control Cyclone
Capacity Range (MMBturhr)	 			000000000000000000000000000000000000000	>250 >250 >250 10-100 10-250 100-250 100-250
Combustor Type	E E E E E	= = = = =	2 2 2 2 2 2 2 3	₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Waterial Material	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid Weod/Other Biomass/NFF Liquid/NFF Solid Residual Liquid FF Residual Liquid FF	Residual Liquid FF	Residual Liquid FF Residual Liquid FF Residual Liquid FF Bagasse/Other Bagasse/Other Bagasse/Other Bagasse/Other
Model ON	37a W 37b W 37c W 37d W 37e W 37e W				439 Re 430 Re 430 Re 440 Be 440 Be 450 Be 450 Be 650 Be 65

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

Combission Page Control Level Earth						_	_	
Combusion Compusion Comp			ir i de siri	بعومها الترا				
Combustion: Range Control Level Experimental Management Other 10-100 Cooluted 2.55E-100 Other 10-100 Cyclone 2.55E-100 Other 10-100 Cyclone 5.55E-10 Other 100-250 Cyclone 5.55E-10 Other 100-250 Cyclone 5.25E-10 Other 100-250 Cyclone 5.25E-10 Other 2.250 ESP 4.45E-02 Other 2.250 F 2.25E-02 Wall-fired/PC 10-100 Workinger 5.25E-02 Wall-fired/PC 10-100 Workinger 5.25E-02 Wall-fired/PC 10-100 Workinger 5.25E-02 Wall-fired/PC 10-100 Workinger 5.25E-02 Wall-fired/PC 10-100 Well-Control 5.25E-02 Wall-fired/PC 10-100 Well-Control 5.25E-02 Wall-fired/PC 10-100 Well-Control 5.25E-02 Other 10-100 Cyclo				Zapacity (Dioxide
Other 0-10 No Control 2.25E+00 Other 10-100 No Control 2.25E+00 Other 10-100 ESP 2.25E+00 Other 10-100 ESP 2.25E+00 Other 10-250 Cyclone 5.25E+00 Other 100-250 Cyclone 4.49E-02 Other 10-100 ESP 4.49E-02 Other 10-100 Well-fred/PC 10-100 Wall-fred/PC 10-100 Well-fred/PC 10-100 Other 10-100 Cyclone 36 FE-03 Other 10-100 Cyclone 36 FE-03		Material	Combustor	Range (MMBtu/hr)	Control Level	Wo	ļos	nilué
Other 10-100 No Control 2 25E-00 Other 10-100 ESP 4 48E-02 Other 10-100 FF 2 25E-03 Other 10-100 FF 2 25E-02 Other 10-250 Cyclone 5 5EE-02 Other >250 ESP 4 49E-02 Other >250 FF 2 25E-03 Wall-freed/PC 10-100 Well-freed/PC 10-100 Wall-freed/PC 10-250 ESP 4 49E-02 Wall-freed/PC 10-250 ESP 4 49E-02 Wall-freed/PC 10-100 Well-Scrubber 1 12E-100 Wall-freed/PC 10-250 ESP 4 49E-02 Wall-freed/PC 10-250 ESP 4 49E-02 Other 10-100 Mel Scrubber 3 5FE-03	Jal		Other	0-10		2 25E+00	3	2 79E+00
Other 10-100 Cyclone 5 62E-01 Other 10-100 FSP 2 25E-02 Other 10-100 FF 2 25E-02 Other 10-250 ESP 4 49E-02 Other >250 FF 4 49E-02 Other >250 FF 4 49E-02 Wall-fred/PC 10-100 Vectore 5 62E-01 Wall-fred/PC 10-250 ESP 4 49E-02 Wall-fred/PC 10-100 Vectore 5 62E-01 Wall-fred/PC 10-250 Cyclone 3 51E-03 Other 0-10 Cyclone 3 51E-03 Other 10-100 Cyclone 3 51E-03 Other 10-100 Cyclone 3 51E-03 Other	lec		Other	10-100	No Control	2 25E+00	3 08E-02	2 79E+00
Other 10-100 FSP 448E-02 Other 10-100 FSP 256E-03 Other 100-250 Cyclone 562E-01 Other 2-250 FF 448E-02 Other 2-250 FF 256E-03 Wall-freed/PC 10-100 Cyclone 256E-01 Wall-freed/PC 10-100 Cyclone 562E-01 Other 0-10 Wet Scrubber 176E-03 Other 10-100 Cyclone 87E-04 Other 10-100 Cyclone 87E-04 Other 10-100 Cyclone 87E-04 Other<	lac		Other	10-100	Cyclone	5 62E-01	3 08E-02	2 79E+00
Other 100-250 Cyclone 5 250-20 Other 100-250 ESP 4 49E-02 Other 250 FF 4 49E-02 Other 250 FF 2 26E-03 Wall-fried/PC 10-100 No Control 2 26E-01 Wall-fried/PC 10-100 Wet Scrubber 1 12E+00 Wall-fried/PC 10-100 Cyclone 5 62E-01 Wall-fried/PC 10-100 Cyclone 3 51E-02 Wall-fried/PC 2-250 ESP 4 49E-02 Wall-fried/PC 10-10 Cyclone 3 51E-03 Other 0-10 PK 1 49E-02 Other 10-10 Kelsonber 1 76E-03 Other 10-100 Cyclone 1 76E-03 Other 10-100 Cyclone 1 76E-03 <	Po To		Other	10-100	ESP	4 49E-02	3 08E-02	2.79E+00
Other 100-250 Cybone 9 02-20 Other >250 FF 4 49E-02 Other >250 FF 2 25E-02 Wall-fried/PC 10-100 No Control 2 25E-02 Wall-fried/PC 10-100 Wet Scrubber 1 12E-0 Wall-fried/PC 10-100 Cyclone 5 62E-01 Wall-fried/PC 10-100 Cyclone 5 62E-01 Wall-fried/PC 10-250 ESP 4 49E-02 Wall-fried/PC 10-250 ESP 4 49E-02 Wall-fried/PC 10-250 ESP 4 49E-02 Wall-fried/PC 10-00 Cyclone 5 62E-01 Wall-fried/PC 10-00 Cyclone 5 62E-01 Other 0-10 No Control 1 77E-03 Other 10-100 Kel Scrubber 1 76E-03 Other 10-100 F 3 51E-05 Other 10-100 F 3 51E-05 Other 10-100 Cyclone 1 78E-04	oai oai		Cher	100-100	7-F	2 25E-02	2.78E-02	2 79E+00
Other >250 ESP 4 49E-02 Wall-fired/PC 10-100 Wo Control 2 25E-02 Wall-fired/PC 10-100 Vo Control 5 25E-01 Wall-fired/PC 10-100 Vo Control 5 62E-01 Wall-fired/PC 100-250 Cyclone 5 62E-01 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 220 ESP 4 49E-02 Wall-fired/PC 100-250 Cyclone 5 62E-01 Wall-fired/PC 220 ESP 4 49E-02 Wall-fired/PC 220 ESP 1 49E-02 Other 0-10 FF 1 44E-02 Other 10-100 FF 1 44E-03	i, po		Other	100-250	Cyclone ESP	3 02E-01		2 79E+00
Other >250 FF 25E-02 Wall-fired/PC 10-100 No Control 2 25E-10 Wall-fired/PC 10-100 Cyclone 5 62E-01 Wall-fired/PC 10-100 Cyclone 5 62E-01 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 2 25D ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 2 25D ESP 4 49E-02 Wall-fired/PC 2 25D ESP 4 49E-02 Wall-fired/PC 2 25D FF 1 47E-02 Other 0-10 Cyclone 3 51E-03 Other 10-100 Well Scrubber 3 51E-03 Other 10-100 Cyclone 3 51E-03 Other 10-100 Cyclone 3 51E-03 Other 10-100 Cyclone 3 51E-03	oal		Other	>250	ESP	4 49E-02	3 08E-02	2.79E+00
Wall-fired/PC 10-100 No Control 2 25E+00 Wall-fired/PC 10-100 Cyclone 5 62E-01 Wall-fired/PC 10-100 Cyclone 1 12E-00 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 250 ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 250 ESP 4 49E-02 Wall-fired/PC 250 ESP 4 49E-02 Wall-fired/PC 100-250 FF 1 47E-02 All 10-100 Cyclone 3 51E-03 Other 10-100 Wet Scrubber 3 51E-03 Other 10-100 FF 3 51E-03 Other 10-100 FF 3 51E-03 Other 100-250 FC 3 51E-03 Other 100-250 FF 3 51E-03 Other 100-250 FF 3 51E-03 Othe	oal		Other	>250	FF	2 25E-02	2 78E-02	2.79E+(
Wall-fired/PC 10-100 Cyclone 5 62E-01 Wall-fired/PC 10-100 Wet Scrubber 1 12E+00 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 100-250 FSP 4 49E-02 Wall-fired/PC 100-250 FSP 4 49E-02 Wall-fired/PC 10-100 Cyclone 3 6FE-01 All 10-100 FF 1 7EE-05 Other 0-10 FF 1 7EE-05 Other 10-100 No Control 3 51E-05 Other 10-100 FF/Wet Scrubber 3 51E-05 Other 10-250 FF 3 51E-05 Other 10-250 FF	oal		Wall-fired/PC	10-100	No Control	2 25E+00	3 08E-02	2 79E+00
Wall-fired/PC 10-100 Wet Scrubber 1 12E+100 Wall-fired/PC 100-250 Cyclone 4 49E-02 Wall-fired/PC >250 ESP 4 49E-02 Wall-fired/PC >250 ESP 4 49E-02 Wall-fired/PC >250 ESP 4 49E-02 All 10-100 Cyclone 3 67E-01 All 10-100 Cyclone 3 67E-01 Other 0-10 FF 147E-02 Other 10-10 FF 3 51E-03 Other 10-100 FF Avet Scrubber 3 51E-03 Other 10-250 FF 3 51E-03 All 10-100 No Control 1 51E-03 All 10-100 Cyclone 1 72E-03 <	oal		Wall-fired/PC	10-100	Cyclone	5 62E-01	3 08E-02	2.79E+00
Wall-fired/PC Top.250 Cyclone 5 62E-01 Wall-fired/PC 100-250 ESP 4 49E-02 Wall-fired/PC 100-250 ESP 4 49E-02 All 0-10 Cyclone 3 67E-01 All 100-250 FF 1 47E-02 Other 0-10 No Control 3 51E-03 Other 10-10 No Control 3 51E-03 Other 10-100 No Control 3 51E-03 Other 10-100 FF 3 51E-03 Other 10-100 Cyclone 1 51E-03 All 0-10 Oyclone	oal		Wall-fired/PC	10-100	Wet Scrubber	1 12E+00	2 78E-02	2 79E+00
Wall-fineding (Control of the control of th	oal		Wall-fired/PC	100-250	Cyclone	5 62E-01	3 08E-02	2 79E+00
Wall-lifed/PC 7250 ESP 4 49E-02 All 10-10 Cyclone 3 67E-01 All 100-250 F 1 47E-02 Other 0-10 No Control 3 51E-03 Other 0-10 F 1 76E-03 Other 10-100 No Control 1 76E-03 Other 10-100 PFAVES Crubber 3 51E-03 Other 10-100 FFAVES Crubber 3 51E-03 Other 10-0-250 No Control 8 78E-04 Other 100-250 No Control 8 78E-04 Other 100-250 No Control 3 51E-03 Other 100-250 No Control 1 76E-03 All 0-10 No Control 1 51E-03 All 100-250 ESPWet Scrubber 1 72E-02 All 100-250 ESPWet Scrubber 1 72E-02 All 10-100 No Control 1 72E-02 All 10-100 No Control 1 72E-02	Oal		Wall-fired/PC	100-250	ESP	4 49E-02	3 08E-02	2 79E+00
Ali 10-10 Cyclone 3 6/E-01 Ali 10-100 Cyclone 3 6/E-01 Ali 10-100 Cyclone 3 6/E-03 Other 0-10 Wet Scrubber 1 76E-03 Other 10-10 Wet Scrubber 3 5/E-03 Other 10-100 Cyclone 3 7/E-03 Other 10-100 F/F Wet Scrubber 3 5/E-03 Other 10-100 F/F Wet Scrubber 3 5/E-03 Other 100-250 F/F 3 5/E-03 Other 100-250 Cyclone 3 5/E-03 Other 100-250 F/F 3 5/E-03 Other 100-250 F/F 3 5/E-03 Ali 0-10 Oyclone 1 5/E-03 Ali 10-100 Oyclone 1 5/E-03 Ali 100-250 ESP 1 1 2/E-02 Ali 100-250 Wet Scrubber 1 1 2/E-02 Ali 100-250 Wet Scrubber 1 1 2/E-02 Ali	Oction with City 1.		Wall-fired/PC	>250	ESP	4 49E-02	3 08E-02	2 79E+00
Mail	Oal/WOOd/NFF L	Iduid/NFF Solid	W.	0-10	Cyclone	3 67E-01	9 96E-01	2 79E+00
All 100-250 FF Other 0-10 No Control 351E-05 Other 0-10 Wet Scrubber 351E-05 Other 10-100 No Control 351E-05 Other 10-100 Cyclone 8 78E-04 Other 10-100 FF/Wet Scrubber 351E-05 Other 10-100 FF/Wet Scrubber 351E-05 Other 100-250 No Control 8 78E-04 Other 100-250 No Control 8 78E-04 Other 100-250 No Control 17EE-03 All 0-10 Cyclone 151E-01 All 10-100 Cyclone 151E-01 All 10-100 Cyclone 151E-01 All 10-100 Cyclone 151E-01 All 10-100 Cyclone 151E-02 All 10-100 Cyclone 152E-02 All 10-100 No Control 172E-02 All 10-100 No Control </td <td>Oal/Wood/NFF Li</td> <td>quid/NFF Solid</td> <td>W.</td> <td>10-100</td> <td>Cyclone</td> <td>3 67E-01</td> <td>9 96E-01</td> <td>2 79E+00</td>	Oal/Wood/NFF Li	quid/NFF Solid	W.	10-100	Cyclone	3 67E-01	9 96E-01	2 79E+00
Other 0-10 FF Collinor Other 10-100 No Control Other 10-100 No Control Other 10-100 Cyclone Other 10-100 FF/Wet Scrubber Other 10-100 Wet Scrubber Other 100-250 No Control Other 100-250 FF All 10-100 No Control All 10-100 No Control All 10-100 FF/Wet Scrubber All 10-250 Wet Scrubber All 10-250 Wet Scrubber All 10-250 No Control All 10-250 No Control All 10-250 ESP/Wet Scrubber All 10-250 No Control All 10-250 RF All 10-250 RF All 10-250 No Control All 10-250 RF All 10-250 No Control All 10-250 RF All 10-250 No Control All 10-250 RSP	Odl/WOOd/INFF L1	Dilios Laving	₹	100-220	P.F.	1 4/E-02	8 96E-01	2 /9E+00
Other 10-100 Wet Scrubber Other 10-100 No Control Other 10-100 Cyclone Other 10-100 FF/Wet Scrubber Other 10-100 Wet Scrubber Other 100-250 No Control Other 100-250 FF Other 100-250 FF Other 250 No Control All 0-10 Cyclone All 10-100 No Control All 10-250 ESP/Wet Scrubber All 10-250 Wet Scrubber All 10-100 No Control All 10-100 FF/Wet Scrubber All 10-250 Wet Scrubber All 10-250 ESP/Wet Scrubber All 10-250 Wet Scrubber All 10-250 Wet Scrubber All 10-100 No Control All 10-100 No Control All 10-100 FF All 10-100 FF All 10-100 FF All 10-250 RSP All 10-100 FF All 10-250 RSP All 10-100 FF All 10-100 Cyclone	es es			0-10	NO CONTROL	351E-03	3 50E+00	
Other 10-100 No Control 3 51E-05 Other 10-100 Cyclone 8 78E-04 Other 10-100 FF/Wet Scrubber 3 51E-05 Other 10-100 Wet Scrubber 3 51E-05 Other 100-250 No Control 8 78E-04 Other 100-250 FF 3 51E-05 Other 100-250 FF 3 51E-05 Other 100-250 FF 3 51E-05 All 0-10 No Control 6 04E-01 All 10-100 Cyclone 1 51E-01 All 10-100 Cyclone 1 72E-02 All 10-100 No Control 1 72E-02 All 10-100 No Control 1 72E-02 All >250	es es		Office Of	0 0	Vet Scrubber	3.51E-03	4.95E+00	
Other 10-100 Cyclone Other 10-100 FF Wet Scrubber Other 10-100 Wet Scrubber Other 100-250 No Control Other 100-250 FF Other 100-250 FF Other 100-250 FF Other 100-250 FF All 0-10 Cyclone All 10-100 No Control All 10-250 ESP All 10-250 ESP All 10-100 Cyclone All 10-100 No Control All 10-250 ESP All 10-250 No Control All 250 No Control All 250 No Control All 250 No Control All 250 Cyclone	as		Other	10-100	No Control	3.51E-03	5.50E+00	
Other 10-100 FF Other 10-100 FF/Wet Scrubber Other 10-100 Wet Scrubber Other 100-250 No Control Other 100-250 FF Other 100-250 FF Other 100-250 FF All 0-10 Cyclone All 10-100 No Control All 10-250 ESP/Wet Scrubber All 10-250 ESP/Wet Scrubber All 10-250 Wet Scrubber All 10-250 Wet Scrubber All 10-250 PSP All 10-250 PSP All 10-250 No Control All 10-250 No Control All 10-250 RSP	as		Other	10-100	Cyclone	8 78E-04	5 50E+00	
Other 10-100 FF/Wet Scrubber Other 10-100 Wet Scrubber Other 100-250 No Control Other 100-250 Cyclone Other 100-250 Ro Control All 0-10 Cyclone All 10-100 No Control All 10-100 Cyclone All 10-100 No Control All 10-250 ESP All 10-250 No Control All 10-250 ESP All 10-250 Ro Control All 10-100 FF All 10-100 FF All 10-100 FF All 10-250 RSP All 10-250 RSP All 10-250 RSP All 10-250 RSP	as		Other	10-100	FF	3 51E-05	4 95E+00	
Other 10-100 Wel Scrubber 1 76E-03 Other 100-250 No Control 3 51E-03 Other 100-250 FF 3 51E-03 Other 100-250 FF 3 51E-03 All 0-10 Cyclone 8 78E-04 All 0-10 Cyclone 1 51E-01 All 10-100 No Control 6 04E-01 All 10-100 Cyclone 1 51E-01 All 10-100 Cyclone 1 51E-01 All 10-250 ESP 1 21E-02 All 100-250 ESP 1 21E-02 All 10-250 Wel Scrubber 1 21E-02 All 10-100 No Control 1 72E-02 All 10-100 F 1 72E-02 All 10-100 F 1 72E-02 All >250 No Control 1 72E-02 All >250 No Control 3 44E-04 All 10-100 Cyclone <td< td=""><td>as</td><td></td><td>Other</td><td>10-100</td><td>FF/Wet Scrubber</td><td>3 51E-05</td><td>4 95E+00</td><td></td></td<>	as		Other	10-100	FF/Wet Scrubber	3 51E-05	4 95E+00	
Other 100-250 No Control 351E-03 Other 100-250 Cyclone 8 78E-04 Other 100-250 No Control 8 78E-04 All 0-10 Cyclone 151E-03 All 10-100 No Control 6 04E-01 All 10-100 Cyclone 151E-01 All 10-100 Cyclone 151E-01 All 10-100 Cyclone 151E-01 All 10-250 ESP 121E-02 All 100-250 ESP 121E-02 All 10-250 Wet Scrubber 121E-02 All 10-100 No Control 172E-02 All 10-100 F 172E-02 All 10-100 F 172E-02 All >250 No Control 172E-02 All >250 No Control 172E-02 All >250 SP 34E-04 All 10-100 Cyclone 54E-01	as		Other	10-100	Wet Scrubber	1 76E-03	4 95E+00	
Other 100-250 Cyclone 8 78E-04 Other >250 No Control 3 51E-05 All 0-10 No Control 6 04E-01 All 10-100 Cyclone 1 51E-01 All 10-100 Cyclone 1 51E-01 All 10-250 ESP 1 21E-02 All 100-250 ESPWet Scrubber 1 21E-02 All >250 Wet Scrubber 1 21E-02 All 10-100 No Control 1 72E-02 All 10-100 F 1 72E-02 All 10-100 No Control 1 72E-02 All >250 No Control 3 44E-04 All 10-100 Cy	as		Other	100-250	No Control	3 51E-03		
Other 100-500 No Control 3 51E-03 All 0-10 Oyclone 151E-01 All 10-100 Oyclone 151E-01 All 10-100 Oyclone 151E-01 All 100-250 ESP 121E-02 All 100-250 ESP/Wet Scrubber 121E-02 All 100-250 Wet Scrubber 121E-02 All 100-010 No Control 172E-02 All 100-010 FSP 172E-02 All 100-100 Cyclone 6 40E-01	ds as		Conset Conset	100-250	Cyclone	8 /8E-04		
All 0-10 No Control 6 04E-01 All 0-10 Cyclone 151E-01 All 10-100 Cyclone 151E-01 All 100-250 ESP 121E-02 All 100-250 ESP/Wet Scrubber 121E-02 All >250 Wet Scrubber 121E-02 All 10-100 No Control 172E-02 All 10-100 F 172E-02 All 10-100 F 172E-02 All >250 No Control 172E-02 All >250 No Control 172E-02 All >250 No Control 172E-02 All >250 Cyclone 6 40E-01	as		Other	>250	No Control	3515-03		
All 0-10 Cyclone 151E-01 All 10-100 No Control 6 04E-01 All 10-250 ESP 1 21E-02 All 100-250 ESP/Wet Scrubber 1 21E-02 All >250 Wet Scrubber 1 21E-02 All 10-100 No Control 1 72E-02 All 10-100 FF 1 72E-03 All 10-100 FF 1 72E-03 All >250 No Control 1 72E-03 All >250 No Control 1 72E-03 All >250 ESP 3 44E-04 All 10-100 Cyclone 6 40E-01	as/Wood/Other B	iomass/Liquid FF	Ā	0-10	No Control	6.04E-01		
All 10-100 No Control 6 04E-01 All 10-100 Cyclone 1 51E-01 All 100-250 ESP 1 21E-02 All >250 Wel Scrubber 1 21E-02 All 10-100 No Control 1 72E-02 All 100-250 No Control 1 72E-02 All 100-250 No Control 1 72E-02 All >250 No Control 1 72E-02 All >250 ESP 3 44E-04 All 10-100 Cyclone 6 40E-01	as/Wood/Other B	Iomass/Liquid FF	₹	0-10	Cyclone	1 516-01		
All 10-100 Cyclone All 100-250 ESP All 100-250 ESPWet Scrubber All 250 Wet Scrubber All 10-100 No Control All 10-100 FF All 10-100 FF All 250 No Control All >250 No Control All >250 No Control All >250 No Control All >250 No Control All 100-250 Cyclone	as/Wood/Other B	iomass/Liquid FF	Ψ	10-100	No Control	6 04E-01	1 06E+00	
All 100-250 ESP 121E-02 121E-02 121E-02	as/Wood/Other B	nomass/Liquid FF	All	10-100	Cyclone	1.51E-01	1 06E+00	
All 100-250 ESP/Wet Scrubber 121E-02 All >250 Wet Scrubber 3 02E-01 All 10-100 No Control 172E-02 All 10-250 No Control 172E-02 All >250 No Control 172E-03 All >250 No Control 172E-03 All >250 No Control 172E-04 All >250 No Control 172E-04 All >250 No Control 172E-04 All >250 O Control 172E-04 All O Control 172E-04	as/Wood/Other B	iomass/Liquid FF	Ā	100-250	ESP	1 21E-02	1 06E+00	
All >250 Wet Scrubber 3 02E-01 All 0-10 No Control 1 72E-02 All 10-100 No Control 1 72E-02 All 10-250 No Control 1 72E-02 All >250 No Control 1 72E-02 All >250 No Control 1 72E-03 All >250 SP 3 44E-04 All 10-100 Cyclone 6 40E-01	as/Wood/Other B	iomass/Liquid FF	₽	100-250	ESP/Wet Scrubber	1 21E-02		
All 0-10 No Control 1 72E-02 All 10-100 FF 1 72E-04 All 10-100 FF 1 72E-04 All 100-250 No Control 1 72E-02 All >250 No Control 1 72E-02 All >250 ESP 3 44E-04 All 10-100 Cyclone 6 40E-01	as/Wood/Other B	iomass/Liquid FF	Æ	>250	Wet Scrubber	3 02E-01	9 56E-01	
All 10-100 No Control 1 72E-02 All 10-100 FF 1 72E-04 All >250 No Control 1 72E-02 All >250 RSP 1 72E-02 All >250 ESP 3 44E-04 All 10-100 Cyclone 6 40E-01	istillate Liquid FF		Ā	0-10	No Control	1 72E-02	_	
All 10-100 FF All 100-250 No Control 172E-02 All >250 No Confrol 172E-02 All >250 ESP 34E-04 All 10-100 Cyclone 640E-01	istillate Liquid FF		₩.	10-100	No Control	1 72E-02		
All >250 No Control 1.72E-02 All >250 ESP 34E-04 All 10-100 Cyclone 640E-01	Stillate Liquid FF		7	10-100		1 72E-04	_	
All >250 No Control 172E-02 All >250 ESP 344E-04 All 10-100 Cyclone 640E-01	Stillate Liquid FF		₹	100-250	No Control	1 72E-02	_	
All 10-100 Cyclone 6.40E-01	stillate Liquid FF		₹ ₹	>250	No Control	1 72E-02		
O. 100 Cyclotic 6 40E-01	Simale Liquid FF	hid/Gae	₹ ₹	10 100	Colors	3 44E-04		
00L 030 N	NEE Light AMERICAN	Sign Con	7	001-01	Cycone	0 405-01	8 64E-02	

Appendix A. HAP and Criteria Pollutant Emission Factors (lb/MMBtu) for Existing Sources

	Г		Γ			Γ		Γ	Π	Π		Γ	Γ	_	Γ	
Sulfur Dioxide	L															
oc	46E+00 4 97E-01	3 65E-01 4 97E-01	46E+00 4 97E-01	3 65E-01 4 97E-01	7.30E-01 4 47E-01	7 30E-01 4 47E-01	3 65E-01 4 97E-01	3 65E-01 4 97E-01	13E+00 4 23E-01	2 83E-01 4 23E-01	2 26E-02 4 23E-01	2 73E-01 7 70E-03	2 73E-01 7 70E-03	1 37E-01 6 93E-03	2 73E-01 7 70E-03	2.73E-01 7.70E-03
Wd	1 46E+00	3 65E-01	1 46E+00	3 65E-01	7.30E-01	7 30E-01	3 65E-01	3 65E-01	1 13E+00	2 83E-01	2 26E-02	2 73E-01	2 73E-01	1 37E-01	2 73E-01	2.73E-01
Control Level	No Control	Cyclone	No Control	Cyclone	Wet Scrubber	Wet Scrubber	Cyclone	Cyclone	No Control	Cyclone	ESP	No Control	No Control	Wet Scrubber	No Control	No Control
Capacity Range (MMBtu/hr)	0.10	0.10	10-100	10-100	10-100	100-250	0.10	10-100	0.10	10-100	10-100	0-10	10-100	10-100	100-250	>250
Combustor	Other	Other	Other	Other	Other	Other	Wall-fired/PC	Wall-fired/PC	All	₹	A⊪	All	¥	All	All	Ail
Material	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Wood/Other Biomass/NFF Liquid/NFF Solid	Residual Liquid FF				
Model	73.9	7.312	74.0	₹.	74c	75c	76b	77b	78.3	7 <u>9</u> 6	PS/	80g	81a	618	82a	83a

Appendix B

National Baseline Emission Estimates for the Source Category

(See Excel spreadsheet "BaselineEFappxAB.xls")

79	7	7e	7d		76	7a	2 6	n <u>g</u>	66	66	6а	5	2 4	<u>.</u>	4	ģ	4	'		1 7		1	3 9	34		3 6		3 a	2g	24 6	2d	20	2 b	2 a	วี เ	- 8	8	Model	,	,
Coal	Coal	Coal	Coal	Coal	Coal	Coal		Coal	Coal	Coal	Coal	Coal		Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	() () ()	Coal	Coal	Coal	Coal		Coal	Coal	Coal	5 6	Coa				
		!		:				,	ı		,	ı	1	:	,	i	1	:	1	:		t t	1	! !		1	4		,	1							Materia			
		,																																			-		* . * . *	
Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-life0/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P		<u>۔</u>	o o	0	Ω :	0 9	2 0		0	9	0	Q (0	0					 o					Com		1
red/P	red/P	P P	red/P	red/P	red/P	red/p	י לא	ed/P	red/P	red/P	red/P	red/P	Lined/p	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Office Office	Other		Combustor		
100-250	100-250	100-250	100-250	100-250	100-250	100-250	5 G	0.100	10-100	10-100	10-100	0-10	0-10	>250	>250	>250	>250	>250	>250	>>50	>250	100-250	100-250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	10-100	2 2	0-10	-	Range (MMBtu/h	Capacity	;
186	186	186	186	186	186	26	5, 2	57	57	57	57	2 1	ر د د	565	565	565	565	565	565	565	565	166	166	166	166	166	166	166	2	رب د کو	n 51	54	£.	<u>ي</u> ،	÷ 4	. 4	-	Capacity (MMBtu/		
FF/We	FF/SD	Ŧ	ESP	Cyclon	Cyclone	No Control	Wet So	ה ה ה	ESP	Cyclone	No Control	Cyclone	No Control	FF/SD	FF/FSI	FF/DSI	Ŧ	ESPM	ESP/DS	Cyclone	No Control	Wet S	FFMe	FF/DSI	H (חת טע פע	Cyclone	No Control	Wet S	FF/SD	THE PERSON NAMED IN COLUMN TWO	ESP	Cyclone	No Control	ה אכיסיים	No Control		E 4		, ,
FF/Wet Scrubber				Cyclone/Venturi/Pac	ō	No Control	7	-		ō	ntrol	ē :	No Control	-	_	:		ESP/Wet Scrubber	S	, 15	ntrol	Wet Scrubber	FF/Wet Scrubber		ָלְנָי מיני	EVENVet Southbox	9	ntrol	Wet Scrubber	- <u>-</u>	-		ส์	ntrol	ã	ntrol	Control Level	11 13 28 - 4	an entre	
<u>—</u>				riPac					-							,		-				:	ĕ		5						,						. "			1974) 1974)
2	2	79	జ	cn	o i	3 7	; ^	28	37	5	14	2 2	5 °	, o	ō	6	56	4 1	٠ ز	4 4	24	15	4	4	160	3 172	166	46	15	ט ט	n 66	123	436	1 2	2 د	3 &	Boilers	No of	7 54 1 60	
0	0	0	0	0	0 (0 0	o c	0	0	0	٥	0 0	.	0	0	0	0	0 (٥ ،	00	0	0	0	0	0 0	o c	0	0	0	00	0	0	0	0 0	> <	0	Heaters	No of	2 3	**,
1 0E-03			5 4E-02	2.6E-03	2.9E-03	6 95-03		4 4E-03	6.5E-03	8.8E-04			20102	7.4E-03	1.6E-02	6.3E-02	8 8E-02	6.3E-03	3 55-03	2.5E-02	4 2E-02	6.9E-03	1 9E-03	1 9E-03	7.4E-02	5.8E-02	8.5E-02	2.4E-02	2 3E-03	5 9E-04	2.7E-02	2.1E-02	7 3E-02	2.6E-02	3 30 05	5 9E-04	14-	Dichl	orobei	ızene
1 1E-02	8 3E-03	4 2E-01	5 5E-01	2 75-02	3 0E-02	7 15-02	3.35.03	4 6E-02	6 7E-02	9 1E-03	2 5E-02	1 3E-04	5 AE 04	7 6E-02	1 6E-01	6 5E-01	9 1E-01	6 5E-02	3 65-02	2 5E-01	4.3E-01	7 1E-02	1 9E-02	1 9E-02	7 6E-01	0 5E 03	8 8E-01	2 4E-01	2 3€-02	6 0E-03	2 8E-01	2 1E-01	7 5E-01	2 7E-01	3 10 00	6 1E-03	16-	PAH		
2 5E-02	1 9E-02	9 9E-01	1 3E+00	6 2E-02	6 9E-02	1 75.01		1 1E-01	1 6E-01	2.1E-02		3 OE-04	305-03		3 8E-01	1 5E+00				5 9E-01					1 8E+00					1 46-02	***************************************			6 2E-01			Ace	talde	hyde	
-			2 1E	R	m r	2 7 5	7 1	1 86	2 6E.	3 5E-	9 7E	4 9E	n f	29€	6 2E	2 5E	3 5 E -	2 56	n c	2 8 E	1 7E	2 7E	7 3E	7 3E	2 9 6	235	3 4E	9 3E	8 9E	237 6		8 1E	2 9E	-1 on in	1 6	2 38	Acr	olein		
3 1 8E-0	3 1 8E-0	1 7 OE-0	8 3E	2 2E	4 0 6	1 10 7	3 25	7 6E	1 0E	1 2E	3 8E	1 7E	0 25	1.6E	2 7E	110	1 SE	m d	2 1	3 46	6 5E	8 3E	3 2E	3.2E	1 35	8 9 8	1 2E	3.7E	2.7E	37 6	4 76	3 2E	-1 	4 0 E	1 2	928	Ars	enic		
(0		(1)	'n	N. 1	N (<u> </u>			_	m	•					$\overline{}$	~	~ /		~ ^ `		_					~				-01 2 6E-						8er	zene		
1 SE	1 5E	5 9E	7 0E	1 9E 1	346	9 7 6	4 6	6 4E	8 SE	1 0E	3 2E	- 46 66	0 1 3 E	1 4E	2 3E	9 1E	1 3E	9 1E	n	2 9E	5 5E	7 0E	2 7€	2 7E	1 i	7 5E	1 0€	3 1E	2 3E	 	396	2 7E	00 I	3 A		7 7E	<u> </u>	ylliun		
ವಿ	2	2	22	2	2 2	3 5	2 2	23	ಜ	22	2	2 2	2 2	င္သ	2	2	2	ස	3 5	3 2	01	92	03	<u>ස</u>	2 6	3 8	8	9	02	2 5	02	02	9 9	9 6	3 5	3 8		ímiun		
03 4	<u>2</u>	2 4	01 7	22	2 -	2 0	2 2	02 5	02 8	02 1	<u>2</u> 3	2 2	01	<u>ස</u>	02 1	9 5	01	02 2	3 -	2 2	01 6	01/2	03 7	03	201	01 7	8	01 3	02 9	04 6	02 3	02 2	8 9	01 5	200	02 9	-		n 	
E+00 2	3E+00 2	BE+02 7	3E+02	4E-01	ġ (3 8	8	9	<u> </u>	ġ	<u> </u>	9E-01	9	ġ	<u> </u>	22	<u>ස</u>	9	2 6	7E+02 3	8	9	8	<u> </u>	9 8	8	<u>۵</u>	8	5E+00 3	3 8	2E+02 5	02	1F+03	0E+02 4	00.00	00+30	Chi	orine		
0E-02	0E-03	7E-01	1E-01	4F-01	i i	3 5	1 8	m i	1E-01	3E-01	2E-01	9E-03	7E+00	æE	30	2E+00	7E+00	2F-01	20 00	7E+00	1E+00	ZE	33	33	ń ñ	38	æ	3	8	ង្គ	01E-01	33	1E+01	1E-00	JE-1)2	0€-01	Chr	omiui	m	
6	8	2	2	8	3 5	2 6	9	S	7E-05	3E-06	6E-06	8 5	3E-05	9	05	7E-04	3E-04	3 8	מון מון	8 8	1E-04	9	8	6 3	3 5	2 2	04	05	8 8	6	05	05	2 3	3 8	6	90		enzof		
2 7E-03	2 1E-03	1 1E-01	1.4E-01	6 9E-03	7 65-03	י אחרייני	8.4E-04	1 2E-02	1 7E-02	2.3E-03	6.5E-03	3 3E-05	3 3E-02	1.9E-02	4 2E-02	1 7E-01	2.3E-01	1 75-02	0 30 00	6 5E-02	1.1E-01	1 8E-02	4.9E-03	4 9E-03	2.0E-03	1.5E-01	2.3€-01	6.3E-02	6.0E-03	2.01-03	7.2E-02	5 4E-02	1 95-01	6 85-02	1 01-03	1 6E-03	Dibi	utylpt	nthalat	e
1 7E-06	1 3E-06	6.8E-05	8 9 - 05	4 3E-06	4 85-06	3 25-05	5 3E-07	7 4E-06	1 1E-08	1 5E-06	4 1E-06	2 1E-08	2.1E-05	28	£	1 0E-0	1 5E-04	1 0F-05	7 7 7 7	4 1E-05	7 0E-05	2E	3 1E-06	3.1E-06	1 25 00	9 515-05	1 4E-04	3 9E-05	3 7E-06	1 25-06	4 5E-05	3 4E-05	1 25.0	4 3 1 0	0 01-0	995-07	Dio	ĸĺn		
	9 5E	4 8E	6 3E	ω (m (3 4	2 7 7	3 8	5 3E	7 7E	1 0E	29€	1 5 in	1 5E	8 7E	196	7 5E	-1 0m	13.7	- 0 - 0	2 9E	5 OE	8 2E	2 2E	2 2E	20 17	6 8E	1 0€	2 8E	27E	8 9 5	w	2 1E	000	302	i m	7 0€	Ethy	ylben	zene	
3 1 4E-0		5 68	7 3E	3 6	3 20 5	n n	4 3 8	6 16	368	1 2E	3 4E	1 70	1 7E	1 OE	21E	8 65	1 2E	0 t		3 3E	5 7E	9 5E	2 5E	2 5E	1 02 35	7 9 1	1 2E	3 2E	316	20 CE	3 7E	2 8E	1 0 6	2 50	5 4	816	Fore	nalde	hyde	
02 0 OE	02 0 0E-	01 0 OE-	01 0 OF	02 0 0E-	0 0 0 0 0 0	02 00 00	0.00	30 0	30 OE	0.00	0 OE	0.00	0.0	0.0€	0.0€	0.0E	0.05	0 0	0.0	30.0	0.0€	0 0∈	0.0E	30.0	0.00	0 0 0	0.0E	0.0E	0.00	0 00	-01 0.0E	0 0E	0.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00	03 0 0E	Нех	achic	oroben	zene
8	<u>ė</u>	8	<u>8</u> 22	8	9 8	3 6	00	00 2	00/2	8 3	9	\$ 6 4 4	8	00 4	<u>60</u> 3	<u>8</u>	3	000	2 6	9	8	7 00	2	00 0	3 6	8 2	3	9	00 2	3 6	8	8	000	3 8	Š	2 00	_		oric A	
ŏ	ģ	స్ట్	දී :	ġ;	Š	5 5	ġ	2	ģ	ġ	<u>.</u>	5 2	Š	3	02	ខ្លួំ :	ည် 🖠	3 3		2 6	స్టే	<u>0</u>	<u> </u>	<u> </u>	3 5	ė	င့်	Ď.	ġ ġ	3 3	ò	02	į č	5 6	2	0	ĺ			I
N	N	ω	- (ພ	n -	* (.	· ~		-		CR I	N	· N	N	(J	_	2	-	J	4.	9	-	4	4	→ へ	,	_	S	w-		· on	4	→ (υια	> ~		1		oric Ac	1U
5E-02	SE-03	0-∃e	2E+0	m i	9 to 5	נו ק עורקי	7 m	1E-0	4€-0.	7E-0	ф 6	Am de	1 m+0	3E-02	8E-0	5E+0	m i	2E-01	ה ה ה ה	1 m	ím+ŏ	2E+0	5E-0	20-35 20-35	0+18 0+10	36+0	7E+0	1E+0	8E-0.	20,000	0-39	5E-0	47 6	0+10 10-10 11-0-10	i ii	3E-0	Lea	d		
0E+00	0F+00	0€+00	0m+00	00+00	00+00	00.400	0E+00).0E+00	0E+00	0E+00	0E+00	0E+00	00+00	0E+00	0E+00	.0E+00	0E+00	OF+00	000	0E+00).0E+00	0E+00	0E+00	Dm+00	00+00	OFF-00	.0E+00	0E+00	00+00	0F+00	0E+00	0m+00	0F+00	00+00	00.00	0.00	m-X	(ylene	•	
1 1E-01	1 1E-02	4 2E+00	4 9€+00	1 3E+00	2 4E+00	4 1 100	3 2E-02	4 5E-01	6 0E-01	7 3E-01	2 3E+00	1 0E-02	9.05+00	9 7E-02	1 6E+00	3 4E+00	00+30 £	5 4E-01	2 25 04	2 0E+01	3 9€+01	5 0E+00	1 9€-01	1 9E-01	7 8E+00 20-02	5 3E+00	7 1E+01	2 2E+01	1 6E+00	7 7E-03	2 8E+00	1 9€+00	6 0F+01	24E+01	C CIT CI	5 5E-01	Mar	ngane	se	

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

				_	۔۔								ــــــــــــــــــــــــــــــــــــــ			٠		<u> </u>	<u></u>					~	~			_	~		_ <u> </u>
129	<u>1</u> 2		126	124	120		126	12a	<u> </u>		-	-	11a		, <u>o</u>	6		10a	8	98	2		œ œ	2 2					8a (47	Model No
Liquid/NFF Solid	Coal/Wood/NFF	Coal/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	Liquid/NFF Solid	Liquid/NFF Solid Coal/Wood/NFF	Coal/Wood/NFF	Liquid/NFF Solid	Liquid/NFF Solid	Coal/Wood/NFF	Coal/Wood/NFF	Coai/Wood/NFF Liquid/NFF Solid	Liquid/NFF Solid	Liquid/NFF Solid Coal/Wood/NFF	Coal/Wood/NFF	Liquid/NFF Solid	Liquid/NFF Solid	Coal/Wood/NFF	Coal/Wood/NFF Liquid/NFF Solid	Liquid/NFF Solid	Liquid/NFF Solid	Coal/Wood/NFF	Coal	Coal	Coal		0 9 Co ⁹	Coal	Coal	Coal	Coal	
NFF S	Vood/N	/00d/N	NFF S	NFF S	Vood/N	/ood/N	NEF S	Vood/N	Vood/N	/ood/\	NEE S	NFF S	/00d/7	/ood/N	NEE S	Vood/N	/ood/N	Vood/N	NFF S	NFF S	/ood/N										Mat
olid :	취음	Ŧ	oid T	olid	취습	Ŧ	<u>€</u> :	F OE	H of	Ŧ	ה ה ה		F &	T	olid	취용	H	함취	o i	합	퓌										Material
								1	:			ŀ	;		,		:			ì		:			1		1			.	
	,			-								;							·	,	Wall-	W _{all}	Wall-	Wall-	V V	Wall	₩all	Wall-	Wall-	Wall-	<u>.</u> §
≧	≧	•	₽	A	≗		≅	₽	¥		₽	≗	` <u>≥</u>		₽	₽		₽	A	All	waii-fired/	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/D	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Combustor Type
<u> </u>	. v		<u>.</u>	<u></u>	. <u>.</u>		<u></u>		 Š	,	 8	- ō	 8		7	 5		 ō		0							-				265 7 1.03894 70.7827
>250	>250	}	>250	>250	>250		>250	>250	00-250		00-250	100-250	00-250	, ,	10-100	10-100		10-100	0-10	0-10	0624	>250	>250	250	7 250	>250	>250	>250	>250	00-250	Capacity Range (MMBtu/h
565	565		565	565	565		565	565	173		173	173	173	1	35	္မွ	,	ဒ္ဌ	တ	6	000	600	600	600	3 8	8 60	600	600	600	186	Avg Capacity (MMBfui
	: 77			!	ESP				- T	i		ESP			ESP	် ပြ		Z Z	<u>ဂ</u>	Z Z	<u> </u>		- !	i	1		:				€\$
FF/FSI		. ,	ESP/SD	ESP/FSI	70		Cyclone/Venturi/Pac	Cyclone			Wet Scrubber	; 70	Cyclone		ΰ	Cyclone	1	No Control	Cyclone	No Control	vvet Scrubber	FF/Wet Scrubber	FF/SD	FF/DSI	ESP/VVet Scrubber	ESP/Venturi/Packed	ESP/SD	ď	No Control	Wet Scrubber	Control
							Ventur			Ġ	4							으		<u>o</u>	boer	crubb			Scrud	tur/Pa	ì		<u>o</u>	bber	
							Pac															<u>u</u>			<u>e</u>	cked					a
7	ა	1	4		47		4		7	. ,	2	=	W		ဟ	5	,	œ	(J)	2	^	, <i>1</i> 2	2	12 6	3 2	. 7	ı Oı	196	17	74	No of Boilers
	···			0			<u> </u>	:0		i,	 >	, 0	-0								· c			0 0		-	-	_	0	_	-
	,	,	0		0					- 1			- 0		0			0	0	0									ω	1	No of leaters
0E+00	0.0E+00)	0E+00	0.0E+00	0€+00	i	0.0E+00	0.0€+00	0.0E+00		0.05+00	0E+00	0E+00		0E+00	0 0€+00	i	.0E+00	0E+00	0E+00	3.3E-03	3.3E-03	2.6E-03	2.0E-02	איטביקל	1 2E-02	8 4E-03	3.6E-01	3E-02	7 3E-03	14-Dichlorobenzene
0 0E+00 4.1E-01	2.9E-01)	N	6	u	-) 2 3E-01	6 4E	3 3E-02) 3 3F.	2 0E-01) 5 4E-02		_	0 1 8E-01	1	12	2	9 4E-04	3 4E-02				2000		~	w	ω	3 7 SE	16-PAH
			3E-01 1	4E-02 2	0E+00 1.			02			3			_	7E-02 7			7E-02 1	4E-03 1									8	01 7	02	
1.9€+01	3E+01	•	1.1E+01	29€+00	1.4E+02	i	m -01	2.9€+00	1.5E+00	} 	\$E+20	9.1E+00	2.5E+00		7E-01	8.3€+00	į	1.2E+00	1.1E-01	4 3E-02	8 05-02	8.0€-02	6.3E-02	4.8E-01	4.65-01	2.8E-01	2.0E-01	8€+00	6E-01	.7E-01	Acetaldehyde
9 SE	6.8E	, ,	C5	1.5	7 1E		ro 4	55	7.6E		7 5	4.7	1.3E		3.9E	4.3		6.3F	55	2.2€	1 35							1.4			Acrolein
6	8 4		4E+00 7	6 00+m	- <u>0</u>		m+00 1	E+00 8	-01			E+00 2			01 2	E+00 2	<u>`</u>	<u>6</u> 4	E-02 3	<u>8</u>	4		02 5	02 -	2 2	2 2	-02 2	† 00 5	01 4	-02 8	
7E-02	8E-02		6E-03	5E-03	5E-01	į 1	9E-01	6E-02	.4E-03		75-00	2.9E-02	2E-02		5E-03	.4E-01	Ī	0E-02	3.1E-03	.4E-03	0E-01	H H	.7E-03	3.4E-01	AF 01	. OF 01	.9E-02	6E+00	30+36	7E-01	Arsenic
3.8E+01	2.7E+01	1	2.1E+01	90 B	2.8€		2 1E+01	6.0E+00	3.0€+00		3 05+00	1 8E+01	5.0€		1 6E	1 7E	1	2 5E	2 2E	8.7€	3 25	3.2E	N	1 96-01	n	• -	~	w	ဒဓ္ဓ	6.98	Benzene
2				<u>8</u> မ	<u>.</u> 2			ω					<u>.</u>		9.	÷01 8		<u> </u>	<u> </u>	02 5	3								61 4	02 7	
4E-03	1.7E-03	; !	2.8E-04	3.4€-04	6E-02	6	6.9E-03	1E-03	1.9E-04	r c	4E-03	1.1E-03	2.6€-03		.0E-05	7E-03	i	4E-03	1.1E-04	.0E-05	4E-02	8E-03	4.8E-04	2.9E-02	25 JA	1 7E-02	4E-03	7E-01	1E-01	3E-02	Beryllium
9 0€-03	6,4R	i	<u>, 6</u>	1 3E-03	6 0E	6	2 6E	1 2E-02	7 2E	5	5 OF	3.9€-03	9 7E		3 3E	3.3E	i	ກ 4 ກ	4 2E	1 9E	5 6 11	i iii	8 3E	5.00	000	0 K)	4 m	8 1E	7 0E	1 3E	Cadmium
N	<u> </u>		<u>63</u> 2	ω	02 3	1	02 2	7	04		<u>5</u>		-03		04	02 2	,	03 2	-04 2	104	- 1		(J)	02 -	, α	0 2		G		ω	
.5E+01	2.5E+01		2.8E+00	5E+00	0E+02	1	8E-01	0E+00	8E+00		8F-51	9€+01	9E+00		6E+00	.0E+01	ŗ	9E+00	6E-01	0E-01	4E+01	4E+01	7E+00	7E+02	1 th 103	0E+00	4E+01	0E+03	8E+02	1E+01	Chlorine
1 5E-01	1 1E-01		1.76	2.2E	1 0E+00		4 3E-01	1 9E-01	1.2E-02	9	Э Л	6.7E-	1.6E-01		5 7E.	5 5E.	i	9	7 1E	3 2E-	4 4 U	. 6	6 3E-03	ω -	٠ (،	2.2E-01	(.)	6	5.4E		Chromium
	7		2	22			-		00		5 	02			03 4.	<u>01</u>		6	<u>රිය</u> 6	03 2.	- d	- 00	G.			01	02 2.	9	<u> </u>	<u>-</u>	
0E-05	4E-06	.	5.9E-06	.6E-06	7.7E-05	, 0	5.9E-06	1.6E-06	2E-07	1	7E-07	0E-06	1.4E-06		3E-07	6E-06	i G	8E-07	0E-08	2.4E-08	90-76	.9E-06	9E-06	3E-05	SE CO	3.1E-05	2E-05	7E-04	4E-05	9E-05	Dibenzofuran
5 4E-01	3.8E-01		ယ ကို	8.6E.	4.0€+00		ω m	8 6E-02	4 3E-02		4 3F	2.6E-	7.2E-02		2 2E-	2.4€-	ſ	3 6 1	3 m	1 2E-	395	8 9 6-	6.9E-	5 3E-02	4 ()	າ ພ	K)	ω.	ന	۱ ـــ	Dibutylphthalate
	7	-	<u>01</u> 5	02			5	_,	œ		8	01 4	<u></u>		<u>6</u>	-01 4.		-02 6	5	03 2.	5.	(D	Δ.	(·)		, _	_	0	r n		
0E-05	1E-06		7E-06	90 ⁻ 39	7.4E-05	, (7E-06	90.39	0E-07	ŗ	0F.07	9E-06	3E-06		1E-07	5E-06		6E-07	8E-08	.3E-08	90-D	5E-06	3E-06	36-05	2 1	9E-05	4E-05	0E-04	2E-05	2E-05	Dioxin
0.0€+00	0.0€+00	,	0.0m+00	00+ <u>3</u> 00	0.0E+00		0.0E+00	0.01	00E+00	10	0 0 + 00	0.0E+00	0.0E+00	;	0.0E+00	0.0€+00	- 1	0.06+	0.0E+00	0.0E+00	4.0E-	4.0E-	3 m	2.4E-02	7.4	î Î	9.9€-	4.3E-	3.7E-	8.6E-	Ethylbenzene
			_			1	<u>8</u>	+00 6		18	<u>3</u>	00 2.0				00 1.8E		+00 2:			0 <u>3</u>	03	<u>ය</u>	02 0	0 2	22	<u></u>	01 5.0	02	03 9.9	
m+0.1	2.9E+01		2.3E+01	6.5€+00	3.1E+02		2.3E+01	6.5E+00	3.3€+00	Ì	3 3E+00	2.0€+01	5.5E+00		1.7E+00	3E+01		2.7E+00	2.4E-01	9.5E-02	6E-02			2.7E-01		1.6E-01	1E-01)E+00	3F-61	€-02	Formaldehyde
4.1E+01 0 0E+00	0 0E+00		0,0E+00	0 0E+00	0 0E+		0 0 = +00	0 0€+00	0 0E+		n n=+00	0 0E+00	0 0E+		0 0년+	0 OE+	ľ	0 0 0	0 0E+	0 0E+	0 01+	30	9	0 0 0 +	0 0	0 00	0 0	30 0	R	+30 O	Hexachlorobenzene
7			00		÷00 9 6		Ça	N	90	1	<u></u>	6	00 1 7		+00 5 3	+00 58		+00 8 5	+00 7 4	+00 3 C	- 00	w		+ 00 + 4) N) (h	u			co	
ĬĒ+01	0E+02		2E+00	0E+01	6E+02		2E-01	0E+01	1m+01		fi 20	3E+01	7E+01		3E+00	8E+01	6	5#+00	#E-01	06-01	/E+01		5E+01	##+02	2 6	m + 00				E+01	Hydrochloric Acid
7.3E+01	7 3E+01	i	8.3E+00	1.0E+01	8.8E+02	,	8.3E-01	2.1E+01	8.1E+00	1		5.8E+01	1.7E+01		4.9E+00	5 8E+01	1	8 7E+0	7 6E-C	3.0E-01	2./E+	2.7E+00	1.1E+00	3.2E+01	30.00	3.7E-01	2 7E+00	9 4E+0	9.16+0	5 8E+	Hydrofluoric Acid
<u>_</u>	→		2	2.6	02 1.1		<u>5</u>	2	8. .			01 7.9	1.9		6.	6		<u>†</u>	01 8.4	ω	÷00 5./		00 8.1	01 4 8	2 C	01 2.8	00 4.0	02 7.9	+01 69	+00 1.2	
8E-01	3E-01		0E-02	6E-02	ĭñ+00	i	īr.	3E-01	4E-02	ŗ	π 5	E-02	Ē-01		7E-03	Æ-0.1		1m - 0.1	4E-03	7E-03	76-01	1E-02	ñ-03	m 01	2 5	i m)E-02	m+00	m+00	m+00	Lead
0.0E+00 1.1E+00	0 0€+00	i	0 OE+00	0 0E+00 1.5E-01	E+00 0 0E+00 7.1E+00	6	0 0 +00 3 0 +00	0.0E+	0 0E+00	G G	0 0E+00	0 0€+00	0 00+00 1 16+00		0 0€+00	0 0E+00 3 9E+00	í	0 OE+00	0 0€+00	0 0€+00	00+00	0 0+00	00€+00	0 0E+00	0 0 1 + 0 0	O OM ±	0 OE+	0 OE+(0 OE+(0 OE+	m-Xylene
<u>8</u> ::				1.5	00 7.1		30	0.0E+00 1 4E+00			<u>5</u>		8 1 1			00 39				00 2 2E-		30 3.4)0 3 4	2.0	200	00 1 2	7 1 00	00 3 3L	2.9	0 5 2	Managenese
₩+00	7 6E-01) }	1 2E-01	E-01	m+00	, i	m+00	m+00	8.5E-02	ì	6 OF-01	4 7E-01	m+00		4 0E-02	m+00	ì	6 3E-01	5 0E-02	Ĕ-02	246+00	3.4E-01	E-02	ф 6	3 5	8 6	m 01	m+01	m+01	90	Manganese

18c	185		18a	17d	17c		7	17a	o C	160	166	16a	15f	15e	15d	15c	15b	15a	14f	14e	14d	140	146	4 2	: : : : : : : : : : : : : : : : : : :	ಫ	13e	13d	136	13 i	<u>.</u> .	;	12	Model No
Biomass/Liquid FF	Biomass/Liquid FF Gas/Wood/Other	Gas/Wood/Other	Biomass/Liquid FF	Biomass/Liquid FF	Biomass/Liquid FF Gas/Wood/Other	Gas/Wood/Other	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gar	Gas	Gas	Gas	Gas	Gas	Gas	Liquid/NFF Solid	Coal/Wood/NFF	Coal/Wood/NFF	Material
<u>A</u>	₽	,	≙	₽	₽]	2	₽	Ciner	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Office of the contract of the	Other	Other	Other	Other	Other	Officer Officer	D A	: ;	<u> </u>	Combustor Type
10-100	10-100		10-100	0-10	0-10		5	0-10	750	>250	>250	>250	100-250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	10.100	0-10	0-10	0-10	0-10	0-10	0 0	2250	3	>250	Capacity Range (MMBtu/h
45	45	:	£	6	· · 6	١	n	6	5/0			520	16 <u>4</u>	164	164	164	164	164	33	ដ	,		ස්	3) c	س∫س	ယ		ω	ω	ယ (2 g		565	Avg Capacity (MMBtw
ESP	Cyclone		No Control	Wet Scrubber	TI	Cycloria	Colors	No Control	wet scrubber	ESP	Cyclone	No Control	Wet Scrubber	Ŧ	ESP/Wet Scrubber	ESP	Cyclone	No Control	Wet Scrubber	FF/Wet Scrubber	T	ESP	Cyclone	No Control	Venturi/Packed	FF/Wet Scrubber	FF/DSI	FF	ESP	Cyclone	Wet Scrubber		EE/Wet Scribber	Control Level
ಪ	6		73	,2	, 2	-	:	ö	ļα	3	6	473	19	9	2	17	21	1042	8	<u>ವ</u>	69	23	119	0733	2 0	9	S	182	9 .	90 8	6	,	ა	No of Boilers
0	٥		0	0	0	c	>	0	1	: 0	3	176	31	0	ω	0	0	474	145	0	29	0	6	300%	120	0	0	64	110	29	0	, ,	>	No of Heaters
2 0€-02	1 0E-01		1 8E-02	3 1E-04	3 1E-04	1 35-00	200	1 7E-03	005+00	0 0E+00	0 0€+00	0 0€+00	0 0E+00	00+30 0	0.0E+00	0.0E+00	0 0€+00	0 0€+00	0 0E+00	0 0E+00	00E+00	0 OE+00	0 0E+00	0 0 0 0 0 0	0 0 0 0 0 0	0 0E+00	0 0E+00	00+00	0 0 = +00	0 0 = +00	005+00		0.05+00	14-Dichlorobenzene
2 0E-02 1 7E-01	8 5E-01		1 6E-01	2 6E-03	2 6E-03	ו טביטל	1 65 00	1 5E-02	305+00	2.3E+00	3.4E+00	1 1E+02	2.3E+00	4 1E-01	2.3E-01	8 5E-01	1 1E+00	7 6E+01	2 0E+00	1.2E-01	8 8E-01	2 3E-01	1 25+00	1 45.01	7 2E-03	7 2E-03	4 0E-03	2 0E-01	1 1 1 1	1 15-01	3.5E-01		1 25 01	16-PAH
5 3E-01 7 2E-02	2.7E+00		4 9E-01	8.3E-03	8 3E-03	20-07	n n	4.6E-02	4 55+00			1.7E+02	_	6.0E-01	3.3E-01	1.3E+00			3.0€+00	1 7E-01	1 3E+00	3.4E-01		201200	1 1E-02	1.1E-02	5.9E-03	2.9E-01	1 6 -01	1 65-01	1 6E+01		2E+00	Acetaldehyde
7 2E-02	3.7E-01		6.7E-02	1 1E-03	1 1E-03	/ 05-03		6 3E-03	2.3	1 8E	m	8.8E+00	1.7E-01	3.1E-02	1.7E-02	6.6E-02	8.1E-02	5.9E+00	1 6E-01	9 0E-03	6 8E-02	1 8E-02	9 65-02	1.15-02	5 6E-04	5.6E-04	3 1E-04	1.5E-02	8 25-03	8 25-03	8 1 1 00		2 7 1	Acrolein
3 4E-04	1 5E-02		3.1E-03	4 1E-05	5 9E-06	2.90-04		2.9E-04	π̈́	3 0E-03	3	1 SE	2.3E	5 9E	ω	_		_	N			ω.	1 5F-02		5 3E-05		Ch	2 9E	1 4F	1 35.03	4 0E-01		i on	Arsenic
3 4E-04 1 4E+01 1 6E-05	7 2E+01		1 3E+01	2.2E-01	2.2E-01	140	;	1 2E+00	3 6E-02	7E-02	0E-02	1,4E	2 7E-02	4 9E-03	2.7E-03	_	_	9	2	1 4E-03	1 0E-02	2 7E-03	1.55-02	1 65 -03	8 6E	00	4	2 4E-03	135.03	1 35.03	3 2E+01		1 10 101	Benzene
1 6E-05	7 4E-04		1 5E-04	2 0€-06	2 8E-07	1.40-05		1.4E-05	0.0E+00	0 0E+00	0.0€+00	0.0E+00	0 0E+00	0.0E+00	0.0E+00	0.0E+00	0.0€+00	0 0E+00	0 0E+00	0 OE+00	0.0E+00	0.05+00	0 05+00	00.00	0.0E+00	0.0E+00	9	0 0E+00	0.05+00	0 05+00	1 4E-02	0 20 0	n 01	Beryllium
7 7E-04	3 5E-02		7 1E-03	9 4E-05	1 3E-05	0 / 12 - 04	1	6.7E-04	ä	2.2E-03	2 9E-02	1 1E+00	1 7E-02	4 4E-04	N)	co	9 2E-03	7 4E-01	1 5E-02	-	(0)	N) .	1 15-02	٠	398	7 7E-06	4 3E-06	2 1E-04	1 05-04	2 3E-01	5 4E-02	7 OE-02	n n	Cadmium
2 3E-01	1 3E+00		2 4E-01	1 1E-03	3 2E-03	70-30.7	1	2 3E-02	0 0 =+00	0 0E+00	0 0E+00	0 0E+00	0 0E+00	$\overline{}$		<u> </u>			0	0	_	_ (2 0	-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 05+00	0 0E+00	0 0 0 0 0 0	0.05+00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1E+01	J. J. T. T. C.	n H	Chlorine
3 9€-03	1.8E-01		3 6€-02	4 8E-04	6 8E-05	340-03	; ;	3.4E-03		2.6E-03		1.3E+00	2.0€-02	5 0E-04	2.8E-04	9.5E-04	1.1E-02	8.5E-01	1 8E-02	1.4E-04	1.1E-03	2 5E-04	1 25-02	1 55-00	4 5E-05	8.9E-06	4 9E-06	2.4E	1 25.04	1 15	9.1E-01	10-06		Chromium
3 9€-03 0 0€+00	0 0E+00		0.01+00	0 0€+00	0 05+00	0.05+00		0.0E+00		1.16	1 6E					-				cn .	4	٠ ,	n c	n a	3.4E	3 4E	1.9€		5 15.00		8 8E-06	7 35-00	n	Dibenzofuran
	3.5E-01		6 3E-02	1 1E-03	1 1E-03	ס טב-טג	,	5.9E-03	0.0€+00	0 01+00	0.0E+00	0 05+00	0 0E+00	00.00	0 0E+00	0 0E+00	0 0 0 + 0 0	0 0E+00	0 OE+00	0.0E+00	0 00+00	0 0 0 0 0	0 05+00	0.01+00	0 01 00	0 0E+00	0.0E+00	0.0E+00	0.05+00	0.011400	4 6E-01	100.00	n n	Dibutylphthalate
0 0E+00	0 0€+00		0 0E+00	0 0E+00	0 0E+00	0.05+00		0.0E+00	1.5E-06	1 2E-06	1.7E	5.9E	1.2E-06	2.1E-07	1 2E-07	4.4E-07	5.4E-07	3 9E-05	1 OE-06	6.0E-08	4.5E-07	1 2E-07	6 45-07	7 35-08	3 7E-09	3 7E-09	2 1E-09	1 0E-07		5 4E-03	8.5E-06	7 00-00	2 0 0	Dioxin
6 8E-02 0 0E+00 5.8E-03	3 0€-02		5.4E-03	9 2E-05	9 2E-05	0.00-04	2	5,1E-04	1.7E-02	1.3E-02	1.8E-02	9	1 2E-02	2.2E-03	1 2E-03	4.7E-03	5 8E-03	4 2E-01	1.1E-02	6.4E-04	4.8E-03	1 25-03	6 8 5 - 03	7.85-04	3 9E-05	3.9E-05	2.2E-05	1.1E-03	5 8 = 04		0 0E+00	0.00	200	Ethylbenzene
7 2E-01	3 6E+00		6.6E-01	1 1E-02	1 1E-02	0.9E-02	1	6 2E-02	7 9E+00	6 0€+00	8 8E+00	3 0E+02	5 9 =+ 00	1 1E+00	5.9E-01	2 2E+00	2.8E+00	2.0E+02	5 4E+00	3 1E-01	2 3E+00	6 0F-01	3 35+00	3 85 -01	1 9E-02	1 9E-02	1 1E-02	5 2E-01	180	285.01	3 5E+01	-	J	Formaldehyde
0 0 = +00	0 0E+00		0 0E+00	0 0E+00	0 0E+00	0 05+00		0 0E+00	0	300	0 0E	0 0E	30 OE	\sim	0 0€+00	$\overline{}$	0 0E+00	0 0€+00	0 0 = +00	0 0E+00	0 0 = +00	0 0 0 00	00+00	0000	900	30 O	0 0€	0 0 0	0 0 1 00		0 0 0 0 0 0	C		Hexachlorobenzene
7 2E-01 0 0E+00 6 5E+00 0 0E+00	3 3E+01		6 06+00	2.9€-02	1 1E-01)	5 7E-01	- 00	2.3E-01	3.3E-01	1 1E+01	6 2E-02	4.5E-02	6.2E-03	8 4E-02	1 0E-01	7.5E+00	5 6E-02	3.2E-03	9.6E-02	2 3E-02	1 25.01	3.91-03	7 9E-06	2.0E-04	2 2E-04	2 2E-02	1 0 0 0 0	<u> </u>	3 1E+01	_		Hydrochloric Acid
0 0E+00	0 0E+00		0 0E+00	0 0€+00	0.0E+00		·	0 0E+00	0	30 0	30 O		0 0E+00	0 0€+00	0.0E+00	0 0E+00	0 0E+00	0 0 = +00	0 0E+00	0 0E+00	0.0E+00	0.00+00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 05+00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0E+00	0.0E+00	0.01+00	0 0 0 0 0	n 6	3 1E+01	,	0	Hydrofluoric Acid
5 9E-03	2.7E-01	i	5.4E-02	7 1E-04	1 0E-04	ט ודיטיט	1	5 1E-03	4	4 4E-03	5 8E-02	2.2E+00	3 4E-02	8 7E-04	4 9E-04	1 6E-03	1 8€-02	1 5E+00	3 1E-02	2 5E-04	1 9E-03	4 4E-04	2 25.02	2.25-03	7 7E-05	1 5E-05	8 6E-06	4 2E-04	2 05-04	1 85.03	1 16+00	70-1 21-07	n 0	Lead
0 0E+00 2.6E-01	0 0E+00		0 0E+00	0 0E+00	0.0E+00	0.0E+00		0.0€+00	2.2E-02	1.7E-02	2.4E-02	8.3E-01	1 6E-02	3.0€-03	1.6E-03	6 2E-03	7 7E-03	5.5E-01	1 5E-02	8.5E-04	6.4E-03	1 75-03	9 15 03	- 01-03	5 2E-05	5 2E-05	2.9E-05	1 4E-03	7 75.04	7 75-01	0.01+00	n		m-Xylene
2.6E-01	1.2E+01	:	2.4E+00	3.2E-02	4 6E-03	7.3E-01		2.3E-01	3.3E-01	3.3E-02	4.3E-01	1.6E+01	2.5E-01	6.4E-03	3.6E-03	1.2E-02	1.3E-01	1 m+01	2.2E-01	1 8 03	1.4E-02	3 2 € - 03	1 65-01	70-10	5.7E-04	1.1E-04	6.3E-05	3.1E-03	2 T T T T T T T T T T T T T T T T T T T	٠ د		C.	3 0 0	Manganese

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

				<u> </u>	22 g	22d	22c	22 b	22a	21e	21d	216	212	20a	200	}	20ь	20a	19f	19e	19d	19c	19b	18g	186	18e	18d	ē	Model	
Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid	Distillate Liquid FF	Distillate Liquid FF	Gas/Wood/Other	Gas/Wood/Other	Gas/Wood/Other	Biomass/Liquid FF	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biornass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Gas/Wood/Other	د گورا د								
iquid FF	iquid FF	quid FF	buid FF	quid FF	quid FF	iquid FF	iquid FF	iquid FF	iquid FF	iquid FF	iquid FF	iquid FF	מומים היו	/Other	JOther)Other	iquid FF	iquid FF I/Other	Jother	Iquid FF	iquid FF I/Other	iquid FF I/Other	.iquid FF t/Other	J/Other	Jquid FF	J/Other	Jother	od/Other	o constant	
													-									····		· • · · · · · · · · · · · · · · · · · ·		·• • • • • • • • • • • • • • • • • • •		-	(2)20	
All	₽.	≧¦	₽ }	≧ ≧	A	≧	<u>A</u>	₽	₽	≧	<u>≥</u> :	≧ }	2 2	₽	₽		≧	A	ΑI	A	E	≧	A	≧	A	A	<u>Al</u>	type	Combustor	
>250	>250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	0-10	0-10	0 0	2250	>250	>250		>250	>250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	1 <u>0</u> -100	10-100	7.0	(MIMB)u/h	Capacity
	355	157	57	157 167	29			29	23	ω	ω,	ωı	ر د د	394	394	}	394	394	178	178	178	178	178	45	45	\$	45	(8)	(MMBtu/	Š
ESP	No Control	Wet Scrubber	THE CYCLORE	No Control	Wet Scrubber	F	ESP	Cyclone	No Control	Wet Scrubber	FF	Cyclone	Wet Scrubber	7	ESP/Wet Scrubber		ESP	Cyclone	Wet Scrubber	ESP/Wet Scrubber	ESP	Cyclone/Venturi/Pac	Cyclone	Wet Scrubber	FF/Wet Scrubber	77	ESP/Wet Scrubber	Collub Level		
ω	<u>5</u>	о (ى د	78	6	9	6	6	787	o',	42	13 E	24	<u></u> ω	2		=	ري د	5	_	12		رب د	ω		-		SIPHOG		
0		0 0				٥				ۍ		s ē			0		0	0	0	0	0	0	0	0	0	0	0	nealers	No of	
			0 05+00		0.0E+00		_			0.0E+00		0.0E+00					1 7E-01	7 9E-02	9.3E-02	6.2E-03	8.3E-02	6.2E-03	3.4E-02	4.1E-03	1 4E-03	1 4E-03	1 4E-03	1.	4-Dich	lorobenzene
			205.02	1 7E+00								6 4E-03					1.5E+00	6.8E-01	7.9E-01	5.3E-02	7 1E-01	5.3E-02	2 9E-01	3.5E-02	1.2E-02	1 2E-02	1 2E-02	11	6-PAH	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			205.02						-			2 5E-03	92500	1 16+00	7 6E-01		4 7E+00	2 1E+00	2 5E+00	1 7E-01	2 2E+00	1 7E-01	9 2E-01	1 1E-01	3 7E-02	3 7E-02	3 7E-02	A	cetalde	ehyde
2.4E-02	8 4E-01	1 9E-02	מאביים בייטע	3.3E-01	3 6E-03	5.3E-03	3.9E-03	3 9E-03	5 8E-01	6.7E-04		1.4E-01	1.3E+00	1.6E-01	1.0E-01		6.4E-01	2.9E-01	3.4E-01	2.3E-02	3 0€-01	2.3E-02	1 3E-01	1 5E-02	5.0E-03	5.0E-03	5 0E-03	A	crolein	
1.5E-04	5.1E-02	9 15 04	n n	i R	1.7E-04	£	2.4E-05	22	ä	22	m	6 7E-05	i E	8.1E-04	5.4E-04		3.0E-03	1.2E-02	1.2E-02	1.2E-04	1.4E-03	5.9E-04	5.3E-03	5.4E-04	2.6E-05	2.6E-05	2.6E-05	A	rsenic	
88	1 3E+00	3 0E-02	20.07	5.2E-01	5 5E-03	æ	22	26	9.1E-01	1.1E-03	5.0E-03	1 96-03		3.1E+01	2.0E+01	i	1.3E+02	5.7E+01	6.7E+01	4.4E+00	5.9E+01	4.4E+00	2.5E+01	2.9E+00	9.8E-01	9 8E-01	9.8E-01	В	enzene	
5.4E-05	1 9€-02	3 35-04	2 10 04	7 4E-03	6 2E-05	1 3E-05	8.8E-06	7.9E-05	1 3E-02	1.2E-05	7 9F-06	2.5F-05	2.2E-03	3 9E-0 5	2.6E-05		1.4E-04	5 8E-04	5 9E-04	5 6E-06	6 8E-05	2.8E-05	2.5E-04	2 6E-05	1 2E-06	1 2E-06	1 2E-06	в	erylliur	n
5.4E-05	1 9E-02	3 3E-04	2 / 10 / 04	7 4E-03		3E-05	8.8E-06	7.9€-05	1 3E-02	1 2E-05	7 9€-06	255-05	1 0E-01	1.9E-03	1.2E-03	,	6.8€-03	2.8E-02	2.8E-02	2.7E-04	3.2E-03	1 3E-03	1 2E-02	1 2E-03	5.9E-05	5 9E-05	5 9E-05	C	admlu	# 1 T # . T #
4.7E+00	1 8E+02	1 25+00	1 80 100	7 2E+01	2.2E-01	9.0E-01	7.7E-01	8.6E-01	1 3E+02	i m	A i	27E-01	im	4.4E-01	1 0E-01		2.1E+00	1.0E+00	3.4E-01	2.3E-02	9.8E-01	9.1E-04	4 6E-01	1 5E-02	5 0E-03	1 4E-02	5 0E-03	С	hlorine	
1.8E-04	6 2E-02	1.18-03	7 00 05	2 4E-02	2.0E-04	4 4E-05	2 9€-05	2 6E-04	æ.	3.9E-05	66	8 15-05	5 3E-01	9 4E-03	6 3E-03		3.5E-02	1 4E-01	1 4E-01	1 4E-03	1 6E-02	6 8E-03	6.1E-02	6 3E-03	3 0E-04	30E-04	3 0E-04	С	hromiu	ım ,
1 5E-07	5 15 06	1 2F-07	5.00.00		2 1E-08	3 2€-08	2 4E-08	2 4E-08	3 5E-06	4 1E-09	1 95-08	7 4F-09	0 0E+00	0 0€+00	0 0E+00		0 0E+00	0 0€+00	0 0€+00	0 0€+00	0 0E+00	0 0€+00	0 0E+00	0 0€+00	0 0E+00	0 0€+00	0 0E+00	D	ibenzo	furan
0 0E+00	0 0 0	0.05+00	n n	8	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0 0 0 0	0.01	0 0 = +00	0.05+00	3 28	1.5E-01	9.8E-02		6 OE-01	2.7E-01	3.2E-01	2.1E-02	2.9E-01	2.1E-02	1 2E-01	1 4E-02	4 7E-03	4 7E-03	4 7E-03	D	ibutylp	hthalate
5.3E-07		4 2F-07	2 15 07	7.2E-06	7.8E-08	1.2E-07	8.6E-08	8 6E-08	1 3E-05	1.5E-08	705-08	3.1E-06	0.0E+00	0.0E+00	0,0€+00	,	0.05+00	0.0E+00	0.0E+00	0.0€+00	0.0E+00	0.0€+00	0 0E+00	0 0E+00	0.0E+00	0 0€+00	0.0E+00	p	loxin	
7.9E-04		6 3E-04	J (.	1 16-02			_	1 36	1 96	2.2E	1 OF	4.65-05		_	8.5E-03		5.2E-02	2 3E-02	2.8E-02	1 8E-03	2.5E-02	1 8E-03	1 0E-02	1 2E-03	4 0E-04	4,0E-04	4 0E-04	E	hylber	zene
3.7E-01	1 3E+01	2 95-01	, - , - , -	5.0E+00	5.4E-02		<u> </u>	6.0€-02	8 9 = +00	1.0E-02	4 8F-02	1 95-00	1 2E+01	1.6E+00	1 0E+00		6 3E+00	2.9€±00	3.4E+00	2.3E-01	3.0€+00	2.3E-01	1 3E+00	1 5E-01	5.0E-02	5 0E-02	5 0E-02	Fo	ormald	ehyde
0 0E+00	0.05+00	0.06+00	0.00	0 00	0.0E	0.0E	0.01	0.06	00	0.05	0 0 0	0.05+00	0.00	0.0E+00	0.0€+00		0.0E+00	0.0€+00	0 0 =+00	0.0€+00	0.0E+00	0 0E+00	0 0 0 + 0 0	0 0E+00	0.0€+00	0 0 0 + 0 0	0 01 +00	H		orobenzene
		3 8E-02		ı N	7 1E		2.8E	6)	4.2	_	2 SE	8 85-03	3.2E	1 6E+01	2.6E+00		5.8E+01	2.6E+01	8.6€+00	5.7E-01	2.7E+01	2.3E-02	1.1E+01	3 8E-01	1.3E-01	50E-01	1 3E-01	Н	ydroch	loric Ácid
	0 0 0 0 0	0.05+00		900	0.08	0 06	000	0 OE	0.06	0	0 0	0 05+00	0 0 0	0 01100	0 0E+00		0 0 0 + 0 0	0 0E+00	0 0€+00	0 0E+00	0 0E+00	0 0€+00	0 0E+00	0 0E+00	0 0E+00	0 0€+00	0 0E+00	н	ydroflu	oric Acid
	198-01	3 3 5 03	2 10 03	7.4E-02	6.2E-04	1.3E-04	8 8E-05	7.9E-04	3 1	1.2E-04	7 95 05				9.4E-03) 5.2E-02	2.1E-01	2.1E-01	2.0E-03	2 5E-02	1.0€-02	9.2E-02	9.5E-03	4 5E-04	4 5E-04	0 4 5E-04	Le	∌ad ́	
0 0E+00	00+700	0 0 0	0.01	0.0€+00	0.0E+00	0.0€+00	0 0E+00	0.0E+00	0 0 = +00	00+30	0.05+00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.06	0.0€+00	0.0€+00		0.0E+00	0 0€+00	0 0E+00	0 0E+00	0 0€+00	0 0€+00	0.0E+00	0.0€+00	0.0€+00	0 0€+00	0 0E+00	m	-Xylen	• • •
		6 35-03	4 4					- 1	N			475.04	366	- 6	4		2.3E+00	9 5E+00	9 7E+00	9 2€-02	1 1E+00	4 6E-01	4 1E+00	4 3E-01	2 0E-02	2.0€-02	201-02	м	angan	ese .

356	S S S	34 d	34 6	<u>34</u>			32d	32c	32 b	32a	31 e	31d	3, 0	318	30e	300	30c	30 b	30a	29c	29b	29 a	28c	28 b	28a	271	27e	27c	276	27a	26f	260	260	265	26a	25b	25a	Model No
Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	NFF Liquid/NFF	NFF Liquid/NFF	NFF Liquid/NFF	NEE Liquid/NEE	NET Liquid/NET	NEE Liquid/NEE	NEF Liquid/NFF	NFF Liquid/NFF	NEE Liquid/NEE	NET CIQUIQ/NET	NET Liquid/NET	NET Liquid/NET	NEE Liquid/NEE	NFF Liquid/NFF	NEF Liquid/NEF	Material
Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-hred/P	Wall-fired/P	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other		<u>A</u>	₽,		A A	≙ ≙	A	≧:	<u>.</u>	₹ }	≧	A	A	₽	All	Combustor Type
>250	>250	10-100	10-100	ē ē	9 6	0-10	>250	>250	>250	>250	100-250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	0-10	0-10	0-10	>250	>250	>250	100-250	100-250	100-250	100-250	100-250	10 c	10-100	10-100	10-100	10-100	0-10	0-10	Capacity Range (MMBtu/h
677	677	26	26	26	⊰ ~	7	449	449	449	449	179	179	179	179	8	36	30	30	30	თ	თ	۲٦.	562	562	562	161	5 5	161	161	161	58 c	r &	58	58	58	6	6	Avg Capacity (MMBtu/ hr)
ESP/Wet Scrubber	ESP	Wet Scrubber	T	Cyclone	Cyclone	No Control	Wet Scrubber	ESP	Cyclone	No Control	Wet Scrubber	ESP	Cyclone/Venturi/Pac	No Control	Wet Scrubber	Ŧ	ESP	Cyclone	No Control	#1	Cyclone	No Control	Wet Scrubber	ESP	No Control	Wet Scrubber	Cyclone	ESP/Wet Scrubber	ESP	No Control	Wet Scrubber	7	ESP	Cyclone	No Control	Cyclone	No Control	Control Level
;			_	28	. U	10	51	14	ω,	2	29	21	<u>.</u> (2	> 12	26	5	12	256	73	4	76	76	4	Ch	ದ	ω -	.		7	21	٠ ،	٠ -	ıω	10	29	4	2	No of Boilers
0	0	0	· ;	0		0	0	0	0	'	0	:	0 0	İ	!		=	00	ω	0	4	4	0	0	0	0)0	o' c	o:0	0	4	0.0) C	0	0	ω)	0	4	No of Heaters
1 3E-04	1.5E-04	5.2E-06	5 2E-06	1.6E-04	6.1E-06	1 2E-05	5 0E-04	1.6E-03	3.4E-04	2.2E-04	1.1E-03	9.1E-04	3.95-04	8 7E-05	1 6E-04	7 5E-05	1.4E-04	1.6E-03	4.5E-04	3.2E-06	7.1E-05	7 1E-05	0.0E+00	0.0E+00	0.0€+00	0.05+00	0.01100	0.0E+00	0.0E+00	0.0E+00	0.05+00	0.01.00	0.0E+00	0.0E+00	0.0E+00	0 0E+00	0 0E+00	14-Dichlorobenzene
1 2E-01	1 3E-01	4 7E-03	4 7E-03	1 4E-01	5 4E-03	1 1E-02	4 5E-01	1 4E+00	3.0E-01	2.0E-01	1 OE+00	8.1E-01	3.55-01	7 7E-02	1 4E-01	6 7E-02	1.2E-01	1 4E+00	4.0E-01	2.8E-03	6 3E-02	6 3E-02	1 4E-01	20€-01	5 1E-01	2.6E-02	0 6E-03	8 6E-03	6 7E-02	2.4E-01	3 4E-03	2 3E-02	1 1E-02	3 7E-02	1 2E-01	1.4E-03	2 1E-03	16-PAH
3 1E+01	3 4E+01	1 2E+00	1 2E+00	3 8E+01	1 4E+00	2 8E+00	1 2E+02	3 6E+02	7 8E+01	5 2E+01	2 6E+02	2 1E+02	9 15+01	2.0E+01	3 6E+01	1 7E+01	3 2E+01	3 7E+02	1 1E+02	7 4E-01	1 6E+01	1.6E+01	1 6E-01	2.2E-01	5 7E-01	2.9E-02	9 /1-03	9 7E-03	7 5E-02	2 7E-01	3 8E-03	2 61-02	1 3E-02	4 2E-02	1 3E-01	1 6E-03	2 3E-03	Acetaldehyde
2 8E+00	3 1E+00			3.4E+00									8.25+00													1 3E-01					1 7E-02			1.9E-01				Acrolein
6 4E-03	6 4E-03	1 8E	2 5E	o u	246	5 3E	1 7E	6 8E	1 3E	9 7E	3 8E	4 A	0 15	3 8E	5 3E	3.6E	6 0E	6 2E	2 0E	1 5E	2 8E	3 1E	6 3E	i	2 9E	1 2 6	7 OF	5 5E	39∈	1 4E	- 0 - 1 - 1 - 1	1 58	6 4E	1 9E	6 9E	7 2E	1 2E	Arsenic
8 1E+00	9	4	(4)		. (.)	~	ω	9	2		7	(7) 1	3 N	Ch.	9	-4	8	9	77	N)	4	4	00		· · ·		D //	. (1)	(1)							<u></u>		Benzene
8 3E-04	8 3E	2.3E	3 3E	8 2E-03	3.1E	6 9E	2 2E	8 8E	1 7E	1 2E	5 06	5 A	200	4 9E	6 8E	4 7E	7 7E	8.0€	2.6€	2.0€	3 6E	4 0E	0.0	0 06	0.0E			0.00	0 0E	0.06	0 0	0 00	0 0E	0 OE	0 OE	0 00	0 OE	Beryllium
1 6E-03	1 6E	4 6E	6.5E		6.1E	1 4E	4.4E	1.7E	3.4E	2.5€	9.95	1.06	3.95	9 7E	1.4E	9 3E	1.5E	1.6E	5.1E	4 0E	7.1E	7 9E	1 8E	3.2E	8.2E	3 - 3 f	1 5	1.55	1.16	3.9E	4 27	4 2E	1 8E	5 4E				Cadmium
1 9E-01	6	7	2.1E	00 0	, <u></u>	6.3E	7 2E	7 2E	1 7E		1 6E	4 2E	2.05	4 5E	2.2E	3.0€	6 4E	8.1E	2.3€	1 3E	3.6E	3 6E	0 OE	0 OE	900	0 00		0 0 0	30 O	0	0 0	0	0	0	2 0 0E+00	1 0 0E+0	1 0 0E+0	Chlorine
6.5E-0	6 SE-00	38	2.6E	ത ധ	2.4E	5 4E	1 7E	6.9E	1 3E	999	3 9E	4 0E	9 6 6	38€	5.4E	3 7E	6.1E	6.3E	2.0€	1 6E	2 8E	3 1É	5 7E	1 ! 6	2.7E	# # #	200	5 OE	3 5E	0 1 3E+0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1 4E-0	0 5 8E-0;	0-38 i c	o 2E-0	0 6 SE-0:	0 1 1E-0	Chromium
1 5E-0		5.9E	5.9€		6.9E	1.4E	5.7E	1 8E	3.8E	2.5E	36	- H	4 4	9.9E	1.8E	8.5E	1.68	1.86	5.2E	3.6€	30.8	30.8	8.3E	1.26	306	- 5 C	n . 5	5 1 1	3.9€	1.46	20.00	A	6.6E	2.2E	7 0E	8 E	1.2E	Dibenzofuran
5 8 SE-0	5 9 4E-0	(.)	(1)	1 0 1	3 9E	7 8E	3.2E		2.1E	1.4E	7 2E	5.8E	` ^ `	5.5E	36 6	4.8E	8.8E	1 0E	2.9E	2.0€	4 SE	4 5E	0 0 0	0	0	2 0		0 0 0	_	0	2 0	0	0	_	0	0	0	Dibutylphthalate
3 2 1E-0	3 2.4E-0	4 8 4E-0	4 8.4E-0	N -	986	2.0E	8 OE	2 5E	5 4E	3 6E	1 8E	- 5E	6 3 E	1 4E	2 5E	1 2E	2 2E	2 5E	7 3E	5 1E	一		2 2E	0 3 OE-0	0 7 9E-0	4 OF	7 6	1 3 €	1 0E	0 3 7E-0	0 5 25-0	0 3 6E-0	0 1 7E-0	0 5 8E-0	0 1 SE-0	0 2 1E-0	0 3 2E-0	Dioxin
5 2 6E-0	5 2 9E-0			(A) (A)		N)	ω.	(4)	<u></u>	4	N) .		<u> </u>		(₄)		7.7	(a)	00	0	<u> </u>		4	o .		20 00	2 1/2	N N	N	~J	→ N		(₄)		(u)	1.	6	Ethylbenzene
12	2	9	9	3 00	ī	2.2E	9.2E	2.9€	6 2E	4 m	2 1E	1.76	7.25	1.6E	2.9E	1.4E	2.5E-	2.9€	8 3E	5 9E	1 3E	1 3E	0 00	0.06	0 0 0			0	0 0€-	0	0 0	0	0	0	0	0	0	Formaldehyde
1 5 7E-0	1 6 4E-0	1 2.3E-0	1 2 3E-0	7 0	2 6E	5.3E	2.2E	6 8E	1 5E	9 7E	4 96	4 0 0	7 7	3.8E	6.8E	3 3E	6.0€	6 8E	2 0E	1 4E	3 1E	3.1E	0 OE	90 0	0.05	0		0 OE	0	0 0.05+0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0E+0	0 0 0E+0	0 0 0 0 0	0 0 0 E+0	0 0 OE+0	Hexachlorobenzene
4 7 5E+0	4 3.0E+0	w	1 2E	SI	- 2E	2 5E	28€	3 2E	6 8E	4 5E	6.4E	1 96	795	1 8E	8 8E	1 7E	2.8E	3 2E	9 2E	7 2E	1 4E	1 4E	4 7E	2 4E	6 2E	8 7 1	3 17	2.9E)0 8 1E+01	0 2 9E+02	0 1 1 1 1 1 0 0	3 111+0	0 1 3E+0	0+3E+0	0 1 4E+02	0 1 7E+00	0 2 5E+00	Hydrochloric Acid
0] 0 0E+00	1 0.0E+0	1 0 0E+0	0.0E	~ ~	000	0.0E	0 OE	0.0E	0.0€	0.0€	0.06	0 0 0	0 00	0.00	0.0€	0.0E	30 O	0.0€	0 0E	0.0E	0.0E	0 OE	0 OE	0.0E	0.0E	0.00		0.00	0 0E	30 O	0 0	0.0	0.0€	30 O	0 OE	0 OE	30 O	Hydrofluoric Acid
0 3.6E-0:	0 3.6E-02	0 995-0	0 1.4E-00	0 3.65-0.	0 1.3E-0.	0 3.0E-0;	0 9.5E-0	0 3.8E-0	0 7.4E-01	0 5.5E-01	0 2.25+0	0 2.2E-01	5 8.6E-0	0 2.1E-0	0 3.0E-0	0 2.0E-02	0 3.4E-02	0 3.5E+0	0 1.15+0	0 8.7E-04	0 1.6E-01	0 1.7E-01	0 6.3E-01	0 1.16-01	0 2.9E+0	D 1 2F-01	5 05 03	0 5.5E-00	0 3.9E-02	0 1.4E+00	2 1 5 5 0	0 1 5E-02	0 6 5E-00	0 1 9E-01	ງ 6.9E-01	0 7.2E-03	0 1.2E-02	Lead
2 0.0E+00	2 0.0E+00	0.0E	0.0E	1 0 0E+00	0.00	0.0€	0.0E	0.06	0.0E	0.0E	0.0E	0.00	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0.05+00	1 0 0E+00	2 0.05+00	? 0 0E+0C	0 0E+00	300	0.00	30 O	0.0E	30,0	0.0E	0.0E	0.05	0.0	3 0.0E+00	0.0E	0.0E	2 0 0E+00		0.06	0 OE	1 0 0E+00	0 OF	2 0 0E+00	m-Xylene
) 1.0E+00) 1.0E+00			0.0E+01	3.8E-01	8,4E-01	1 2.7E+01	1 1E+01	2.1E+01	1.5E+01	6.1E+01	6 3E+00	1 7 T + O1	0.0E+00) 8 4E+00	5 8E-01	9.5E-01	9.8E+01	3.1E+01	2.4E-02) 4 4E+00	4 9E+00	5 2E-01	9 3E-02	2 4E+00	9 6E-02	4 15 03	4 6E-03	3 2E-02	1 1E+00	1 2E-02	1 2E-02			5 7E	5 9E-	9	Manganese

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

39e	390	39b E	39a E		38f			38d	38c E	38b E	38a E	371 E	37e E	37d E	37c E	376 E	37a E	36e E	36c E	36b E	36a E	A CONTRACTOR
Wood/Other Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF	Biomass/NFF Wood/Other	Biomass/NFF Wood/Other	Wood/Other	Wood/Other	Biomass/NFF	Biomass/NFF	Biomass/NFF Wood/Other	Biomass/NFF Liquid/NFF Wood/Other	Biomass/NFF Liquid/NFF Wood/Other	Biomass/NFF Liquid/NFF Wood/Other	Biomass/NFF Wood/Other	Biomass/NFF Liquid/NFF Wood/Other	Ma Wood/Othe						
FF Liquid	FF Liquid	FF Liquid	FF Liquid/	FF Liquid/NFF	FF Liquid/NFF Y			FF Liquid/NFF	FF Liquid/NFF	FF Liquid/NFF er	FF Liquid/NFF	FF Liquid/NFF	FF Liquid/NFF		FF Liquid/NFF	FF Liquid/NFF	FF Liquid	FF Liquid	FF Liquid	FF Liquid/NFF er	FF Liquid	Malerial her
ZEE	ZFF	Z T T	ZFF	ZEE	Ž	- 1		Z H	Z	Z T T	Z	NEE	Ż H H	ZE	NET .	Z T	NE F	NAT .	Ž F F	ZH	Ž T T	Ω
<u> </u>	<u>A</u>	₽	All	₽	≧	2	<u> </u>	₽	₽			A			≧	- <u>₽</u>	Ą	≧	A	A	욮	Combustor Type
>250	>250	>250	>250	100-250	100-250	700-200	360	100-250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	10-100	0-10	0-10	0-10	0-10	Capacity Range (MMBtwh
513	513	513	513	173	173			173	173	173	173	4	4	4	4	4	44	7	7	7	7	Avg Capacity (MIVIBu/ hr)
ESP/Wet Scrubber	ESP	Cyclone	No Control	Wet Scrubber	FF/Wet Scrubber	. T/F 31	CD/CO	FF	ESP	Cyclone/Venturi/Pac	Cyclone	Wet Scrubber	T	ESP	Cyclone/Venturi/Pac	Cyclone	No Control	Wet Scrubber	ESP	Cyclone	No Control	Control Level
	26	4	,	55			•	4	5			6	7	ω		12	ω	თ	-	2	ω	No of
	<u>,</u> 0	0	0	0	.0	!	į	0	0	0	0	0	0	0	0	0	0	0	.0	0	٥	No of
0.0E+00 3.3E-02	0.0E+00	0€+00	0.0E+00	0.0E+00				0.0E+00	0.0€+00	0.0€+00	0.0€+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00		0.0E+00	0.0€+00	0.0E+00	0.0E+00	0.0€+00	14-Dichlorobenzene
	9 6E-01	1 5E-01	3.7E-02	1.7E-01	1.2E-02			4.7E-02	1.9E-01	1 2E-02	1 3E-02	1.4E-02	1.6E-02	7 7E-03	2.3E-03	3 1E-02	7 7E-03	2.0E-03	4 3E-04	8 7E-04	1 3E-03	16-PAH
2.2E-02	6.4E-01	9.9E-02	2.5E-02	1 2E-01	7 8E-03	50		3.1E-02	1 3E-01	7 8E-03	8.6E-03	9.3E-03	1 1E-02	5 2E-03	1 5E-03	2.1E-02	5.2 E -03	1 3E-03	2 9E-04	5 8E-04	8 7E-04	Acetaldehyde
1 3E-02	3 8E-01	5 8E-02	1.5E-02	6.9E-02	4 6E-03	#.on-03	п	1.8E-02	7 7E-02	4 6E-03	5.1E-03	5.5E-03	6.4E-03	3.0E-03	9 1E-04	1.2E-02	3 0E-03	7 7E-04	1 7E-04	3,4E-04	5 2E-04	Acrolein
7 7E-03	2 0E-01	2 8E-01	7 7E-02	2 8E-01	2.7E-03	ñ	'n	1 1E-02	4 1E-02	1 4E-02	2 4€-02	2.3E-02	3 8E-03	1 6E-03	2.7E-03	5 8E-02	1 6E-02	3.2E-03	9.1E-05	1 6E-03	2.7E-03	Arsenic
1 9E-01	5 5E+00	8 4E-01	2.1€-01	1 0E+00	6 6E-02	0.00.02	6 6	2 7E-01	1 15+00	6 6E-02	7 4E-02	7 9€-02	9 2E-02	4 4E-02	1 3E-02	1 8E-01	4 4E-02	1 1E-02	2 5E-03	5 0E-03	7 4E-03	Benzene
2.4E-03	6.3E-02	8.7E-02	2.4E-02	8.9E-02	8.5E-04	'n	n n	3.4€-03	1.3E-02	4.2E-03	7_6E-03	7.1E-03	1.2E-03	5.1E-04	8.4E-04	1 8E-02	5.1E-03	1 0E-03	2 8E-05	5 1E-04	8.5E-04	Beryllium
5 5E-03	1 4E-01	2.0€-01	5,5E-02	2.0E-01	1 9E-03	96-03	200	7.7E-03	2.9€-02	9.6E-03	1.7E-02	1.6E-02	2.7E-03	1.1E-03	1.9€-03	4.1E-02	1.1€-02	2.2€-03	6.4E-05	1 2E-03	1.9€-03	Cadmlum
7 1E-02	6 6E+00	1.1E+00	2 8E-01	3 7E-01	2.5E-02	n	n On Os	2.8E-01	1 3E+00	9.9€-04	9.9E-02	2.9E-02	9 6E-02	5.3E-02	2.0E-04	2.4E-01	5 9E-02	4.2E-03	3 0€-03	6.6E-03	1 0E-02	Chlorine
1 4E-01	3.5E+00	4.9E+00	1.4E+00	5 0E+00	4.8E-02	70-10 t	å 80 -	1 9E-01	7.1E-01	2.4E-01	4.3E-01	4.0E-01	6 6E-02	2.8E-02	4.7E-02	1 0€+00	2 8E-01	5 6E-02	1 6E-03	2.9E-02	4 8E-02	Chromium
2.5E-06	7.2E-05	1.1E-05	2.8€-06	1.3E-05	8.7E-07	0.75-07	975.07	3.5E-06	1.5E-05	8.7E-07	9.7E-07	1.0E-06	1.2E-06	5.8E-07	1.7E-07	2.3E-06	5.8E-07	1.5E-07	3.3E-08	6.5E-08	9 8€-08	Dibenzofuran
0 0€+00	0.0E+00	0 0€+00	0.0€+00	0.0€+00	0.0E+00	0.00	0.00	0.0E+00	0.0E+00	0.0€+00	0 0E+00	0.0€+00	0.0E+00	0 0E+00	0.0E+00	0 0€+00	0.0E+00	0 0 =+00	0.0E+00	0 0E+00	0 0€+00	Dibutylphthalate
3 7E-06	1 1E-04	1 6E-05	4 1E-06	1 9E-05	1 3E-06	ر ا	ň	5 2E-06	2 1E-05	1 3E-06	1 4E-06	1 5E-06	1 8E-06	8 5E-07	2 6E-07	3 4E-06	8 5E-07	2 2E-07	4 8E-08	9 6E-08	1 4E-07	Dioxin
1 5E-02	4.2E-01	6.5E-02	1 6E-02	7 7E-02	5,1E-03	ñ	ก๋	2.1E-02	8.6E-02	5.1E-03	5.7E-03	6.1E-03	7 2E-03	3 4E-03	1 0E-03	1 4E-02	3,4E-03	8.6E-04	1 9E-04	3 8E-04	5 8E-04	Ethylbenzene
4 2E-01	1.2E+01	1.9E+00	4.6E-01	2.25+00	1.5E-01		n 2	5 8E-01	2.4E+00	1.5E-01	1.6E-01	1.7E-01	2.0E-01	9.7E-02	2.9E-02	3 9E-01	9.7E-02	2.5E-02	5.4E-03	1.1E-02	1 6E-02	Formaldenyde
0.0€+00	0.0E+00	0.0E+00	0 0E+00	0 0E+00	0.01+00		200	0.0E+00	0.0E+00	0 0€+00	0.0€+00	0 0E+00	0.0E+00	0 0€+00	0.0E+00	0.0€+00	0 05+00	0 0E+00	0.0E+00	0.0€+00	0 0€+00	Hexachlorobenzene
5 7E+00	5.9E+02	9 1E+01	2 3E+01	3.0E+01	2 0E+00	1	, ,	3 2E+01	1 2E+02	8 0E-02	8 011+00	2 4E+00) 1.1E+01	0 4 7E+00) 1 6E-02) 1 9E+01	4 7E+00	3 3E-01	2 7E-01	5 3E-01	8 0E-01	Hydrochloric Acid
0.0€+00	2 0.0E+00	0.0E+00	0.0E+00	0.05+00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00	<u> </u>	1 0.0E+00	2 0.0E+00	0.0€+00	0.0€+00	0.0E+00	0.00+00	0.05+00	0.05+00	0.0E+00	0.0E+00	0.0€+00	0.0€+00	0 0E+00	0 0E+00	Hydrofluoric Acid
<u>ω</u>	0 8.4E-01		ω 2	1,4	هـ.			4,	1.7	5.7E-02	0 1.0E-01	0 9.5E-02	0 1.6E-02	3.6	= :	N	6.8E-02			6		Lead
? 0 0E+00	0.05+00	ງ 0 0€+00	0.0E+0	0.0E+0	2 0.0€+0	C	0 05 10	E-02 0.0E+00 1.3E-01	E-01 0.0E+00 4 8E-01	? 0 0E+0	0.0€+00	2 0 0E+00	2 0 0E+0	3 0 0E+00	2 0 0E+00	0 0E+00	? 0 0E+00	3E-02 0.0E+00	3.8E-04 0 0E+00 1 1E-03	9E-03 0 0E+00 1 9E-02	9 00E+00	m-Xylene
E-02 0 0E+00 9.1E-02	0.0E+00 2.4E+00	.2E+00 0 0E+00 3 3E+00	E-01 0.0E+00 9.1E-01	2E+00 0.0E+00 3.3E+00	E-02 0.0E+00 3.2E-02	L-04 0.01 0.41 04	3 75 75	1.3E-01) 4 8E-01	0 0E+00 1 6E-01	2.9E-01) 2 7E-01	0 0E+00 4 4E-02) 1 9E-02	3 2E-02		0 0E+00 1 9E-01	3 7E-02) 1 1E-03	1 9E-02	0 0E+00 3 2E-02	Manganese

53d	536	521	52b	52a	õ	50c	49c	496	48d	48c	48b	48a	47a	46c	466	46a	45°C	45b	45a	446	44a	43d	43b	43a	421	42e	42d	42c	42b	42a	41 g	41d	410	415	4 6	204	406	ָבְייִ בְּיִי	302	391	2	Model No
Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Residual Liquid FF	Residual Liquid FF	Cional Sand Education	Wood/Other	Biomass/NFF Liquid/NFF	Wood/Other	Material														
Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Other	Other	Other	A	≧	All	A	Ą	₽	≧	A	≧	₽	<u>₽</u>	All	≧	<u>A</u>	<u>A</u>	≧	_	<u>≥</u> :	<u> </u>	≧	All	A	ΔΙ	<u>A</u> }	≧:}	<u> </u>	All	<u>}</u>	Combustor Type						
100-250	100-250	10-100	10-100	10-100	>250	>250	100-250	100-250	10-100	10-100	10-100	10-100	0-10	>250	>250	>250	100-250	100-250	100-250	10-100	10-100	>250	>250	>250	100-250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	0-10	9 9 6 6	2 2	\3E0	0574	5	Capacity Range (MMBtu/n
186	186	57			565	565	166		72		72	2	4	419			158	158	158	72	72		547			172								37	37		ى س			513		Avg Capacity (MMBtu/
ESP	Cyclone	Wet Scrubber	Cyclone	No Control	Ŧ :	ESP	ESP	Cyclone	F	ESP	Cyclone	No Control	No Control	Wet Scrubber	ESP/Activated Carb	ESP	Wet Scrubber	Cyclone	No Control	Wet Scrubber	Cyclone	ESP	Cyclone	No Control	Wet Scrubber	Ventun/Packed	TH.	ESP	Cyclone	No Control	Wet Scrubber	T)	ESP	Cyclone	No Control	The state of the s	Cyclone	Wei outubbei	Mot Conshire	7	<u>ק</u>	Control Level
<u>ω</u>	6	رن د	8	9	2	51	ω	26	ω	ω	<u>Z</u>	6	န	50	00	2	21	ಪ	2	27	9	ڻ.	=	125	14	2	2	7	కు	179	28	ω 4	0	44	1048	٥	ω ξ	i i	3	_		No of Boilers
0	0	0	0	.0	0	0	0	0	0	0	0	0	٥	0	0	0	0	0	0	0	0	0	0	17				0			4				œ	o .	-	7 0		c		No of Heaters
2.9E-04	5 8E-04		_			1 5E-03		_	7 5E-05		1.5E-03	2.8E-04	7 4E-05	7.6E-01	1.2E-01	3.4€-02	1.2E-01	8.5E-02	1.3E-02	59E-02	2.2E-02	0.0E+00	0.0E+00	0 0E+00	0 0E+00	_	_							-			0.0E+00		-	00+300		14-Dichlorobenzene
3.0€-03	5 9E-03	1 4E-03	5 SE-03			1 5E-02	2.6E-03	2.3E-02	7.7E-04	8 6E-04	1 5E-02	2.9E-03	7.7E-04	6 5E+00	1 0€+00	2.9E-01	1.1E+00	7.2E-01	1.1E-01	5.0E-01	1 9E-01	1.3E-01	2.9E-01	3 8E+00	1.1E-01	1 5E-02	1 5E-02	1.2E-01	4.5E-01	2.1E+00	5.2E-02	5.5E-02	7.3E-03	8.0E-02	2.8E+00	1 25-03	4.4E-04	700.00	15.00	3 35-02	3	16-PAH (12 - 2)
6 9E-03	1 4E-02	3 2E-03	1.3E-02	6 4E-03	1 3E-02	3.5E-02	6 2E-03	5.4E-02	1 8E-03	2.0E-03	3 6E-02	6.7E-03	1 8E-03	2 0E+01	3 3E+00	9 OE-01	3.3E+00	2 3E+00	3.5E-01	1.6€+00	5.8E-01	1 3E-01	2 8E-01	3.6E+00													4 2E-04		7 75 01	7 25-02		Acetaldehyde
1 1E-03	2 3E-03	5 2E-04	2.1E-03	1 0E-03	2.1E-03	5 7E-03	1 0E-03	8 8E-03	30€-04	3.3E-04	5 9E-03	1 1E-03	2.9E-04	2 8E+00	4 5E-01	1 2E-01	4 SE-01	3.1E-01	4 8E-02	2.2E-01	8.0E-02	6.2E-02	1 4E-01	1.8E+00	4 9E-02	7 0E-03	7 0E-03	5 5E-02	2 1E-01	9 6E-01	2.4E-02	2 6E-02	3 4E-03	3 7€-02	1 3E+00	5 SF-04	205-04	2 10 10 10 10 10 10 10 10 10 10 10 10 10	30.01	JE-02	3	Acrolein
4.5E-03	8 0E-02	1 6E-02	7.4E-02	4.1E-02	9 0€-03	2 3E-02	4.0E-03	3 1E-01	1 3E-03	1 3E-03	2.1E-01	4.3E-02	1.1E-02	2.2E+00	5 1E-02	1.3E-02	3.6E-01	2.9E-01	4 9€-02	1 7E-01	7.5E-02	3.4E-03	6.7E-02	9.5E-01	2.1E-02	2.1E-03	4.2E-04	3 OE-03	1 0E-01	5 2E-01	1 0E-02	1 5E-03	1 8E-04	1 8E-02	7 15-01	3 75 05	1 0E-04	י ייני	°n boo	/ /E-03	1	Arsenic
2.7E-03	5 5E-03	1 3E-03	5 0E-03	2.5E-03	5 0E-03	1 4E-02	2.4E-03	2 1E-02	7 1E-04	9E-04	4E-02	6E-03	1E-04	4E+02	8 7E+01	4E+01	8E+01	6 1E+01	3E+00	4.2E+01	1 6E+01	5.8E-02	3E-01	1.6E+00	4 6E-02	6 5E-03	5E-03	1E-02	9E-01	8 9E-01	2.2E-02	2 4E-02	3 1E-03	3 4E-02	1 2E+00	5 15-04	1 9E-04	3 10 00	20.	1 95-01		Benzene
3.7E-04	6 7E-03	1 3E-03	6 2E-03	3 4E-03	7 6E-04	1 9E-03	3.3E-04	2 6E-02	1 1E-04	1 1E-04	1 8E-02	3 6E-03	9 7E-04	7 0E-01	1 6E-02	4 0E-03	1 1E-01	9 1E-02	1 5E-02	5 5E-02	2.3E-02	7 0E-04	1 4E-02	2 0€-01	4 3E-03	4 4E-04	8 8E-05	6 2E-04	2 1E-02	1 1E-01	2 1E-03	3 2E-04	3 8E-05	3 8E-03	1 5E-01	80F-06	2 1E-05	- 10 C	n n o	242-03	ñ	Beryllium
6 4E-04	1 2E-02	2 3E-03	1 1E-02	5 9E-03	1 3E-03	3 3E-03	5 7E-04	4 5E-02	1 9E-04	1 9E-04	3 0E-02	6 2E-03	1.7E-03	1 6E+00	3 6E-02	9.1E-03	2.6E-01	20E-01	3.5E-02	1.2E-01	5 3E-02	3.8E-03	7 6E-02	1 1E+00	2 4E-02	2.4E-03	4.8E-04	3 4E-03	1 2E-01	5 9E-01	1 2E-02	1 8E-03	2.1E-04	2 1E-02	8.1E-01	3 8F-05	1 1E-04	3 3 7 7 7	30+00	ט טביטט	î	Cadmium
3 9€+00	8 8E+00	5 6E-01	8.1E+00	4.0E+00	6 2E+00	2 0E+01	3 5E+00	3 4€+01	8 9E-01	1.1E+00	2.3E+01	4 2E+00	1 1E+00	2.9E+00	1.7E+00	4.2E-01	4.7E-01	1.2E+00	1.8E-01	2.3E-01	3 0E-01	1.2E+01	3.0€+01	3.8E+02	3.0€+00	1.7E-02	1 2E+00	1.1E+01	4 5E+01	2.1E+02	1.5E+00	4 4E+00	6 6E-01	8 OE+00	2.8E+02	9.31 -02	4 4E-02	8 00 100	200-35	2.0E-01	'n	Chlorine
4 9E-03	8 8E-02	1.7E-02	8 1E-02	4 5E-02	9.9€-03	2 5E-02	4.4E-03	3.4E-01	1.4E-03	1 4E-03	2 3E-01	4 7E-02	1.3E-02	3 9E+01	9 0E-01	2 2E-01	6.4E+00	5 1E+00	8.7E-01	3 1E+00	1 3E+00	2.0E-02	3.9E-01	56€+00	1.2E-01	1.2E-02	2.5E-03	1 7E-02	59E-01	3 0E+00	6 0€-02	9 0€-03	1.1E-03	1 1E-01	4.1E+00	195-04	5 8E-04	30.00	3 15 101	1		Chromium
7 6E-07	1 5E-06	3.5E-07	1 4E-06	7 0E-07	1.4E-06	3.9E-06	6.8E-07	5.9E-06	2.0E-07	2.2E-07	4 0E-06	7 4E-07	2.0E-07	1 0E-04	1 7E-05	4.6E-06	1.7E-05	1.2E-05	1.8E-06	90-30'8	3 0E-06	3.8E-07	8.3E-07	1.1E-05	3.0€-07	4 2E-08	4.2E-08	3 3€-07	1 3E-06	5 8E-06	1 5E-07	1 6E-07	2.0E-08	2 2E-07	7 9E-06	3 3 F -09	1 2E-09	2 25 07	s on	2.55-00	n	Dibenzofuran Congonia
7 6E-04	1 5E-03	3.5E-04		7 0E-04	-	3.9E-03	6.8E-04	5.9E-03	2.0E-04	2.2E-04	4.0E-03	7.4E-04	2.0€-04	2.6E+00	4.2E-01	1.2E-01	4 2E-01	2.9E-01	4.5E-02	2.0E-01	7.5E-02	0.0E+00	0.05+00	0.0E+00	0.0E+00	0.05+00	0.0E+00	0.0E+00	0.0E+00	0.05+00	0.0E+00	0.01	0 011+00	0.05+00	000	Dibutylphthalate						
4.8E-07		2.2E-0/		4 4E-	8 7E	2.4E	4	3.7€	1 2E	1 4E	2.5E	4	1 2E	1.5E	2	6.8E	2.5E	1 7E	2.6E	1.2E	4 4E	-	3 0E	3.9€	: <u>i</u> m	1 5E	1 5E	1 2E	4 5E	2.1E	5.3E	Ċ	7	œ	2		4 5E-09	8 OE 07	1 25 04	3/15-00	n n	Dioxin
3 4E-04	6 8E-04	1 65-04	6 3E-04	3 1E-04	6 2E-04	1 7E-03	3 0E-04	2.6E-03	8 9€-05	9 9E-05	1 8E-03	3 3E-04	8 8E-05	6 1E-01	9 7E-02	2 7E-02	9 9€-02	6 8E-02	1 0E-02	4 7E-02	1 8E-02	2 0E-03	4 4E-03	5 7E-02	1 6E-03	2 3E-04	2 3E-04	1 8E-03	6 7E-03	3 1E-02	7 9E-04	8 4E-04	1 1E-04	1 2E-03	4 3E-02	1 8E-05	6 7E-06	20.03	1 05 01	1 2E-02		Ethylberizene
3 9E-03	7 9E-03	1 8E-03	7 2E-03	3 6E-03	7 2E-03	2.0E-02	3 5E-03	3.0E-02	1 0E-03	1.1E-03	2 1E-02	3 8E-03	1 0E-03	2.8E+01	4.4E+00	1.2E+00	4 5E+00	3.1E+00	4 7E-01	2.1E+00	7 9E-01	4.9E-01	1 1E+00	1.4E+01	3 9E-01	5 5E-02	5 5E-02	4 3E-01	1 6E+00	7 5E+00	1 9E-01	2 0€-01	2 6E-02	29E-01	1 0E+01	4 3F-03	1 6E-03	200.01	1 35 101	10-117	1	Formaldehyde
0 0E+00	0 05+00	0.05+00	0000	0.01+00	0.0E+00	0.0€+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0 0E+00	0.0E+00	0 0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0 0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0,0E+00	0.0E+00	0 0E+00	0.0100	0.06+00	0.0E+00	0.05+00	0.05+00	0 00+00	000000000000000000000000000000000000000	0 011+00	000	000	Hexachlorobenzene
1 1E+01	2 3E+01	1 55+00	216+01	1 00+01	2.3E+01	5 8E+01	1 0E+01	8.8E+01	3 3€+00	3 3E+00	5.9E+01	1 1E+01	2.9E+00	2.4E+02	1 4E+02	3.8E+01	3 8E+01	9 5E+01	1 5E+01	1 8E+01	2.4E+01	4.4E-01	9.8E-01	1 3E+01	9 8E-02	5 6E-04	5.6E-02	3 9E-01	1 5E+00	6.8E+00	4.8E-02	2 0E-01	2.4E-02	2.6€-01	9 3E+00	4 4E-03	1 5E-03	3 8 5 01		7 3E+01	n N	Hydrochloric Acid
7 5E-01	1 7E+00	1 16-01	1 5E+00	7 6E-01	1 2E+00	3 8E+00	6 6E-01	6 4E+00	1 7E-01	2.2E-01	4 3E+00	8 0E-01	2 1E-01	0 0E+00	0 0E+00	0 0E+00	0 0E+00	00+30	0 0E+00	0 0E+00	00E+00	0 0E+00	0 0€+00	0 0 E+00	00€+00	0 0E+00	000+00	0 05-00	0.05+00	0000	n	Hydrofluorle Acid										
6.3E-03	1 1E-01	2.21-02	1 05-01	5.8E-02	1.3E-02	3.2E-02	5 6E-03	4.4E-01	1.8E-03	1 8E-03	2.9€-01	6.1E-02	1.6E-02	9 4E+00	2.1E-01	5.4E-02	1.5E+00	1 2E+00	2.1E-01	7.3E-01	3.16	106	2.0€	2.9€	6 3E	6 4E	1 3E	906	3.1E	1 6E	3 1 E	4 7E-03	5 5E-04	5.5E-02	2.1E+00	1.0E-04	3 OE-04	8 0E-03	7.55+00	2 75-97	n n	Lead ja ja
0.0E+00	0.0E+00	0.05+00	0.05+00	0.0€+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0€+00	0.0€+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	-02 0.0E+00	0.0E+00	0.0E+00	0.0€+00	0.0€+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0€+00	0.0E+00	0.0€+00	0.0E+00	0.0E+00	0.01+00	0.0H+00	0 05+00	n 0 <u>=</u> +00	0.00	0 05+00	m-Xylene
2.6E-02	4.8E-01	9.56-02	4.40	246-01	5.4E-02	1.3E-01	2.4E-02	1.8E+00	7.7E-03	7.7E-03	1.2E+00	2.6E-01	6.8E-02	7.9E+01	1.8E+00	4.5E-01	1.3E+01	1.0E+01	1.7E+00	6.1E+00	2.6E+00	8.7E-01	1.7E+01	2.5E+02	5.4E+00	5 5E-01	1 1E-01	7 7E-01	2 6E+01	1.3E+02	2.6E+00	4.0E-01	4 7E-02	4 7E+00	1 8E+02	8 66-03	2.6E-02	5 1E+00	> 1E+01	70-21 6	0 15.00	Manganese

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

72b	70Ь	690	69a	68a	67d	67a	66a	65e	64e		64d	63b		63a	į	625	628	3	61a	60e	606	60a				59b		58.5			565		55 b		540	Model No
Solid/Gas	Solid/Gas	NFF Liquid/NFF	Distillate Liquid FF	Biomass/Liquid FF	Biomass/Liquid FF Gas/Wood/Other	Gas/Wood/Other	Biomass/Liquid FF	Biomass/Liquid FF Gas/Wood/Other	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/M/cod/Other	Gas/Wood/Other	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas		Gas	Cas	Liquid/NFF Solid	Coal/Wood/NFF	COBLANGOOUNEL	Liquid/NFF Solid	Coal/Wood/NFF	Coal	Maleral:				
A	All	Ž	: ≧	A	¥	A	<u>A</u>	≧	A		₽	All		¥		₽	≟		Other	Other	Other	Other	Other	Other	Other	Other	9 6		O THE	₽ ≧	A	:	≧		Wall-fired/P	Combustor
>250	10-100	007	>250	100-250	10-100	10-100	0-10	>250	100-250		100-250	10-100		10-100	1	0-10	-) }	>250	100-250	100-250	100-250	10-100	10-100	10-100	10-100		۰, ç	3 5	100-250	10-100	}	0-10		>250	Capacity Range (MMBurh
562	56	SS	355	157	. 29	8	ယ	394	178		178	- 4 5		5	i	6	a	,	520	<u>7</u>	164 4	164	<u>ن</u> ئ	ಜ	<u>ස</u>	జ్జ	3:0	ب ا	ນ ເ				o			Avg Capacity (MMBttu/ ftr)
ESP	Cyclone	TU T	No Control	No Control	#	No Control	No Control	Wet Scrubber	ESP/Wet Scrubber		ESP	Cyclone		No Control	-/	Cyclone	NO CONTROL		No Control	T	Cyclone	No Control	Wet Scrubber	FF/Wet Scrubber	TH	Cyclone	No Control	WetScribber	TO COMING	Also Costerio	Cyclone		Cyclone		ESP	Control Level
	ယ	ć	ō	42	ω	207	407		-					2		~ .	-	•	26	N	2	7.4	2	7	ಪ	76 G	5	5 7	1 00	1500	٨)	_		5	No of Boilers
0		c	, -	_	0	8	21	0	0		0	0		0		0	c	>	14	0	0	12	0	0	0	0 6	3 (D [ر د د	360	c	>	0		0	No of Heaters
0 0E+00 5 2E-03	0.05+00	000		0 0E+00		0 0€+00	0.05+00	1 8E-03	8 OEI-04		8 9E-04	2 3E-04		4 5E-04		3 0€-05	2000	2	0 0E+00	0 0E+00	0 0E+00	0 0E+00	0 0E+00			0000			0 0				0 0E+00		4 6E-03	14-Dichlorobenzene
	2 2E-03	7; IE-07						1 5E-02	6.9E-03		7 6E-03	1 9E-03		3.9E-03		2.6E-04	7.0E-0#		1 0E+00		1 6E-02					2 5E-02	_		מות מים				8 2E-05		4 8E-02	16-PAH
5.9E-03	2.4E-03	0.717.0							2.2E-02		2.4E-02	6,1E-03		1 2E-02		8.1E-04	10-01	1	1.5E+00	2.1E-02						3.7E-02			27 7 7				3 8E-03		1 1E-01	Acetaldehyde (%)
2.7E-02	1.1E-02	4.0E-02	1 5E-02	2.6€-02	3 0E-04	-	-		3.0E-03		3.3E-03	8.3E-04		1.7E-03		1 1E-04	ņ		7 7E-02	1.1E-03	1 2E-03					1 9E-03						3	1 9E-03		1 8E-02	Acrolein 4
3.0E-05	1.1E-04	C.4n	9.01-04 2	1.5E-03	2.0E-06	ဥ		2	1 SE-05		1.5E-05	3.5E-05		7 7E-05		4.6E-06	, in	î B		65	.04	ဌ	8	5E-05	S	3 OE-04		8 8	ה חת	3 5E-04	311-03		1 1E-04		7 2E-02	Arsenic
3.0E-03	1.3E-03	, C. T.	3 K	0E-02	6E-04		7 6E-03	1.3E+00	5.8E-01		6,4E-01	1.6E-01		3.2E-01		2.2E-02	7.25-02	3		1.7E-04	1 9E-04	8.1E-03	3.4E-05	1.2E-04	2.2E-04	3.0E-04	200	2 5E-05	3 6	2.0E-01	5		7.6E-03		2	Benzene
0 0E+00	0.0€+00	Ė	3 m 04	7E-04	3E-07	\$	1E-04	6	7 3E-07		7.3E-07	1.7E-06		3.7€-06		2.2E-07	7.50	2 65 07	0.0E+00	3.0€+00	0.0€+00	0,0€+00	0E+00	8	<u>ě</u>		3 :	00+00		1 3E-05		2	4 0E-06		6.0E-03	Beryllium
8.5E-05	3.1E-04		3H 04	7E-04	3E-07	3E-04	1E-04		3.5E-05		3 5E-05	8 OE-05	i :	1 8E-04		1.1E-05	75.77	2	9 6E-03	65	\$			1E-05	0E-05		ים מו	9 5		4 7E-05	<u>.</u>	-	1 5E-05		02	Cadmium
0.0€+00	0.0€+00	7 96-01	20,00	5 6E+00	0E-02		1E+00	6.5E-03	3.0E-03		1 1E-02	3 OE-03		6.0€-03		4 OE-04		2	00+00	ġ	0.0€+00	0 0E+00	0 OE+00	0 0€+00	0 0E+00	0 0 = +00	0 1	00+30	0000	1.8E-01			9 0E-03		6 4E+01	Chlorine .
2.7E-03	1.0€-02	י טפיי	1 m	9E-03		7E-03	\$	7E-03	1 8E-04		1 8E-04	4 OE-04		9.0E-04		5.4E-05	1	<u> </u>	1.1E-02	ŝ	1 6E-04		2.5E-05			2.5E-04	3		א לי בי	3 1 5 0 3	5	3	2.5E-04		7 9E-02	Chromium A A
3.1E-10	1 3E-10	in de		5E-07	8E-09	4E-07	8	0E+00	0 0E+00		0 0€+00	00+100		0 0E+00		0 0E+00		3	68	7E-10	7 5E-10	3 2E-08		7E-10		2E-09	0		5 8	5 4E-08	100	n Co	2 1E-09		1 2E-05	Dibenzofuran
0 0E+00	0.0€+00		R M	0E+00	0€+00	0E+00	0E+00	2E-03	2.8E-03		3 1E-03	7 8E-04	i i	1 6E-03		1 0E-04		2	0 0E+00	0E+00	o	0€+00	0 0E+00	0 0E+00	0 OE+00	0.00+00		0E+00	5 8	28E-03	ç	3	1 1E-04		1 2E-02	Dibutylphthalate
8.1E-09	3.3E-09	i d	3.2E-07	6E-07	5E-09	5.2E-07	1E-07	0.0E+00	0 0E+00		0,0€+00	0 01+00	3	0.0E+00		0.0E+00			5.1E-07	8	8.0E-09	3.5E-07	1 5E-09	5.1E-09	9.5E-09	1 3E-08	_	1.1E-09	30.115.0	5 2E-08	Ş	n O	2.0€-09		7.7E-06	Dioxin
1 7E-04	7.1E-05		4.8E-04	8.3E-04	9.6E-06	7.7E-04	1.6E-04		2.4E-04		2.7E-04	6. /E-U5		1.3E-04	:	8.9E-06	0.00		5.4E-03	7E-05	8					4 n 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			2 2 1 0 0	0.0E+00	П	5	0.0€+00		င်ဒ	Ethylbenzene
0 0 - 00 0 0 - 00	0.0E+00	1,00	2.2E-01	.9E-01	4.5E-03	3.6E-01	7 4E-02 (6.5E-02 (2.9E-02	;	3.3E-02	8 25-03))	1 6E-02 (1.1E-03	5		2.6E+00 0	7E-02	4 1E-02 0	8E+00 C	$\overline{}$.6E-02	9E-02 (6.6E-02 0	30.		200000	7 3E-01 0	, i	25 00	8 3E-03 C		6 3E-02 C	Formaldehyde
	0.0E+00		0.01+00		00.00	0.0E+00	0 0E+00	0 0€+00	0 0€+00	}	0.0€+00	0.05+00		0 0€+00		0 0€+00		0.01100	.0E+00	0E+00	0 0 m + 0 0	0E+00	0 0 €+00	0E+00	0E+00	00+30	200	0E+00	0E+00	00+00		_	0 0€+00		00+300	Hexachlorobenzene
6.3E+00 0 0E+00	2.6E+00 (ĺ	1 1 1 1 1 1 1	8E-01	2.4E-03	1 7E-01	3.5E-02	1 6E-01 (7.4E-02		3 0E-01 0	70-46	3	1.5E-01 C		1.0E-02		105.03		5E-03			7.8E-05	7E-04	2.0€-03 (5E-03	n O	7E-05	50505	7.5E-07 (<u> </u>	2	2.6E-02		1 8E+02 1	Hydrochloric Acid
	0 0E+00		0000						000+00	i :	0.0E+00	0.05+00	3	0 0E+00		0.0€+00 2		00=+00	8	0E+00	8					0.0E+00 .			3 8	0.05+00.5	i [ń C	2 7E-02		÷01	Hydroffuoric Acid
3 0€-03 0	1 1E-02 C	0	3 3 1 - 0 3 0	5 7E-03 (7 3E-06 (5 3E-03 (1 1E-03 (4 1E-03 L	2 /E-04 C	1	2 7E-04 C	0 Cn -04	1	1 3E-03 C		8 1E-05 C	6	0 0E 05 0	9E-02	0E-05	7E-04	3E-02	3E-05	1E-05	0E-05	4 4E-04 1	4E-02	1E-05	7F-06	4E-04			2 9E-04 0		01	
E-03 0.0E+00 2.5E-03	0.0E+00	- 0	3 3 -03 0 0 -00 0	0.0E+00	0.0E+00	0.0E+00	0 0€+00 .	7 0€+00	0000		0 0€+00	0 0 0 0 0		0.0E+00 6		0.01+00		00=+00	7 2E-03	1.0E-04	1 1E-04	4.9E-03	2.1E-05	7 2E-05	1 3E-04	1 8E-04 3	105-03	1.5E-05	3E-05) OE+00		0 0E+00	0 0 0 1		0E+00	m-Xýlene
2.5E-03	9.3E-03	ŗ	6.25-03	1.16-02	1.46-05	1.0E-02	2.1E-03	1.9E-01	1.25-02	3	1.2E-02	7/15-02	3	6.1E-02		3.6€-03		4 05 03	1.4E-01	2.2€-04	2.0E-03	9.6E-02	3 1E-04	1 6E-04	2.9E-04	3.2E-03	75.01	2.3€-04	7 1F-05	3 95-03		205.02	1 7E-03		4.3E-01	Manganese

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

ाotal	83a	82a	81g	81a	80a	79d	/90	!	78a		776	76b	75e	74e	74b	74a	73b	73a	Model No
ما المارة مع المراد	Residua	Residua	Residua	Residua	Residua	Biomass	Wood/Other	Wood/Other	Biomass	Wood/Other	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Mood	
作 によつ薬	Residual Liquid FF	NFF Lic	ther Li	ther	NFF Li	ther									Materia				
	뒤	귀	77	7	귀	Biomass/NFF Liquid/NFF	Wood/Other	į	Biomass/NFF Liquid/NFF										
の意味が	A		A	₽	₽						Wall-fired/P	Wall-fired/P	Other	Other	Other	Other	Other	Other	Combus
Se Serv	_	_										ed/P					ě.	er	9
35.50	>250	100-250	10-100	10-100	0-10	10-100	0-100		0-10		10-100	0-10	100-250	10-100	10-100	10-100	0-10	0-10	Capacity Range MMBtwh
、水源等	547	172	37	37	ω	4	2		7		26	7	179	30	30	30	Ch.	ΔI	Avg Avg Capacity (MMBtu/
一種のないのできる 二種である	No Control	No Control	Wet Scrubber	No Control	No Control	ESP	Cyclone		No Control	,	Cyclone	Cyclone	Wet Scrubber	Wet Scrubber	Cyclone	No Control	Cyclone	No Contro	Control
のの	ō	ğ	ubber	ō.	2	٠	_		ō				ubber	ubber	_	ō	•	rot	trol Leve
€ 42	_	_		2	!>						******								B Z
42,952 15,248	7	ස	,	295	,				2		2	ω		2	- 2	-4	œ 	6	No of N
-	Ļ	_	;	23 0.0		0.00			0.0		0	0 6.	5	0	0	0 3.	0	.6 0	No of Heaters
3.67	0.0E+00 3	0.0E+00 8.9E-02	0.0E+00 2 4E-03	0.0€+00 9	0.0E+00 4 1E-03	0,0€+00 4	0 011 21 203	í 	0.0E+00 1		1 6E-06 1	6.5€-07 5	5.0E-06 4	7E-06	9E-06 1	3.7E-06 3	2E-06	9.3E-07 8	14-Dichlorobenzene
445	3.1E-02			9.6E-02		4 0E-04			1 3E-04		1 4E-03	5 8E-04	5E-03	1 5E-03	7E-03	3E-03	1 1E-03	3E-04	16-PAH
2.820	3 0€-02	8.4E-02	2.3E-03	9.1E-02	3.9E-03	2.7E-04	۵ ا ا	1	8.5E-05		3 8E-01	1 5E-01	1 2E+00	3.9E-01	4 3E-01	8 7E-01	2.9E-01	2.2E,01	Acetaldehyde
355	1.4E-02	4.1E-02	1.1E-03	4.4E-02	1.9E-03	1 6E-04	4.8E-04		5.0E-05		3.4E-02	1.4E-02	1 0E-01	3.5E-02	3 9E-02	7 8E-02	2.6E-02	2.0E-02	Acrolein
85.9	7 8E-03	2.2E-02	4 8E-04	2.4E-02	1 0E-03	8 4E-05	2.3E-03))	2 7E-04			2 6E-04	1 7E-03	5 7E	7 3E-04	1 6E-03	4 96.0	4 1E-04	Arsenic
2,661	3 1 3E-02	2 3 8E-0	1 1E-03	2 4 1E-0		5 2 3E-03	9 9 9 1 - 0 3		1 7 3E-04			4	3 1E-01		1 1E-01	3 2 3E-01	1 7 6E-02	Ç	Benzene
8.56	2 1.6E-03	2 4.6E-	3 9.9E-05	2 5.0E-03	3 2.1E-	3 2.6E-05	3 /.15-04	, ,	4 8.4E-05		2 8 2E-	2 3.3E-05	1 2.2E-	1 7 3E-05	1 9.4E-05	1 2.1E-04	2 6.3E-	2 5.2E-0	Beryllium
21.8	3 9.0E	03 2.5E-02)5 5.5E)3 2.8E	04 1.2E	05 5.9E-05	1 61-03	:)5 1.9E-04		1.6E-04	05 6.6E-05	04 4E-04	05 1.5E-04	05 1 9E-04)4 4 2E)5 1.0E-04	Cadmium
8 19,543	-03 3 2E	02 8.9E	04 6 9E	02 9.7E	03 4 1E-01	05 2.8E	9.25-03		04 9.8E-04		04 8.3E-03	05 3.4E-03	04 7.2E-03		04 9 6E-03		04 6 4E	04 4 8E	Chlorine
11-	+00 4.6	2 8.9E+00 1.3E-01	-02 2.8	1.4	-01 60	-03 1.5	4				-03 6.4	:-03 2.6			-03 7 4	-02 1 6	03 4 9	-03 4 1	Statements Sugar
214 0	E-02 8	E-01 2	E-03 6	1.4E-01 2	6 0€-03 1	1.5E-03 3	40.00		4.7E-03 9		m-04	2.6E-04 7	1 7E-03 5	Ē-04 1	7 4E-04 2.1E-07	E-03 4	E-04 1	E-04 1	Cnromium
0.00524	8.8E-08	5E-07	.9E-09	.7E-07	.1E-08	.0E-08	9.05-00	3	9 6E-09		.8E-07	7 4E-08	.7E-07	9E-07	.1E-07	2E-07	4E-07	1E-07	Chromium Dibenzofuran
19.1	0.0E+00 3 2E-07	0€+00	0.0E+00	0.0€+00	0E+00	0€+00	י טבייטט	1	0.0€+00		1 0€-04	4 2E-05	3.2E-04	1 1E-04	N	4	9	0	Chi. A. Januari Laka
0.00468	3 2E-07	9 0E-07	2 5E-08	9 7E-07)3 1.1E-08 0 0E+00 4 1E-08 6	4 4E-08	0.00+00		1 4E-08		2 6E-07	1 0E-07	8 0E-07	2 7E-07	3 0E-07	6 0E-07	2.0E-07	1 5E-07	Dibutylphthalate Dioxin
8.13	4.7E-04	1.3E-03	3.7E-05	1 4E-03	8 6.2E-05 1 5E-02	1.8E-04	3.30-04 1 30-02	1	5.6E-05		3.2E-04	1 3E-04 1.2E-01	9 8E-04	3.3E-04	3 6E-04	7 3E-04	2.4E-04	1 8E-04	Dioxin Ethylbenzene Formaldehyde
3,238	1.1E-01	3.2E-01	8.9E-03	3.5E-01	1 5E-02	5.0E-03	1 20-02	3	1 6E-03		3 0E-01	1.2E-01	9.2E-01		3,4E-01	6.9E-01	2.3E-01	1.7E-01	Formaldehyde
0.0357		10.0E+C	3 0 0E+C	0 0E+C	2 0.0E+C	0.0E+00	0 0 0	3	0.0E+C					7.3E-06	m	8	5.4E-0	4 0E-06	Hexachlorobenzene
7 58,289		0.0E+00 2.9E-01	0 0E+00 2.3E-03	0 0E+00 3.2E-01	0.0E+00 1.4E-02)0 2.5E-(i i	7	0.0E+00 1 4E-08 5.6E-05 1 6E-03 0.0E+00 7.9E-02 0.0E+00 1.1E-03		6 3.3E-01	6 1 3E-01	5 2.8E-01		_		6 2.5E-L	6 1.9E-01	Hydrochloric Acid
39 4,588	01 0.0E	01 0 OE	03 0.0E	01 0.0E	02 0.0E	-01 0.0E-	0.0	0 00	02 0.0E		01 0.0E+00						31 0 OE	_	Hydrofluoric Acid
88 10	+00 2.4E	+00 6.7E	+00 1.4E	+00 7.3E	2 0.01+00 3.15	+00 3.5E	0.00	5	+00 1.1E		+00 3.6E	1.4		3.2E	4.16	m	7	3	Lead
31 2	-02 0 01	-02 0 01	-03 0 01	-02 0 01	1E-03 0 0E+00 2 7E-01	-04 0 01	2	23	-03 0 01		ည	ဝိဒ	-03	b S	63	င်္သ	ಜ	\simeq	1 48 77 20 20 77 7 78 1
71 1	E+00 2.0	E+00 5	m+00	E+00 6 2	E+00 2	E+00 91		0 00 00 0	0 0 = +00 3 1	! !	0.0E+00 1 C	E+00 4	E+00 2	E+00 9 (m+00 1 2	E+00 2 t	m+00 7;	5 00 6 4	m-Xylene
.698	00 +00	7E+00	2E-01	2E+00	7E-01	9E-04	, r	2 7K	3 1E-03		105-01	16-02	7E-01	0E-02	2E-01	2 6E-01	7E-02	E-02	Manganese

77
×
O
_
≂
_
endix B.Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Source
\sim
PT
w
٠
m
~
200
S
m
<u>=</u>
=-
_
•
•••
m
ш,
_
=
76
**
S
Ξ.
0
\rightarrow
77
-
_
-
-
\sim
y,
_
=
-
\sim
~
~
_
₽
77
S
22
\Rightarrow
~
-
\sim
.,
~
=
6
==
 .
a
missions in MG/yr of HAPs and Criteria F
T
~~
O
=
~
=
7.
₩
\Rightarrow
-
S
_
7
O
\Rightarrow
\Rightarrow
-
Ш
×
<u>.</u>
w
-
=
\supset
Ö
-
10
Ž,
0
Č
=
o.
×

7		70	7	7	7	7	0	o		÷	n :	6	6	(J)	cn	4	_	4	4		- 4	4	4	4	4	ω	Lu	160	(a)	· Ca		(4)	ند:	63	, , ,			-					S &	philips Earli
g Coal	_					Coal	Coa	Coa		,			Coal	Coal	Coal	Coal			1		4e Coal	Coal	_		4a Coa	3h Coal	3g Coal	3f Coal		Coa	Coa		သူ			5 . E		Coal	ر ا	<u>0</u>	<u>و</u>	1a C	No del	X.
	,	1					;							,			a	<u>.</u>	<u> </u>	<u>a</u>	- <u>N</u>	<u> </u>	ä	<u>a</u>)al	201)al)al	Coal	<u> </u>	<u>a</u>	24	Coal	28	Coal	Coal	Coal	. a	Coal	Coal	Coal	Coat	Material	
Wall-fired/P	Total Cont	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-lifeWF	Mall fired/D	Wall-hred/D	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other		Other	Other	Other	Other	Other	Other	Combustor Type	ان الأين ا
100-250	1002200	100-250	100-250	100-250	100-250	100-250	10-100	10-100	0	100	10-100	10-100	10-100	0-10	0-10	>250	>250	>250	>250	>250	>250	>250	>250	>250	>250	100-250	100-250	100-250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	100	10-100	10-100	10-100	0-10	0-10	0-10	Capacity Range (MMBtu/h	
186	5 6	86	186	186	186	186	57	57	2	, ,	57	57	57	2	2	565	565	565	565	565	565	565	565	565	565	166	166	166	166	166	166	166	166	2	£ 3	Z1 2	12 I	2	2	t ~	4	4	Avg Capacity (MMBrui	
FF/Wet Scrubber		ח ק	ESD	Cyclone/Venturi/Pac	Cyclone	No Control	Wet Scrubber	FF/DSI	77	7	פאד	Cyclone	No Control	Cyclone	No Control	Wet Scrubber	FF/SD	FF/FSI	FF/DSI	7	ESP/Wet Scrubber	ESP/DSI	ESP	Cyclone	No Control	Wet Scrubber	FF/Wet Scrubber	FF/DSI	Ŧ	ESP/Wet Scrubber	ESP	Cyclone	No Control	Wet Scrubber	FF/SD	EE/DS	ESP	Cyclone	No Control	Ŧ	Cyclone	No Control	Control Level	· · · · · · · · · · · · · · · · · · ·
2 2		70	9	יים	ڻ.	12	12	2	- 20	3 .	37	5	14	2	10	80	6	10	40	56	4	2	40	74	24	5	4	4	160	2	112	166	46	5 €	л (νō	123	436	154	ω	32	48	No of Boilers	
00		> (<u> </u>	o ;	0	٥	0	0		> <	-	0	0	0	ō	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0)	0	0	0	0	٥, ٥	o · c	0	0	0	0	0	0	No of leaters	
4 6E-03 4 6E-03	000	80.01	21501	1 25.00	1 2E-02	2.8E-02	8.5E-03	1.4E-03	Z.UE-02	מיטריטג	285.02	3.5E-03	9.9E-03	5.0E-05	2.5E-04	5.6E-02	4 2E-02	7 0€-02	2.8E-01	3 9E-01	2.8E-02	1 4E-02	2.8E-01	9.8E-02	1.7E-01	3.1E-02	8.2E-03	8.2E-03	3.3E-01	4 1E-03	2.3E-01	3.4E-01	9.5E-02	1 0E-02	3.45.03	2 7 1 0 2	8.2E-02	2.9E-01	1.0E-01	1 5E-04	1 6E-03	2.4E-03	Mercury	,
3 4E-04 4 3E-04	1/0-02	1 75 00	כת שכ כ	1 1 5 03	1 2E-03	2.9E-03	7 9E-04	1 3E-04	1.95-03	10000	275.03	3 7E-04	1 0E-03	5 2E-06	2 6E-05	5 2E-03	3 1E-03	6 6E-03	2 6E-02	3 7E-02	2.6E-03	1 5E-03	2.9E-02	1 0E-02	1 7E-02	2 9E-03	7 7E-04	7 7E-04	3 1E-02	3 9E-04	2 4E-02	3 6E-02	9 9E-03	9 4E-04	2 15 04	1 1000	8 6E-03	3 0E-02	1 1E-02	1 4E-05	1 7E-04	2 5E-04	Methyl Chloroform)
8 8E-02	* 35,400	4 50 00	5 0E+00	285-01	3.1E-01	7 5E-01	2 1E-01	3.5E-02	4 95-01	2 7	7 10 01			1 4E-03	6 8E-03	1 4E+00	8 0E-01	1 7E+00	6 9E+00	9 6E+00	6 9E-01	3 8E-01	7 6E+00	2 7E+00	4 6E+00	7 6E-01						9 3E+00	2 6€+00		6 45 02	ی م			17	w	£-,	6 6	Methyl Ethyl Ketor	ne
2.4E-02 3 1E-02	1 25,00	י יייייייייייייייייייייייייייייייייייי	1 SE - OO	7 85-02	8.7E-02	2.1E-01	5 8E-02	9.6E-03	1.35-01	7.00	20501	2.7E-02	7 5E-02	3.7E-04	1 9E-03	3.8E-01	2.2E-01	4 8E-01	1.9E+00	2.7E+00	1 9E-01	1.1E-01	2.1E+00	7.4E-01	1.3E+00	2.1E-01	5.6E-02	5.6E-02	2.2E+00	2.8E-02	1 7E+00	2.6E+00	7 1E-01	6 8E-02	1 85.00	3 25 03	6 2E-01	2.2E+00	7.8E-01	1 0E-03	1 2E-02	1.8E-02	Methylene Chlorid	le ·
2.1E-03 2.1E-02	0 000	8 55 01	1 05+00	275-01	4 8E-01	1 3E+00	2 8E-01	_		`	36.01	1 5E-01	4 6E-01	2.1E-03	1 2E-02	1 8E+00				1 8E+00	1 3E-01	6.5E-02					3 8E-02			_			4	٠. د	1 65-03	3 65 03	3 8E-01		4 8E+00	6.9E-04	6 7E-02	1 1E-01	Nickel	
2 7E-04	10.00	1 40 00	1 80 00	8 8 5 .04	9 8E-04	2 3E-03	6 5E-04	1 1E-04	1 55-03	4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 25 02	3 0€-04	8 4E-04	4 2E-06	2 1E-05	4 3E-03	2 5E-03	5 3E-03		3 0E-02	2 1E-03	1 2E-03	2 4E-02	8 3E-03	1 4E-02		6 3E-04			3 1E-04	2 0E-02	2 9E-02	8 0E-03	7 7E-04	205-04	9 35-03	7 0E-03	2 5€-02	8 7E-03	1 1E-05	1 3E-04	2 0E-04	o-Xylene	
2.1E-01 5.3E-01	_	ח כ	2 20 20					3.2E-01									1.9E+00		6.4E+01			3 2E+00	1.2E+02	4 5E+01	7.7E+01		′0				9 5E+01	1 6E+02			1 5 1 0 1	3 95+01	3 4E+01	1 3E+02	4 7E+01	4 8E-02	7 3E-01	1.1E+00	Phosphorus	3 /
1 1E-02		275 01			-	-		4 4E-03												1.2E+00	8.7E-02	4.8E-02	9.7E-01	3.4E-01	5.8E-01	9.6E-02							3.3E-01	3 1E 02							5.5E-03	8.2E-03	Toluene	
1.0E-02		חות כ				_	2.4E-02	3.9E-03	5 5E-02			1 1F-02	_			1.6E-01	•	1.9E-01	7.8E-01	-	-	4.3E-02		_			2.3E-02		_		7.1E-01	1.1E+00		\) ~	7 25 03	٠.			_		4 9E	7.3E-03	Xylenes	j.
19 19	. 20						1.757	6					_				174								_	-6	34			34	_	35.384		· ·	<u>;</u> <u>;</u>								PM	
18 24	200	033	1 210	50	66	157	43	7	101	243	1 1	26	85	0		287	167	358	1.434	2.007	143	80	1,593	558	956	158	42	42	1,685	21	1.311	1,943	538	51 2	<u>.</u> :	2.20	468	1.660	586		9	14	CO	- ; . , ;
2.373	90.121	03 721	110 330	186	5.932	14.236	4,363	727	10.180	10.402	13.453	1.818	5.090	26	128	28.829	21,622	36,037	144,147	201,806	14,415	7.207	144,147	50.452	86,488	15.882	4.235	4.235	169,405	2,118	118,584	175,758	48.704	5.166	1 700	1 733	42,364	150,168	53.041	77	816	1.225	Sulfur Dioxide	

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

									····																			
129	121	12e	3	12d	12c	120	i i	12 a	11d	11c	116	11a	10 00	106	10a	8	99		œ s	20 00	8h	gg	8	8° 26	8c	8a	7	Model
Liquid/NFF Solid	Liquid/NFF Solid	Coal/Wood/NFF	Coal/Wood/NFF	Liquid/NFF Solid	Liquid/NFF Solid	Coal/Wood/NFF	Coal/Wood/NFF	Liquid/NFF Solid	Liquid/NFF Solid	Liquid/NFF Solid	Liquid/NFF Solid Coal/Wood/NFF	Liquid/NFF Solid Coal/Wood/NFF	Liquid/NFF Solid Coal/Wood/NFF	Liquid/NFF Solid Coal/Wood/NFF	Liquid/NFF Solid Coal/Wood/NFF	Coal/Wood/NFF	Coal/Wood/NFF	Coal/Wood/NFF	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Malerial
_≥	All .	≧	;	≧	≧	2		≧	A	All .	-All	All	All		All	A	₽		Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Combustor Type
>250	>250	>250	;	>250	>250	>250		>250	100-250	100-250	100-250	100-250	10-100	10-100	10-100	0-10	0-10		>250	>250	>250	>250	>250	>250	>250	>250	100-250	Capacity Range (MMBtwh
565	565	565		565	565	565		565	173	173	173	173	35	35 5	ၾ	ø	თ	;	600	600	600	600	600	600	600	600	186	Avg Capacity (MMBtu/ hr)
FF/FSI	Ŧ	ESF/SD		ESP/FSI	ESP	Cyclone/Ventur/Pac		Cyclone	T	Wet Scrubber	ESP	Cyclone :	ESP	Cyclone	No Control	Cyclone	No Control		Wet Scrubber	FF/SD	FF/DSI	T	ESP/Wet Scrubber	ESP/SD ESP/Venturi/Packed	ESP	No Control	Wet Scrubber	Control Level
7	თ	4			47	4		_	8	2	 	ω	CI	57.	œ	თ	72	1	2 1	υ N	12	36	12	7 55	196	17	14	No of Boilers
0		C	,	0	0	c	1	٥	0	0	0	0	0	0	0	0	0	•	00	0	0	0	٥ ،	00	0	0	0	No of Heaters
1.7E-02	1 2E-02	9.7E-03		2.4E-03	1.1E-01	9 / E-03		2.4E-03	1.4E-03	1.4E-03	7 5E-03	2.0€-03	6.3E-04	6.8E-03	1.0E-03					1.5E-02	8.9E-02	2.7E-01	8.9E-02	3.7E-02	1.5E+00	1 3E-01	3.2E-02	Mercury
1.7E-02 0.0E+00 1.7E+01	0.0E+00 1 2E+01	0.0E+00		0.0€+00	0.0E+00 1.3E+02	0.05+00 9.85+00		0.0€+00	0.0E+00	0.0⊑+00	0.0E+00	0.0E+00 2.3E+00	0,0E+00	0.0E+00	0,0€+00				1.4E-03	1.1E-03	8.4E-03	2.5E-02		3.5E-03	1.5E-01	1 3E-02	3.0€-03	Methyl Chloroform
		9.85+00		2.7E+00				2.7E+00	1.4E+00	1 4E+00	8.4E+00		7.1E-01	7.7E+00	1.1E+00				3.7E-01	2.8E-01				9.1E-01		è	9	Methyl Ethyl Ketone
0 0€+00	0 0€+00	0 0 0 0	3	0.0E+00	0 0€+00	0.011	i :	0 0€+00	0 0E+00	0 0E+00	0 0E+00	0 0E+00	0 0E+00	0 0 0 + 0 0	0.05+00	0 05+00	0 0E+00		1 OF -01	7 9E-02	1E-01		6 1E-01	2 5E-01			2E-01	Methylene Chloride
2.4E-01	1.7E-01	2./Է-02		3.4E-02	1 6E+00	6.8E-01		3.1E-01	1.9E-02	1.3E-01	1.0E-01	2.6E-01	8 9E-03	8.6E-01	1 4E-01					6.9E-03				3.5E-02		5.9E+00	1 1E+00	Nickel
4.2E-01	3.0E-01	2.4E-01	i !	6.6E-02	3.1E+00	2.46-01	i !	6 6E-02	3.3E-02	3 3E-02	2.0E-01	5.6E-02	1.7E-02	1.9E-01	2.8E-02	2.4E-03	9.6E-04		1 m 03	8.8E-04		2.0E-02	6 8E-03				2 5E-03	o-Xylene
2.9€+01	2.9E+01	3.3E+00		4.1E+00	3.5€+02	8 25+00		8 2E+00	3 2E+00	1 1E+00	2 3E+01	6 9E+00	1 9€+00	2 3E+01	3 4E+00					6 8E-01	2.0E+01		1 0 1 0 1	5 0F+00	6 0E+02	5 8E+01	3 7€+00	Phosphorus
0.0€+00	2.9E+01 0.0E+00 0.0E+00	0.01-00		0.0E+00	0.0E+00	004+00	1	2E+00 0 0E+00	0 0E+00	0 0E+00	0 0E+00	6 9E+00 0 0E+00 0.0E+00	0.0E+00	0.0E+00 0.0E+00	0 0E+00	005+00				3 6E-02	8E-01		2 8E-01	1 2E-01	5 0E+00	4 4E-01	1 0€-01	Toluene
0 0E+00 2.4E-01 4.2E-01 2.9E+01 0.0E+00 0.0E+00	0.0€+00	0.05+00	1	0.0E+00	0.0E+00	0.05+00		0 0€+00	0.0€+00	0.0€+00	0.0E+00	0.0E+00	0.05+00	0.01+00	0.0년+00	0.0E+00	0.0E+00		4 1m 02	3.2E-02	2.5€-01	7.4E-01	2.5E-01	1.0E-01	4.5E+00	3.9E-01	9.0E-02	Xylenes
183	131	210	}	52	2,463	2.021	2	655		735	162	551	14	1,848	1.095	24	ယ္ထ		3.082	က် လ	370	1,109	740	308 431	12.081	52,390	6,687	PM
11.209	8,006	0,400) }	1,779	83,623	0,405))	1.779	898	898	5,487	1,497	465	5.020	744	65	26		76	76 76	457	1,370	457	190 266	8,290	719	165	CO
34,896	24,925	19,940		4,985	234 299	3,988		4,985	2,795	2,795	15,374	4,193	1,302	14,064	2,084	182	73	; ;	7,654	7,654	45,923	137,769	45,923	19,135 5,358	750,076	65.058	16,609	Sulfur Dioxide

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

															_		,		:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ř																7	<i>∞</i> 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
18°C	.86		18a	2		<u>1</u> 7c		17b		17a			30.0						15b	15a	4	14e	14d	146					<u> </u>					121		12h		Model
Biomass/Liquid FF	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Gasywood/Uner	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Gas	Gy C	Cas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas .	Gas	Gas	Gas	Gas	Liquid/NFF Solid	Coal/Wood/NFF	Liquid/NFF Solid	Coal/Wood/NFF	Material
¥	¥		₽	1	•	A		A		₽	ć	Other		5 E	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other Care	O CE	Q Q		Other	Other	Other	All		₽		Combustor
10-100	10-100		10-100	ç	<u>}</u>	0-10		0-10		٥ ٥		>250	0520	7250	100-250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	10-100	0 0	5 6	5 5	5 6	5 5	0-10	0-10	>250		>250		Capacity Range (MMBtu/h
45	45		45	a	,	ø		6	į	6		520	7 0	y . 0	5 64	64	164	164	<u>7</u>	164	ဒ္ဌ	ස _.	జ	္မ	සු	33	ω.	ب د	ມເ	ນ ເ	ນ ເ	ıω		565		565		Avg (MMBtu) (MMBtu)
ESP	Cyclone		No Control	AAGI OCIUDURI	2	71		Cyclone		No Control		Wet Scrubber	מאממימ	Cyclon	Wet Scrubber		ESP/Wet Scrubber	ESP	Cyclone	No Control	Wet Scrubber	FF/Wet Scrubber	T	ESP	Cyclone	No Control	Wet Scrubber	Ventur/Packed	EE/Met Scribber	חקר	ח ת	Cyclone	No Control	Wet Scrubber		FF/Wet Scrubber		Control Level
3	66		12)	2		=		<u></u>	10	∞ : c	ما ش	2.0	9	ဖ	2	17	21	1042	83	3	69	23	119	9732	<u>ი</u> , ი	ه ٔ م	0 0	70.	<u>.</u> «	, 8	18469	6		2		No of No of
0	0		0		>	0		.0		0	1:	= :0	; ⊂	3 6	31	0	ω	0	0	474	145	0	29	0	6	3994	128	- c) c	Ţ 2 2	2 2	29	8268	0		0		No of Heaters
1 1E-03	5.4E-03		9.9E-04	י אני-טט		1 9E-05		1.0E-04		9 3E-05	0.00	0.05+00	0 0 0 0 0 0	001100	0.0E+00	0.0€+00	0.0E+00	0.0€+00	0.0E+00	0 0€+00	0.0E+00	0 0E+00	0.0E+00	0.0€+00	0 0E+00	0 0 = +00	0.05+00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	001100	0 0 0 0 0	00.400	0.0E+00	0 0€+00	1 5E-02		4 8E-03		Mercurý
1E-03 0 0E+00 2.2E-01	0 05+00		0.01+00	0 05	1	0 0E+00		0 0€+00		000+00			4 20 00		4			1 7E-02	2 1E-02				_					1 40 04			201103	2 1E-03	4 7E-01	0 05+00		0 0E+00		Methyl Chloroform
2.2E-01	1 15+00		2 0E-01	2000		3.5E-03		2.1E-02		1 9E-02			001100						0.0E+00	0.0E+00								0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						1 5E+01		0 0 0 4 9 5 + 00		Methyl Ethyl Kelone
3 2E-01	1 6E+00		3 0E-01	ט וויי) }	5 1E-03		3 1E-02		2.8E-02	C		3 77 6					_				_				2.2E+01		1 25 03					3 8E	0		0 0E+00		Methylene Chloride
	9 5E-02		1 9E-02	#0-nc 7	<u> </u>	3 6E-05		1 8E-03		1 8E-03	i	2 7E-01	3 7 7 6	3 50 01	2.06-01					8 8E+00		1 5E-03	1 1E-02	2 7E-03	1 3E-01			4 75 04) -		28€	1 4E+00	,	6 8E-02		Nickel
2.1E-03 1.7E-01	8.6E-01		1 6E-01	7./n-03		2 7E-03		1.6E-02		1.5E-02	1	2 9 5 - 02	2 2 1 6							7 3E-01		1.1E-03	8.5E-03	2.2E-03	1 2E-02	1 3E+00		7 00.05		2 00 00				3 6E-01		1 2E-01		o-Xylene
7 1E-01	4.0E+00		7 3E-01	3.40-03	;	9.7E-03		7.6E-02		6.9E-02		1 4E-02	3 45 03		1.05-02		1.0E-03	1 3E-02	1.7E-02	1.3E+00	9 3E-03	5.3E-04	1.1E-02	3.4E-03	2.0€-02	2.2E+00		3 3 1 0 0		2 75 06		1 7E-03	3 9E-01	1 2E+01		4 1E+00		Phosphorus
7 9E-01	4.0E+00		7 3E-01	- 70-07	2	1 2E-02		7 5E-02		6.9E-02		5 9E-01	4 5 1 6	2.20701	4 4 1 01	7.9E-02	4 4E-02		2.1E-01	1 5E+01				4 5E-02	2.4E-01	2.7E+01	2.8E-02					2.1E-02	4 6E+00	0 0E+00		0 0E+00		Toluene
0 0€+00	0 0 =+00	·	0 0€+00	0		0 0E+00		0 05+00		0 0 0 0 0 0			001100					0 0E+00		0.0E+00	0 05+00	0.0€+00		0 0E+00	0.0E+00	0 0E+00	0.05+00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	001100				0	0 0E+00		0 05+00		Xylenes
18	1,146		833	0		0		22		79							-										2:0						665	7.862		52		PM State of the st
1,587	8,055	-	1,465	7,) Fi	25		152		138		132.366	100.629	147073	720.66	17.825	9,903	37,410	46.213	3,336,111	89,444	5,100	38,445	10.025	54,486	5.982.958	6.282	316	316	0.034	4.04	4,641	1.042,661	9.608		3.203		co
0	0		0	c	>	0		0		0		0 (5 0	> <	0 0	0	0	0	0	0	0	0	0	0	0	0	0 (5 0	o c	> <	o c	00	0	29.911		9,970		Sulfur Dioxide

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

2 6		, 63	· N	~	<i>ا</i>	 N	N	=	N)	. N	. N						7																		_		7	w Zi	ariti	· William
24d Dia									22a Dis	21e Dis	21d Dis	216 Dis	21a Dis	20e Bio	20 pig		20c Bio	ဂ္ဂ	20b Bio	Ga Ga		19f Bio	ဂ္ဂ	19e Bio		19d Bio		e P	19 19 19 19 19		18g Bio	ရှိ ရှိ		18e Bi	ဂ္ဂ	18d Bio	_	Node:	N. S.	
Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Distillate Liquid FF	Biomass/Liquid FF	Gas/Wood/Other	Gas/wood/Utner	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Gas/vvood/Uner	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Riomass/Liquid FF	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	Gas/vvood/Umer	Biomass/Liquid FF	Gas/Wood/Other	Biomass/Liquid FF	Gas/Wood/Other	**************************************		•
iquid FF	quarr	qud FF	iquid FF	iquid FF	iquid FF	iquid FF	iquid FF	ıquıd FF	iquid FF	/Other	Ciner	quid FF	//Other	iquid FF	/Other	//Other	quid FF	/Other	iquid FF	l/Other	iquid FF)Other	בות הול הולים הולים הולים הו	iquid FF	/Other	iquid Ff	Other)/Omer	iquid Fi	/Other	iquid Ff	/Other	Material	á ri	; *					
				.,		•	:							''	,	•	i .		''		,			,		"		''	''		"		'	71		"				
≥ ≥	<u>}</u>	2	≧	≧	≧	≧	≱	₽	Ā	A	≧	≧	≧	¥	2	:	₽		₽	2	>	<u>a</u>		<u>a</u>		A]	<u> </u>	A		₽	. ≥	>	All		₽		Combustor		
>250	00-250	100-250	100-250	100-250	10-100	10-100	10-100	10-100	10-100	0-10	0-10	0-10	0-10	>250	002		>250	1	>250	0677	2	100-250		100-250		100-250	20,200	100_250	100-250		10-100	9-100	•	10-100		10-100		(MMBtu/f	Capacity	
355	3 5	157	157	157	23	8	3	29	23	ω	ω	ω	ω.	394	J94	3	394		394		3	178		178		178	ä	178	178	-	45	ť	ñ	5		45		(MMBhu	Awg	· 1000000000000000000000000000000000000
ESP	wer scrubber	H	Cyclone	No Control	Wet Scrubber	Ŧ	ESP	Cyclone	No Control	Wet Scrubber	귀	Cyclone	No Control	Wet Scrubber	7	1	ESPW		ESP	Cyclone)	Wet Scrubber		ESPW		ESP	Cyclon	2	Cyclone	-	Wet Scrubber	FF/AAG	2000	Ŧ		ESPW	7	· Ebu city		
ğ	rubber			trol	rubber				trol	rubber	,	w	trol	rubber			ESP/Wet Scrubber			4	•	rubber		ESP/Wet Scrubber			Cycloned ventioner ac	antina/Dac	æ		rubber	FF/Wet Schooler				ESP/Wet Scrubber		Control Level		
ပ	} 0	, ω	ω	78	<u>о</u>	9	on .	6	787	6	42	ಪ	1900	24	L	,	2		==	ú	1	15				12	-		Cn		ω	-						No of		
0 0	2	0	0	5	0	0	0	٥	2	51	ö	5	166	0	0	•	0		0		•	0		0		0	c	>	0		0	·c	•	0		0		No of Heaters		
2.2E-05	1.95-05	9.5€-06	9.5E-06	3 0€-04	3.5E-06	5 3E-06	3.5E-06	3.5E-06	5 2E-04	6.7E-07	3.2E-06	1 1E-06	1.3E-04	2.1E-02	2.6E-03		1.7E-03	!	9.5E-03	4.3E-U3	3	5.6E-03		3.7€-04		4.5E-03	3./E-04	3 75 04	1.9E-03		2.5E-04	0.25-05		8 2E-05		8 2E-05		Mercury		
9.0E-02 2.6E-03	2.16-03	1 0E-03	1.2E-03	3.6E-02	3.8E-04	5 7E-04	4 3E-04	4 3E 04	6.3E-02	7.3E-05	3.4E-04	1.3E-04	1.5€-02	00.00	0 01-00	1	0 0E+00		0.0E+00	0.05+00		0.0E+00		0.0E+00		00.00	0.05+00	0 00 00	0.0E+00		0.0E+00	0.05+00		0 0E+00		0 0E+00		Methyl (Chlore	oform
0.0E+00	0.01	0.0E+00	0.0E+00	0.0E+00	0.05+00	0.0E+00	0.01	0 0E+00	0000	0.0E+00	0.0E+00			3.9E+00	4.8E-01		3.2E-01		2.0E+00	8.9E-01		1 0E+00		7 0E-02		9 3E-01	705-02		3.9E-01		4 6E-02	1.05-02		1 5E-02		1 5E-02		Methyl (Ethyl I	Ketone
7.3E-02	20-48 C	2.9E-02	3.2E-02	1.0E+00	1 16-02	1.6E-02	1 2E-02	1 2E-02	1.8E+00	2.0E-03	9.7E-03	3.7E-03	4.3E-01	5.6E+00	/ 0E-01	1	4.7E-01		2.9€+00	1.35+00	2	1 5E+00		1.0€-01		1.4E+00	1 00-01	ñ	5.7E-01		6.7E-02	7.45-07	2	2.2E-02		2.2E-02		Methyle	ne Ct	ebinole
2.5E-04		1.1E-04			2.9E-04		4	w	6	5	3	1.2E-04	1 5E-02	2.8E-01	5.0E-03	1	3.3E-03		1.8E-02	/ JE-02	1	7.6E-02	-	7.2E-04		8.7E-03	305-03	2 8 1 2 2	3 3E-02		3 3E-03	1.01.04	1	1 6E-04		1 6E-04	,	Vickel		
4 ZE-02 1 ZE-03	9 /1-04	4.8E-04	5			2	2.0€-04	2.0E-04	2.9E-02	3.4E-05	1 6E-04	6 2E-05	7 1E-03	2.9€+00	3/6-01		2.4E-01		1 5E+00	0 85-01)	8 0E-01		5 3E-02		7 1E-01	ט טה-טג	ň	3 0E-01		3 5E-02	1 75-02	វ	1 2E-02		1 2E-02		o-Xylen	3	
4 0E-01	_	1 4E-01		6.1E+00	1 8E-02	7 6E-02			1.1E+01		$\overline{}$	2.2E-02	2.6E+00	3.8E+00	1 3E+00		3.2E-01		6.3E+00	3.25+00	2	1 0E+00		6.9E-02		3.0E+00	0 95-02	n	1 4E+00		4 6E-02	1 25-02	3	4 3E-02		1 5E-02		Phosph	orus	
1 5E-02				2.1E-01									CO	1.4E+01	1 /E+00		1.1E+00		7.0E+00	3.25+00		3 7E+00		2.5E-01		3.3E+00	V-3C-7		1.4E+00		1.6E-01	3 4E-02	; ;	5 4E-02		5.4E-02	_	Coluene	.5 .6	
1.1E-02					1 6E-03		1.8E-03					Ch	6	0 0 = +00	0 0 = +00	·	0.0E+00) 0.0E+00	0000	2	0 05+00		0 0E+00) 0 0E+00	0.05	2	0.0E+00		0 0€+00	00 01	7	0 0E+00		0 0E+00	1	Kylenes	*	
1 433	3		5		_		_					_		0 8,710	- 22		29		160	90/		2,367		6		76			395		0 04							 РМ		
72	3/	83	ప్ర	986		6	12	72	1,740	2	9	4	419	27,559	3,445		2,297		14.035	0,300	3	7,490		499		6.658	499	è	2,774		330	, 5	;	110		110	ľ	oo'		
0 0	۰ ٔ د	0	0	٥	0	0	0	0	0	0	0	0	0	0	0	,	0		0	c	,	0		٥	:	0		>	0		0	c	>	0		0		Sulfur D	loxide	

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

==		-	-	-	==					==	-		_				==		_		 ,	-	_				_														
									32c						31b		30e		30c	306	30a	296	296	29a	28c	28b	28a		27e	27d	27c	276	27a	26.	26d	26c		26a	25b	25a	Model (M.)
					******	*******		Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	NEE Liquid/NEE	NFF Liquid/NFF	NEF Liquid/NEF	NFF Liquid/NFF	NFF Liquid/NFF	NEE Liquid/NEE	NEF Liquid/NEF	NFF Liquid/NFF	NEE Liquid/NEE	NEEL CONTROL	NET Liquid/NET	NEF Liquid/NEF	NFF Liquid/NFF	NFF Liquid/NFF	NFF Liquid/NFF	NFF Liquid/NFF	Material
Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Wall-fired/P	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	₽	A	A	<u>A</u> .	<u>A</u>	A	A.	≙ ;	₽ }	≧ ≜	≧ ≧	≧	₽	₽	ΑH	AII	Combustor Type
>250	255	5 8	6 8	ō 100	10-100 100	0-1 0-	0.50	>250	>250	>250	>250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	10-100 10-100	10-100	10-100	0-10	0-10	0-10	>250	>250	>250	100-250	100-250	100-250	100-250	100-250	100-250	100	10-100	10-100	10-100	10-100	0-10	0-10	Capacity Range (MMBturh
	•	36 1			26	7	7	449	449	449	449	179	179	179	179	179	ၓ	30	ဒ	မ	ၓ	Ch	Ç	(J)	562	562	562	161	161	61	<u> </u>	16.1 16.1	16. 16.1	n 0	5 58	58	58	58	ø	6	Awg Capacity (MMBtu/ hr)
ESP/Wet Scrubber	ממשטטט איני	Wet Schibber	T .	Cyclone	No Control	Cyclone	No Control	Wet Scrubber	ESP	Cyclone	No Control	Wet Scrubber	ESP	Cyclone/Venturi/Pac	Cyclone	No Control	Wet Scrubber	Ŧ	ESP	Cyclone	No Control	Ŧ	Cyclone	No Control	Wet Scrubber	ESP	No Control	Wet Scrubber	Cyclone	FF	ESP/Wet Scrubber	ESP	No Control	TE/SD))	ESP	Cyclone	No Control	Cyclone	No Control	Control Level
	٠.	· .	{	28	ν.	un.	ö	5	74	ω	2	29	21		9	2	26	თ	12	256	73	4	76	76	4	ഗ	ಪ	ω.				٠ !	3 -	. ω	, 7	ω	10	29	4	2	No of Boilers
0 0	۰ د	> 0	o (o .	0	5	0	0	0	0	0	0	0	0	0	0	ω	9	<u> </u>	œ	ω	0	4	4	0	0	0	0 (0 1	0 (-	o 4	۰ ۵	0	0	0	0	ω	0	4	No of Heaters
3 6E-03	ייייייייייייייייייייייייייייייייייייי	1 48 04	1 45-04	3 95 03	2 85-04	1 5E 04	2.9E-04	1.3E-02	3 8E-02	8.1E-03	5 4E-03	3.0E-02	2.2E-02	1 0E-03	9.4€-03	2.1E-03	4 2E-03	2.0€-03	3.3E-03	3 8E-02	1.1E-02	8.6E-05	1 7E-03	1 7E-03	3.2E-02	4 0E-02	1 0 = -01	5.8E-03	1 95-03	1 9E-03	1 9E-03	1 45.02	4 8 F 0 2	2.3E-03	5.3E-03	2.3E-03	7 5E-03	2 4E-02	2.8E-04	4 2E-04	Mercury
2 2E-02	מ ליי	מילות לי	8 75 04	275.02	1 95-03	10553	2 OE-03			5 6E-02	3 7E-02	1 9E-01	1.5E-01	6.5E-03	6 5E-02	1.4E-02	2 6E-02	1.2E-02	2 3E-02	2.6E-01	7.5E-02	5 3E-04	1 2E-02	1 2E-02	5 0E-03	7.0E-03	1 8E-02	9 2E-04	3 4F-04	3 15 04	3 1F-04	2 4F-03	8 50 03	2.8E-04	8 3E-04	4 0E-04	1 3E-03	4 2E-03	4	7	Methyl Chloroform
1 9E-02	ייייייייייייייייייייייייייייייייייייי	7 70 04	7 75 04	2 4 1 1 2	1 7E-03	9 05 04	1.8E-03	7 4E-02	2.3E-01	4'9E-02	3 3E-02	1 7E-01	1 3E-01	5 7E-03	5.7E-02	1 3E-02	2.3E-02	1 1E-02	2.0E-02	2.3E-01	6 7E-02	4.7E-04	1 0E-02	1 0E-02	3,0E-01	4 2E-01	1 1E+00	5 5E-02	201-02	1 8E-02	1 85.00	1 10 0	5 1E 01	1 7E-02	5 0E-02	2 4E-02	7 9E-02		N	4 4E-03	Methyl Ethyl Ketone
3 16-01	2 6 6 6	מות ה	37.6	יו מאור	275.02	1 AF-02	2 9€-02	1 2E+00	3.7E+00	7 9E-01	5.2E-01	2.7E+00	2.1E+00	9.2E-02	9.2E-01	2.0E-01	3.7E-01	1 86-01	3 2E-01	3.7E+00	1 1m+00	7 5E-03	1 7E-01	1.7E-01	3 2E-01	4 4E-01	1 1E+00	5 8E-02	2 1E-02	1 95-02	1 95.00	7 1 6	7 5E-03	1.7E-02	5 2€-02	2 5E-02	8 3E-02	2.7E-01	3.1E-03	4 6E-03	Methylene Chloride
5.9E-03	ָה מור מור מור מור מור מור מור מור מור מור	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	225.04	20110	4 7F-03	2 7 7 7 7	4 95-03	1 6E-01	6.2E-02	1.2E-01	8.9€-02	3.5E-01	3.6E-02	8.7E-03	1.4E-01	3.5E-02	4.8E-02	3.3€-03	5.5E-03	5.7E-01	1 8E-01	1.4E-04	2.5E-02	2 8E-02	9.7E-01	1.7E-01	4.5E+00	1 8F-01	7 65-02	8.55-03	מ צוביטמ מ פוביטג	20100	2.3E-02	9.9E-04	2.3E-02	9.9€-03	3 0E-01	1.1m+00	1 1E-02	1 8E-02	Nickel
9 46-03		3 7 10	3 75 04	1 25 0	35.04	37.1	8 7E-04	3 6E-02								6.2E-03				1 1m 01	3.2E-02									6 1F-03	n 4		1 2	S OF		_	N	æ ∰	9	-1	o-Xylene
9 96-02		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		- (. در	+ (3 7E-01	-	9.0€-01		8 4E-01		2.9E-02		2.3E-01				~		6,7E-03		-				0 0 + 00					5 0	_	0		0	_	0	0 0E+00	Phosphorus
7.0E-01			-	0 0		-			~					2.1E-01			8.3E-01				<u> </u>		3 8E-01		1 6E-01				1 15 00		0 75 0 7			00	N	_	4	1 3E		2	Toluene
2 7E-03			- (_			_													-	9.3E-03	-							0 1 1 0 1		8 25 04	7 0	ی د	7	N		ω	1.1E-02		2 0E-04	Xýlenes (1) (2) (1)
55 55	3 4	3 -								1,498							_											1.507	-				`		27					7	PM
807	2007	3 6	33,	000	71	37	74	3 059	9,517	2.039	1.360	6.896	5,549	238	2.378	528	948	458	836	9.593	2.762	19	431	431	569	790	2.054	104	3 6		35	960 270	066	32	95	#5	150	180	o .	8	co
0,0) !	o ' c	> 0	: o (> ·	، ا د	0	o)	o.	0	0	0	0	0	0	0;	٥,	٥	0	0	0	0	0 ¹	0	0	o !	0	-	5 0	o ' c))	> c		0	0	0	0	0	0	0	Sulfur Dioxide

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

39e	396	396	39a	38g	<u>₩</u>	<u>မ</u>	38d	380	38b	38a	371	37e	3/0	3,6	3 5	375	373	 6	36c	366	36a		Model No
Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF Wood/Other	Wood/Other	Wood/Other	Wood/Other	Wood/Other	Wood/Other	Wood/Other	Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF Wood/Other	Wood/Other	Material										
<u>a</u>	≧	≅	A	A	¥	A	₽	₽	All	All	₽	All	All	Ě]	≧ }	≧ }	2	<u>A</u>	All	All		Combustor
>250	>250	>250	>250	100-250	100-250	100-250	100-250	100-250	100-250	100-250	10-100	10-100	001-00	0-100	9	100	100	1	0-10	0-10	0-10		Capacity Range (MMBtu/n
513	513	513	513	173	173	173	173	173	173	173	4	4	4	4	i	: :	: -	7	7	7	7		Avg Capacity (MMBtu/ hr)
ESP/Wet Scrubber	ESP	Cyclone	No Control	Wet Scrubber	FF/Wet Scrubber	FF/FS)	FF	ESP	Cyclone/Venturi/Pac	Cyclone	Wet Scrubber	71	EST.	Cyclone/Venturi/Pac	Cyclone	Color	Nic Costal	Wat Combbon	ESP	Cyclone	No Control		Control Levet
-	28	4	-	15	-		4	15	_	_	6	7	ω	_	7	3 6	3 0	1	-	2	, ω		No of Boilers
0	· o	0	0	0	0	0	0	0	0	0	0	0	0	0	,	· ·		> (0	0	0		No of Heaters
6 7E-03	1 8E-01	2.7E-02	6.7E-03	3.5E-02	2.4E-03	2.4E-03	9.4E-03	3.5E-02	2.4E-03	2.4E-03	2.8E-03	3 3E-03	1 4E-03	4./E-04	2 OE-03	i fi	4 01-04		7 9F-05	1 6E-04	2.4E-04		Mercury
2.0€-02	5.8E-01	8.9E-02	2.2E-02	1.1E-01	7 0E-03	7.0E-03	2.8E-02	1.2E-01	7.0E-03	7.8E-03	8 3E-03	9 7E-03	4 6E-03	1 4E-03					2 6E-04	5 2E-04	7 8E-04		Methyl Chloroform
2.0E-02 0.0E+00	0.0E+00	0.0E+00	0.0€+00	0.0€+00	0.0E+00	0.0E+00	0.0€+00	0.0E+00	0.0€+00	0.0€+00	0.0E+00	0 0E+00	0 0 0 0 0 0	0 01 -00	000		0.01		000	0 0E+00	0 0€+00		Methyl Ethyl Ketone
7 6E-02 2	2.2E+00	3.4E-01	8.4E-02	4 0E-01	2.6E-02	2.6E-02	1 1E-01	4 4E-01	2 6E-02	2.9E-02	3 2E-02	3 7E-02	1 8E-02	5 3E-03	70-10	- 00-02	44.63		9 95-04	2 0E-03	3 OE-03		Methylene Chloride
2 4E-02	6 1E-01	8 5E-01	2 4E-01	8 7E-01	8 3E-03	8 3E-03	3 3E-02	1 2E-01	4 1E-02	7 4E-02	6 9E-02	1 1E-02	4 9E-03	8 2E-03	or or	4 9E-02	9 /E-03		2 8 € _0.4	5 0E-03	8 3E-03		Nickel
2.4€-02	7 0E-01	1 1E-01	2.7E-02	1 3E-01	8.5E-03	8.5E-03	3 4E-02	1.4E-01	8.5E-03	9.4E-03	1 0E-02	1 2E-02	5.6E-03	1.7E-03	2.ZE-02	2.55-03	1.4E-03		3 25-04	6 3E-04	9.5E-04		o-Xylene
2.0E-01	1.9E+01	3.2E+00	8.1E-01	1.1E+00	7.1E-02	1 4E-01	7 9E-01	3.8E+00	7.1E-02	2.8E-01	8.5E-02	2.8E-01	1.5E-01	1.4E-02	יי אב-טו) L	70-42		8 55.73	1 9E-02	2.9€-02		Phosphorus
3 2E-02	9.4E-01	1 4E-01	3.6E-02	1.7E-01	1 1E-02	1 1E-02	4 5E-02	1 9E-01	1.1E-02	1.3E-02	1 4E-02	1 6E-02	7 5E-03	2.3E-03	3.06-02	7.5E-03	1 9E-03	, ,	4 25.04	8 5E-04	1 3E-03		Toluene
8.6E-03	2.5E-01	3.8E-02	9.6E-03	4 5E-02	3.0E-03	3.0E-03	1.2E-02	5.0E-02	3.0E-03	3.4E-03	3.6E-03	4.2E-03	2.0€-03	6.0E-04	8.01-03	201-03	у. IT-04		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.3E-04	3.4E-04		Xylenes
- မ	908	1,747	1,747	4,586	; Gs	500	24	183	153	153	364	8	- 7	ఆ	404	304	<u> </u>		>	ō	62		PM
587	16,965	2,610	652	3,083	206	206	822	3,426	206	228	245	286	136	4.	544	136	4		00	15	23		co
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	c) c	· c		Þ	0	0		Sulfur Dioxide

<u>σ</u>	٥.٠	n Ui	رن د	Ç	ې ک	4.	<u>.</u>	4	4	4	4	4	4	4	4		4	<u> </u>		4		4	۰ 4		4 4		4 4	4	4		-	-	4		. 4	-				No d
200																							432		2 4				419 R							402		<u>ي</u> 10		Φ
Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coal	Coat	Coal	Coal	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Bagasse/Other	Ragasse/Other	agassa/Other	Ragasse/Other	Residual Liquid FF	Residual Liquid FF	Residual Liquid FF	esidual Liquid EE	Residual Liquid FF	Desidual Liquid FF	Residual Liquid FF	Residual Liquid FF	Desidual Louid EE	Wood/Other	Biomass/NFF Liquid/NFF	Wood/Other	Material							
S:5	. <	: <	<		i		- ;		,	- !	-			·	1	Ì	:	-	1	-			1	1	-	i	;		,	;	į			į		7		7		
Wall-fired/P	Wall-lifed/P	Wall-fired/P	Wall-fired/P	Other	Other	Other	Other	Other	Other	Other	Other	Other	2		`	<u>A</u>	2	<u>}</u>	AH I	All !	2 2	ΔΙΙ	≙ }	: ≧ } :	<u>≥</u> ≥	≧.≧	≧'≧	≧	≧	₽	₽	<u>A</u>	≧ :	≙ }	₽ }	<u>}</u>	<u> </u>	A	:	Combustor Cype
100-250	10-100	10-100	10-100	>250	>250	100-250	100-250	10-100	100 100	10-100	10-100 -100	٥ أ	>250	>250	>250	100-250	100-250	3 6	3 8	100	25.00	25.00	V25-00-	200 200	100-250	00-200	100-250	100-250	10-100	10-100	10- 100	10-100	10-100	2 6	210	0 10	\ 2 E 0	0525	3	Capacity Range (MMBtu/n
186 186		57	57	565	565	166 6	1 66	<u>4</u>	4	%	12	4	419	419	419	£ 6	ָּהָ מַלְּהָ	ָּהְרָּגְּ מְלְּגָּ	3.1	3 3	n (7	547	7.	17.2	77.	172	172	37	37	37	37	37	<i>د</i> د	ω (ء د	n 3	513		Awg Capacity (MMBtu/ m)
ESP	Wet Scrubber	Cyclone	No Control	Ti	ESP	ESP P	Cyclone	T	ESP	Cyclone	No Control	No Control	Wet Scrubber	ESP/Activated Carb	ESP	Wet Scribber	Como	No Costed	Water	Colors	ח על על על איני	Como	No Control	VEHIUNT ACKED	Venturi/Dacked	7	Cyclone	No Control	Wet Scrubber	77	ESP	Cyclone	No Control	n de	Cyclone	Net scrubber	Wind Street	7	1	Control Level
ယတ	G	1 78	9	2	Сħ	ω	26	ω	ω	2	ō	<u>အ</u>	g ,	DO 1	2!	<u> </u>	ئ د	ر د	7 4	ى د	n j	į	12.	. ^) N	14	53	179	28	4	0	44	1048	ه ه	ა ģ	<u>ئ</u> ي	3			No of Boilers
00	0	0 0	0	0	0	0	0	0	0	0	0	0	0 () i	۰. ۱	ין כ		o ; c	۰ c	> 0	> 0	> =	1, 0		> 0	· c	0 0	66	4	0	4	0	508	D i C	> ù	; c)	0		No of Heaters
2.3E-03 1 2E-03	5.9E-04	2.1E-03	1 1E-03	2.3E-03	5 8E-03	1 OE -03	8.9E-03	3 4E-04	3 4E-04	6.0E-03	1.1E-03	3.0E-04	2 85-01	1 15.00	1 1 1 0 0 0 1	4 50.02	20 10 00	7.711-02	2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	7.70.00	מות ב	1 20 00	4.85-02	0.95-0.0	6.9E-03	4.86-02	1 8E-01	8.5E-01	2.4E-02	2.5E-02	3.0E-03	3.3E-02	1 25+00	2 4E 04	1 85 04	2.2E-01	3	6 7E-03	_	Mercury
2 4E-04 1.2E-04	5 5E-05	2.2E-04	1 1E-04	2.2E-04	6 1E-04	1 1E-04	9.3E-04	3 1E-05	3 5E-05	6.3E-04	1 25-04	3 1E-05	8 3F-01	37.6	3 75 0	1 25 01	20-11-02	20-11-02	7 1 1 2 7		9 70 03		5.36-03	7 00 00	7 6E-04	5 95-03	2 2E-02	1 0E-01	2 6E-03	2.8E-03	3 6E-04	4 0 6-03	1 4E-01	20202	201102	00000)	2 0E-02		Methyl Chloroform
6 3E-02 3.1E-02	1 4E-02	58E-02	2.9€-02	5 7E-02	1 6E-01	2.8E-02	2 4E-01	8.2E-03	9 1E-03	1.6E-01	3 0€-02	8.1E-03	8 55 00	1 45-00	3 8 1 1 2 2	3.55-01	ח מ	0.01	יייייייייייייייייייייייייייייייייייייי	3 10 00				מינים לינים	0.06+00	0.01+00	0.0E+00	0.0E+00	0.0€+00	0 0E+00	000+00	00+300	00+70	000000000000000000000000000000000000000	0.05+00		3	0 0E+00		Methyl Ethyl Ketone
1.7E-02 8.7E-03	4 0E-03	1.6E-02	8.0E-03	1.6E-02	4 4E-02	7 8E-03	6.7€-02	2.3E-03	2.5E-03	4 5E-02	8.4E-03	2 2E-03	1 25+01	2011-00	אַ אָדוּיַן פֿע	30000	7.10-01	у (п С	0 0	3 - 0	1 1	1 1 100	1.51.01	70-02	2.16-02	1./1:01	6.3E-01	2.9E+00	7.3E-02	7 8E-02	1 05-02	1 15.01	4 05+00	1 75 03	2000	2.55+00	1	7 6E-02		Methylene Chloride
9.7E-02 5.4E-03	1 9E-02	8.9€-02	4 9E-02	1 1E-02	2.7E-02	4 8E-03	3.7E-01	1 6E-03	1 65-03	2.5E-01	5 2E-02	1.4E-02	6 85+00	9000	3 0 1 0 0	0 00-0		5,311-01	10.00.01	2 20 22	1.00	0.70	7 95 00	0. IT-0-	1 65-01	1.1-00	3 9€+01	2.0E+02	3.9E+00	ίn ·	7	י מ	2 75+02	÷ (2 5E +00	1	2.4E-02		Nickel
2 0E-04 9 8E-05	4 5E-05	1 8E-04	9 0E-05	1 8E-04		8 7E-05	7 6E-04	2.6E-05	2 8E-05	5 1E-04	9 5E-05	2 5F-05	6 55 00	105+00	3 on 5	1 10 00	7 2 10 10 1		1 - 41 - 61	o in co	0 90-03	0.90-02	2 51 03	100	3 5E-04	2 8E-03	1 0E-02		1 2E-03	1 3E-03			8 6E-02	2 80 02	1 05 05	8 OF -01	1	2 1E-02		o-Xylene
1 1E+00 4 8E-01	6 7E-02	9 7E-01	4.9E-01	7 SE-01	2.4E+00	4 2E-01	_				5 1 1 0	1 45-01	8 55+00	4 05 00	1 20 100	100	2,71,01		0.01		2000	0 10 10 10 10 10 10 10 10 10 10 10 10 10	2.5E-01	3.05-02	1 OE 01	9 05-01	3.8E+00	1 8E+01	1 2E-01	3 7E-01	5 5 5 02	6 8F-01	2 45+01	מים מים לים	2 7E 03	6 /E+00		5 7E-01		Phosphorus
8 0E-03	1 8E-03	7 3E-03	3.7E-03	7 3E-03	2.0E-02	3 6E-03	3.1E-02	1 OE-03			3.9E-03	1 05-03	3 00+01	4 8 1 00	1 35 100	00+11-00	20.00	2.40		70.00	1 1 1	7.00	2 OE-01					3 8E+00	9.6E-02	1 0E-01	1 35-02	1.5F-01	2 2E+00	2 2 1 1 0 1	101101	1.11+00	· ·	3 2E-02		Toluene
7 1E-03 3 6E-03	1 6E-03	6	(4)	6 5E-03	_	3 2E-03				1 9E-02					1 2 2 2 2 2 2	70 10 4	20 10 00						2 00 - 00		7 9E-01		2 3E+01	_		2				8 2E 02	4 (2 8E-01		8 6E-03		Xylenes
	-	220	********								462		ມ	3 6	٠.										2 22			26,325		00 1			ير م	> -		N		17	-	PM
13 7	ω	12	о	12	33	o	51	21	2	3	on ; 1	2	61050	0 760	2714	0 0	6.049	4./45	1.70/	40	: Ç		3	} ' o	n G1	42	160	741	19	20) د	8 8	1013	> 0	28	19.379		587		CO.
1,186 593	303	1,091	545	1,201	3.003	529	4.588	172	172	3.100	574	53.0	د د	o 'c	>	> ; c				· ·	· >' <				0	0	0	0	0	0	э ;	3	د د	> c	· • •	0		0		Sulfur Dioxide

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

726	70b	690	69a	68a	67d	67a	66a	65e	64e		64 6	63b	63a	625	62a	o G	5 to	606	60a	591	59e	59d	595	. 58 58	58d	58a	57d	56b	, , , , , , , , , , , , , , , , , , ,	55b	54 C	Model
Solid/Gas	Solid/Gas	NFF Liquid/NFF	Distillate Liquid FF	Biomass/Liquid FF	Biomass/Liquid FF Gas/Wood/Other	Gas/Wood/Other	Biomass/Liquid FF	Biomass/Liquid FF	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Biomass/Liquid FF Gas/Wood/Other	Gas/Wood/Other	Gas	Gas	Gas	Gas	Gas	Gas	Gas.	Gas	Gas	Gas	Liquid/NFF Solid	Liquid/NFF Solid Coal/Wood/NFF	Coal/Wood/NFF	Liquid/NFF Solid		Material				
A		₽	₽	A	A	₽	A	₽	¥		<u></u>	A	A	<u>A</u>	A	<u></u>	Other	Other	Other	Other	Other	Other	Other	Other	Other	Other	₽	All		₽	Wall-fired/P	Combustor Type
>250	10-100	>250	>250	100-250	io-100	10-100	0-10	>250	100-250	1	100-250	10-100	10-100	0-10	0-10	7200	100-250	100-250	100-250	10-100	10-100	10-100	100	0-10	0-10	0-10	100-250	10-100		0-10	>250	Capacity Range (MMBtu/h
562	-58	355		157	29	8	w	394	178	;	178	45	45	6	თ	720	7 64 20 4	164	164	ၓ	33	ය <u>(</u>		} ω	ω	ω	173	35	•	ග	600	Avg Capacity (MMBtu/ hr)
ESP	Cyclone	ESP ESP	No Control	No Control	77	No Control	No Control	Wet Scrubber	ESP/Wet Scrubber		ESP	Cyclone	No Control	Cyclone	No Control	Control	No Costrol	Cyclone	No Control	Wet Scrubber	FF/Wet Scrubber	FF	No Control	Wet Scrubber	FF	No Control	FF	Cyclone	6) 0000	Cyclone	ESP	Control Level
_	ω	ှယ	ō	42	ω	207	407	_			•	 →	2		-	6	3,10	2	74	Ν.	7	ಪ ಕ	3 0	10	ឆ	1588		2			15	No of Boilers
0	,	0	<u> </u>		0	œ	21	0	0	(>	0	0	_, o	0	ī	. 0			0	0	0 0	0.22	6	22	350	0	0	(0	0	No of Heaters
1.1E-03	4.4E-04	3.6€-06	1 3E-05					1 1E-04	4.9E-05		4 9 0 0 0 0	1.2E-05	2 5E-05	1.6E-06	1 6E-06	0.00	0 01 00	0 0E+00		0 0€+00	0 0 €+00	0 0E+00	001+00	0.0€+00	0 0E+00	0 0€+00	8.9E-05	3.6E-05		3 1F-06	1 9E-02	Mercury
1.9E-04	7 7E-05	4.3E-04				2.5E-03		0.0E+00	0 OE+00	9		0.0E+00	0.0€+00	0.0 <u>E</u> +00 3.4E-04	0.0€+00	70-36.1		3.1E-04				3.6E-04					0.0€+00	0.0E+00	i C	0 0F+00	1.9E-03	Methyl Chloroform
1 1E-02	4 6E-03	0 DE+00	0 0E+00	0.0€+00	0 0E+00	000+00	0 01 00	2.0E-02	9.1E-03	, or	1050	2.5E-03	5 1E-03	3.4E-04	3 4E-04	ר לים ה	0 0 + 00	0 0E+00	0 05+00	0 0E+00	0 0E+00	0.0E+00	0 0 - 00	0 0€+00	0 0€+00	0 OE+00	9 0€-02	4 1E-02	1	3 5F-03	5 1E-01	Methyl Ethyl Ketone
1 2E-02	4 8E-03		4 5E-02	7E-02	0E-04	2E-02		9E-02	1 3E-02	20,02	1 55 00	3 7E-03	7 4E-03	5 0E-04	5 0E-04	0,0						2 9E-03				4E-02		0 0E+00		0 0 ⊱+00	1 4E-01	Methylene Chloride
4 6E-03	1 7E-02	4 2E-05	1 5E-03	2.7E-03	3 4E-06	2.5E-03	5.1E-04	1 5E-03	9 4E-05	1	9 4 11 0 2	2.1E-04	4 8E-04	2.9€-05	3.2E-05	- C	1 8E-04	1.6E-03	7.8E-02	2.6E-04	1.3E-04				5 8E-05	3.2E-02	1.3E-03	4 6E-03	() ()	3 9	8.7E-02	Nickel
3.7E-03	1.5E-03	2.0E-04	7 4E-04	1.3E-03	1 5E-05	1.2E-03	2.4E-04	1 5E-02	6.9E-03		7 7E ∆3	1.9E-03	3.9€-03	2.6E-04	2.6E-04	8.0E-03				2.7E-05		1.8E-04	1.26-02	2.0E-05	4,4E-05	2.7E-03	2.2E-03	9.9€-04	0	8 5E-05	1.6E-03	o-Xylane
0 0E+00 5.8E-03	0 0€+00	6.7E-02	2.7E-01	4.7E-01	4 2E-03	4.3E-01	8 9E-02	2.0E-02	9.0E-03	0 0 0	3 25 02	9 1E-03	1.8E-02	1 2E-03	1 2E-03	1.05.02	1 8E-04	2.6E-04	1 1E-02	1 3E-05	4.5E-05	2.4E-04	2.0E-02	9.4E-06	5.8E-05	4 6E-03	2.1E-01	1 2E-01	0	1 05-02	7 7E+00	Phosphorus
5.8E-03	2.4E-03	2.5E-03	9.3€-03	1.6E-02	1.9E-04	1 5E-02	3.1€-03	7 1E-02	3.2E-02	י טריטג	a fin bo	9 0E-03	1 8E-02	1.2E-03	1.2E-03	- د د	2 7E-03	3 1E-03	1 3E-01	5.5E-04	1 9E-03	3 6E-03	2.46-01	4.0E-04	8.8E-04	5.4E-02	0 011+00	0.0€+00	0.00	0.05+00	6 4E-02	Toluene
4 9E-04	2.0E-04	1.8E-03	6 7E-03	1.25-02	1.4E-04	1.1E-02	2.2E-03	0 0 =+00	0.01+00	. 0	0 0=+00	0 0€+00	0.0€+00	0.0E+00	0.0E+00	00400	200	0.0E+00	0.0E	0.0€+00	0 0€+00	0.0E+00	0 0 - 00	0.0E+00	0.0€+00	0 OE	0.0 m +00	0.0E+00		0 05+00	5.7E-02	Xylenes
3	57		26							-	٠.	ω	21	.0		20	3 0										_	10	-		154	PM A STATE OF THE
21	9	12	44	76		70	14	144	65	,	73	18	36	2	2	#3.009	619	688	29,571	125	436	810	54.036	91	198	12,190	59	27	^	· ·	106	CO A
0	٥	0	0	0	• •	0	0	0	0		>	0	0	0	0		0 0	0	0	0	0 ;	0 0	0	٥	0	0	184 	74		3)	9,567	Sulfur Dioxide

Appendix B. Baseline Emissions in MG/yr of HAPs and Criteria Pollutants from Existing Sources

L	Ī	~	~	_	~						==		_	_	===			T = -
Total	83a F		81g F				79b E	à		776	76b \		74e	74b \				Model .
	Residual Liquid FF	Biomass/NFF Liquid/NFF	Biomass/NFF Liquid/NFF Wood/Other	Wood/Other	Wood/Other	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Material				
	All	¥	All	All	All	≗	¥	A	:	Wall-fired/P	Wall-fired/P	Other	Other	Other	Other	Other	Other	Combustor
2 20 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	>250	100-250	10-100	10-100	0-10	10-100	10-100	0-10	·	10-100	0-10	100-250	10-100	10-100	10-100	0-10	0-10	Capacity Range (MMBtwh
	547	172	37	37	ω	4	4	`	1	26	7	179	30	30	30	C)	5	3 C
42,952	No Control	No Control	Wet Scrubber	No Control	No Control	ESP	Cyclone	No Control		Cyclone	Cyclone	Wet Scrubber	Wet Scrubber	Cyclone	No Control	Cyclone	No Control	Control Level
42,952	7	63	9	295	159		ω	2		2	ω		2	2	4	00	6	No of Boilers
15,248	0	0	0	23	co	0	0	0		0	0	0	0	0	0	0	٥	No of Heaters
11.9	1 3E-02		1 1E-03	3 9E-02	1 7E-03	7 3E-05	2 2E-04	2 3E-05 7 7E-05 0 0E+00			1 6E-05	1 3E-04		4 5E-05	9 0E-05		2 3E-05	Mercury
	1 6E-03	4 4E-03	1 2E-04	4 8E-03	2.0E-04 0 0E+00	2.4E-04 0 0E+00	7 2E-04 0 0E+00	7 7E-05			1.1m-04	_		3 1E-04	6.2E-04	2.1E-04	1 5E-04	Methyl Chloroform
409	0 0€+00	4 4E-03 0 0E+00 1	0 0E+00	0 0€+00 1	0 0€+00	0 0 = +00	0 0E+00	0 01 + 00			9 6E-05	7 4E-04	2 5E-04	2 7E-04	5 5E-04	1 8E-04	1 4E-04	Methyl Ethyl Kelone
-	4E-02	2E-01	4E-03	3E-01	ವಿ	9 1E-04	2 7E-03	2 9E-04				2E-02		4E-03	7E-03	2 9€-03	2 2E-03	Methylene Chloride
1,111	_	$\overline{}$			9E-01	2 6E-04	6 9E-03	8 2E-04				-	5 2E-04	6 7E-04	-	\$	2	Nickel :
32.9	7 3E-04	_				2.9E-04	8 8E-04	9.3E-05			-	_					6 6E-05	o-Xylene
					_	7 9E-03	2.6E-02	2 8E-03								3E-03	2 5E-03	Phosphorus
						3 9€-04	1 2E-03	1 2E-04		8 6E-03	3 5E-03	2 7E-02	8 9€-03	-		6 6E-03	5 0E-03	Toluene
560	1 6E+00	4 6E+00	1.3E-01	5 0E+00	2.1E-01	1 0E-04	3 1E-04	3.3E-05		3 3E-05	1 3E-05	1 0E-04	3 5E-05	3 8E-05	7 7E-05	2 6E-05	1 9E-05	Xylenes
766,022	399	1,128	17	1.225	52	0	14	6		7	ω	50	17	C0	67	თ	17	РМ
766,022 16,819,084 3,405,264		32		34	_	7	21	2		ö	ţ.	30	ö	<u></u>	23	Ço	6	co
3,405,264	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	٥	Sulfur Dioxide